

- Abinader E, 1291
 Abinader EG, 831
 Abraham AS, 1357
 Abramowicz M, 42C
 Abrams DB, 406
 Abrams J, 1393
 Acharya DU, 793
 Adachi M, 1417
 Adams S, 1216
 Adgey AAJ, 909, 1570
 Agatston AS, 1
 Aggarwal A, 793
 Aguirre FV, 1410
 Ahlfeldt H, 1045
 Ahmed I, 569
 Ahren T, 1045
 Akiyama T, 1551
 Alam M, 689
 Albert SG, 259
 Alberti D, 457
 Albertini R, 685
 Alboni P, 1188
 Albrecht AE, 406
 Alderman MH, 1704
 Allen A, 166
 Allen J, 329
 Alliger H, 242
 Allison MD, 95
 Almany SL, 1452
 Alpert MA, 1687
 Allhouse R, 529
 Alton MA, 415
 Alves LE, 259
 Amano W, 691
 Ambrose JA, 78B
 Ambrosini V, 1274
 Ambrosioni E, 101D
 Amende I, 27
 Anand IS, 793
 Anderson JL, 166, 848
 Anderson KM, 85
 Anderson RH, 831
 Anderson TJ, 284
 Andreotti F, 1295
 Andrews J, 1079
 Angoli L, 36B
 Annoni L, 1698
 Antoniofi G, 1188
 Antunes MJ, 841
 Anversa P, 7D
 Anuma K, 13
 Appelbe AF, 817, 827
 Appels A, 395
 Applegate RJ, 564, 967
 Aradhya S, 1540
 Ararat MA, 687
 Arakawa K, 1011
 Aravot DJ, 408
 Arbustini E, 1233, 36B
 Ardissino D, 1B, 36B, 58B, 1587
 Ariani M, 276
 Armstrong WF, 976
 Arnold AZ, 1316
 Arnold JM, 80D
 Arnold RJG, 1662
 Aronow WS, 678
 Arosio P, 1233
 Arrighi JA, 1469
 Arrowood JA, 945
 Artner-Dworzak E, 1545
 Assinger RW, 961
 Asmar RG, 61
 Assmann G, 1A, 13A
 Assmann PE, 829
 Athanassopoulos G, 1224
 Atlas S, 1704
 Atlas SA, 918
 Awadallah SM, 90
 Azaria O, 725
 Bach R, 47C
 Bacharach SL, 114, 320
 Baciewicz PA, 193
 Bagger JP, 291
 Bahl VK, 1540
 Bahr RD, 1564
 Bailey L, 24C
 Balfour IC, 279
 Ballantyne D, 1593
 Balloon Valvuloplasty Registry
 Echocardiographers, 1477
 Ban T, 1692
 Banai S, 176
 Bar FW, 857
 Baracca E, 398
 Barath P, 1249, 24C
 Barbaresi F, 398
 Barber G, 819
 Barberis P, 58B, 1587
 Barbour MM, 569
 Barchilon E, 1357
 Barchallo MT, 863
 Barosi G, 1233
 Barretto ACP, 402
 Bartholomeus I, 296
 Bartolozzi JJ, 251
 Bartz-Bazzanella P, 1073
 Barzilai B, 1507
 Bashir Y, 434
 Bashore TM, 75, 1117, 1176, 1477
 Bastos P, 693
 Baughman KL, 370, 1203
 Baumbach A, 1310
 Bauriedel G, 226
 Bausback KN, 530
 Bauwens FR, 925
 Bay KS, 843
 Beatt KJ, 1556
 Beauchamp GD, 557
 Beauregard L-AM, 1067
 Beck JR, 1662
 Becker B, 725
 Becker LC, 1203
 Beck AM, 1287
 Behar S, 1291
 Behar VS, 1305
 Behrenbeck T, 21
 Beittel TM, 1055
 Belbel RJ, 286
 Bellotti G, 402
 Ben-Ari E, 485
 Ben-Haim SA, 725
 Bengur AR, 648, 669
 Benforin J, 176
 Benetti PN, 377
 Benson DW Jr, 603
 Berenson W Jr, 745
 Beranek JT, 842
 Berg G, 47C
 Bergelson BA, 1158
 Berkenboom G, 42C
 Berman DS, 707
 Berns M, 1079
 Bernstein V, 80D
 Berrios E, 1015
 Bertini G, 119
 Bertoni T, 614
 Bertrand A, 7
 Bertulla A, 1032
 Beshansky JR, 1662
 Bepalko IA, 959
 Betteridge DJ, 17A
 Bevilacqua M, 1089
 Beyer T, 1183
 Biasco MG, 99B
 Bichet D, 80D
 Bigger JT, 626
 Bilazarian SD, 567
 Binkley PF, 1103
 Bittl JA, 940
 Bjerregaard P, 777
 Black CH, 1067
 Blackman MS, 90
 Bocanegra TS, 1127
 Boccuzzi SJ, 1127
 Boden WE, 520
 Bohle K, 831
 Bolling SF, 1656
 Bolognese L, 585
 Bom N, 1625
 Bommer WJ, 868
 Bonazzi O, 349
 Bonow RO, 114, 320, 1469
 Boon NA, 805
 Bootsma M, 181
 Borer JS, 1150
 Bores CJ, 679
 Borggreffe M, 609
 Borghi A, 1581
 Borghi C, 101D
 Bosch X, 719
 Bosner MS, 626
 Boucher CA, 1600
 Boyd MJ, 971
 Brachmann J, 1183
 Brack M, 961
 Bradford MJ, 166
 Bradnam MS, 1593
 Braga SLN, 930
 Bramerio M, 1233, 36B
 Bramucci E, 36B
 Brand Mvd, 125B
 Branyas NA, 901
 Braunwald E, 1436, 1564, 1D, 41D, 70D, 127D
 Braverman AC, 1485
 Breithardt G, 609
 Brennan EJ, 825
 Bresee SJ, 1158
 Brewer HB Jr, 13A
 Brickner ME, 125
 Briggs B, 1715
 Brignole M, 1032
 Brinker JA, 1132
 Bristow JD, 935
 Brochier ML, 105B
 Brockman S, 1257
 Brooks BA, 1357
 Brown LE, 1436
 Brown M, 429
 Brown ML, 756, 1097
 Brown SE, 976
 Brugada J, 897
 Brugada P, 543, 833, 897
 Brunazzi C, 398
 Brunelli C, 110B
 Bruno N, 58B
 Brymer JF, 355
 Budzilowicz L, 790
 Bugiardini R, 1581
 Bugni WB, 1724
 Burek KA, 879
 Burgess R, 1176
 Burke RJ, 504
 Burns RJ, 504
 Byrum CJ, 90
 Byth K, 621
 Cain ME, 901
 Califf RM, 116, 973, 1015
 Calkins H, 1094, 1656
 Callazo WA, 286
 Calvar JASR, 271
 Camm AJ, 440
 Camm J, 434
 Campbell NPS, 1570
 Campbell WB, 788
 Campelli A, 796
 Campi A, 451
 Candela RJ, 1015
 Cannella G, 1060
 Cannon RO, 140
 Cannon RO III, 320
 Cannon RO III, 1469, 1726
 Cantor A, 565
 Capasso JM, 7D
 Caponnetto S, 796, 110B
 Cappato R, 1188
 Carbajal EV, 1279
 Cardinale D, 492
 Carleen E, 429
 Carry MM, 125
 Casale PN, 1106
 Casals I, 863
 Case CL, 1721
 Caspi A, 1291
 Cassidy DM, 901
 CAST Investigators, 887, 1551
 Castellanos A, 256, 979
 Castello R, 1677
 Centanni M, 1397
 Cequier A, 1020
 Cercek B, 24C
 Cernigliaro C, 451
 Cerqueira M, 529
 Chabot M, 365
 Chae J-S, 276
 Chaitman BR, 729, 1410
 Chakko S, 95
 Chamone DF, 161
 Chan WL, 766
 Chancerelle Y, 813
 Chandrasekaran K, 1257
 Chang AC, 1253
 Charbonnier B, 105B
 Chatzkel S, 1079
 Cheitlin M, 935
 Chen P-S, 825, 1329
 Chen X, 609
 Chen Y, 1227
 Cheng TO, 564
 Cherier F, 7
 Chesebro JH, 2B, 9C
 Chiariello M, 1274
 Chien S, 1704
 Chikamori T, 472
 Chimowitz MI, 1498
 Chiron B, 813
 Choi BW, 114
 Chouhan L, 446
 Christian TF, 21
 Christie J, 713
 Chrystos BE, 1400
 Chun Y-H, 13
 Chung MK, 626
 Churchill LR, 1525
 Ciampricotti R, 47
 Cianfrocca C, 642
 Cintron GB, 1724
 Civelek AC, 1132
 Clement DL, 925
 Clements SD, 1530
 Clyne CA, 1469
 Cobb LA, 1025
 Cobbaert C, 161
 Cobbe SM, 713
 Cockrill BA, 823
 Cody RJ, 237, 918
 Cohen CL, 193, 1530
 Colan SD, 1216, 1681
 Cole TG, 1436
 Colliver JA, 249, 251
 Condorelli M, 1101, 1274
 Conroy R, 1079
 Cook EF, 145
 Cook JA, 798
 Cook JR, 626
 Cooke MBD, 1593
 Cooley DA, 807
 Cope GD, 874
 Corbalán R, 685
 Couvé JE, 296
 Cox JL, 675
 Cox MM, 979
 Cox TA, 329
 Coy KM, 276
 Crapo RD, 129
 Craver JM, 193, 817, 1530
 Crea F, 111, 168
 Creager MA, 593
 Crijns HJ, 41, 335, 1194

- Cristal N, 1362
 Critelli G, 642
 Croxatto H, 685
 Crump R, 1619
 Cuddy TE, 80D
 Cumpston GN, 874
 Cunha DL, 693
 Currier JW, 1609
 Cusma JT, 1176
- Dagenais G, 80D
 Dalzell GWN, 909, 1570
 Danchin N, 7
 Daniëls O, 269
 Daniel WG, 27
 Daniels SR, 1377, 1383
 Dargie HJ, 713
 David D, 1291
 David WJ, 1400
 Davidoff R, 567
 Davidson CJ, 75, 116, 1117, 1305
 Davies GJ, 1295
 Davies NJ, 843
 Davis KB, 1477
 Davis LM, 621
 Davison MB, 1498
 De Ambroggi L, 614
 De Backer TL, 925
 de Bart ACW, 1295
 de Buitteir M, 1656
 De Buyzere ML, 925
 De Cesare N, 1698
 De Champlain J, 80D
 de Cock C, 857
 De Ferrari GM, 349
 de Feyter PJ, 534, 125B, 1556
 De Geest H, 463, 1633
 de Jong JW, 392
 de Leeuw PW, 181
 de Lezo JS, 802
 de Lorgeil M, 813
 De los Rios-Ibarra MO, 123
 De Maio SJ Jr, 226
 de Milliano PA, 857
 De Scheerder IK, 392
 de Servi S, 36B, 64B
 de Simone G, 1704
 de Swart H, 543
 Deal BJ, 603
 Deedwania PC, 1279
 Defauw JAM, 1163
 DEFIBRILAT Study Group, 545
 Degré S, 42C
 Dei Cas L, 1060
 Delage F, 80D
 Delou D, 831
 Della Bella P, 492
 DeMaria AN, 761
 Dembitsky WP, 825
 Demicheli G, 58B
 den Dulk K, 543
 Denes P, 887
 Dessì-Fulgheri P, 1397
 Desveaux B, 105B
 Deutsch L-S, 1079
 Devereux RB, 215, 1704
 Dewhurst TA, 550
- Di Bello V, 457
 Di Renzi P, 1089
 Diamond GA, 707, 1222
 Diaz RA, 1224
 DiCarlo LA, 1321
 Dick RJ, 879
 Diegoli M, 1233, 36B
 Dienstl A, 1545
 Dienstl F, 837
 Ditsizian V, 320, 1469
 DiMarco J, 1227
 Doering W, 121D
 Doi M, 360
 Doi YL, 472
 Dominguez F, 1719
 Donnerstein RL, 267, 810, 1245
 Douglas-Jones JWE, 679
 Douglas JS Jr, 1447
 Dove JT, 251
 Dracup K, 31
 Drory Y, 485, 1388
 Drost H, 296
 Dudlets PI, 1452
 Duffy CE, 745
 Dutillo C, 1101
 Dumesnil JG, 515
 Dunn B, 687
 Dunning JJ, 408
 Duprez DA, 925
 Duran CG, 687
 Dureau G, 813
 Durski K, 1132
 Dustman TJ, 553
 Dyckmans J, 47C
- Eaves LJ, 661
 Eberly S, 429
 Eckert S, 27
 Edoute Y, 725
 Edwards WD, 1143
 Eichhorn EJ, 125
 Eichstädt H, 1237
 Eilles C, 116D
 Eisenberg MJ, 1242
 El Gamal M, 47
 El-Atassi R, 1094, 1656
 Elbal LM, 271
 Eldar M, 255
 Ellenbogen KA, 1458
 Ellestad MH, 1619
 Ellis P, 621
 Ellis SG, 1447
 Emmot W, 913
 Endoh H, 413
 Engelking N, 249
 Erbel R, 834
 Ernst A, 242
 Ernst SMPG, 1163
 Ertl G, 116D
 Esplugas E, 1020
 Esteves CA, 930
 Eways EA, 1107, 1367
 Elyath U, 1357
- Fabbiochi F, 1698
 Fabiszewski R, 1067
 Facchini M, 349
 Fadel B, 125
 Fagan L Jr, 1677
 Fahrenbruch CE, 1025
- Falk E, 28B
 Fallen EL, 155
 Fang ZY, 42C
 Farooki ZQ, 836
 Farrell T, 434, 440
 Fawzy ME, 687
 Faxon DP, 1158, 1609
 Feenstra L, 1715
 Fehrenbacher G, 868
 Feigenbaum H, 976
 Feld GK, 825
 Feld H, 255, 790
 Feldman AM, 1203
 Feldman RL, 61C
 Fenton C, 1091
 Ferguson JE, 1724
 Ferguson JG, 707
 Fernandez P, 256, 979
 Ferreira A, 1511
 Ferretti GF, 1397
 Ferro G, 1101
 Finelli CJ, 1321
 Fintel D, 1668
 Fischell TA, 530
 Fischer M, 121D
 Fishbein MC, 1249
 Fisher LD, 729
 Fisman EZ, 485, 1388
 Fitzgerald DJ, 51B
 FitzGerald GA, 11B
 Flachskampf FA, 697
 Flaherty JT, 1564
 Flanagan MF, 403
 Fleck RP, 825
 Fleiss JL, 626
 Fletcher SE, 1721
 Flich M, 1291
 Flores AR, 1600
 Florio J, 1715
 Foley-Noian D, 830
 Ford I, 713
 Forrester J, 69B
 Forrester JS, 1249, 1C, 16C, 24C
 Fortin DF, 1176
 Foster JR, 1099
 Franco M, 802
 Frankel R, 255, 790
 Freedman NMT, 320
 Freeland JC, 669
 French M, 773
 Fried G, 790
 Friedman Y, 1291
 Frietman PAV, 1625
 Frishman WH, 1004, 1662
 Frohlich ED, 509, 1346
 Fromer M, 681
 Frommelt PC, 1211
 Frutos A, 1719
 Fuhs BE, 1458
 Fujii T, 343
 Fujita N, 1114
 Fuller MS, 553
 Furberg CD, 954
 Furtwängler A, 1138
 Fuster V, 2B, 9C
 Fyfe DA, 1116, 1372, 1721
- Gaggiotti M, 1060
 Gaggiardi MG, 1089
- Galderisi M, 85
 Galioto FM Jr, 1255
 Galligan L, 504
 Gamba MG, 58B
 Ganau A, 1704
 Gang ES, 1403
 Garavaglia GE, 65
 Garber CE, 569
 Garber GR, 1158
 Garcia R, 689
 Gardiner P, 1263
 Gardner AW, 99
 Gardner LH, 116
 Gardner TJ, 821
 Garrett CT, 1511
 Gaspardone A, 111
 Gaspoz J-M, 145
 Gast D, 1538
 Gaudreault G, 515
 Gaudron P, 116D
 Gavazzi A, 1233
 Gavish A, 176
 Gazzolo D, 796
 Genser N, 837
 George T, 446
 Gersh BJ, 21
 Gertz SD, 22B, 1726
 Geva T, 1681
 Ghali JK, 1465
 Ghiogliotti G, 110B
 Ghio S, 64B
 Gianfranchi L, 1032
 Gibbons FA, 874
 Gibbons RJ, 21, 756, 1097
 Giglioli C, 119
 Gilchrist IC, 1534
 Gillette PC, 840, 1116, 1372, 1721
 Gilli G, 1188
 Gilligan DM, 766, 971
 Gillis AM, 887
 Ginsburg GS, 187
 Giorgi LV, 313
 Giraldi F, 492
 Girbes ARJ, 1194
 Giredi XI, 61
 Giusti C, 457
 Gladstone PJ, 504
 Glamann DB, 150, 695
 Gold R, 1227
 Goldberg AD, 631
 Goldberg SJ, 810, 1245
 Goldbourt U, 1291
 Goldman L, 145, 593
 Goldman S, 26D
 Goldstein S, 631
 Golino P, 1274
 Gonzalez-Carmona VM, 123
 Goodenberger D, 1507
 Gordon I, 1079
 Gorgels A, 35
 Gosselink AM, 335
 Gössinger H, 1247
 Gottlieb CD, 1037
 Gottlieb SH, 1203
 Gottlieb SO, 785, 119B
 Gottlieb SS, 80D
 Gotto AM, 1120
 Gotto AM Jr, 1A, 11A
 Goy J-J, 681
- Gracewski SM, 242
 Graettinger WF, 51
 Grafstein Y, 1357
 Graham SP, 1614
 Grasso M, 1233, 36B
 Grayburn PA, 125
 Green CE, 1646
 Green LA, 201
 Greenberg B, 935
 Greenberg H, 1551
 Greene CA, 1116
 Greengart A, 790
 Greenwalt T, 1410
 Greppi B, 215
 Griffin BP, 707
 Grigsby CG, 761
 Grines CL, 1452
 Groskop I, 1123
 Grossman E, 57, 65
 Guaini T, 1060
 Guarda E, 685
 Guarnaccia F, 1101
 Guazzi M, 492
 Guazzi MD, 1698
 Guiraudon GM, 208, 1651
 Gulba D, 27
 Guntheroth WC, 839
 Gurevich V, 1564
 Gurley JC, 274
 Gussenhoven EJ, 1625
 Gutgesell HP, 773
 Guyton RA, 193, 1530
 Guzy PM, 31
- Haase H-U, 983
 Haase KK, 1310
 Hachenberg T, 609
 Hacker SM, 137
 Hagler DJ, 1536
 Haisty WK Jr, 1300
 Hajar HA, 446
 Hakas JF Jr, 833
 Hallstrom AP, 1025
 Hamilton SM, 560
 Hamm P, 1436
 Hammer DF, 133, 1103
 Handa K, 1011
 Hannon DW, 1377
 Hanrath P, 697
 Harding M, 75
 Harding MB, 1117
 Harrison JK, 75, 930
 Harrison MR, 761
 Hartmann A, 598
 Hartzler GO, 313
 Hauser AM, 1452
 Havel RJ, 8A
 Hawkins CM, 1436
 Hay JW, 1120
 Hayashi H, 1417
 Heikkilä J, 575, 653
 Heiman M, 1004
 Heinz G, 1247
 Heller GV, 569
 Hellstrom HR, 829
 Henjum SC, 825
 Henningsen P, 291
 Herlitz J, 171
 Hermans WRM, 1556
 Hermiller JB, 75, 1117

- Hernández E, 802
Hemdon JE, 973
Hermann HC, 1111
Herszkowitz A, 370
Herz I, 255, 790
Herzog CA, 961
Hewitt JK, 661
Heywood JT, 52C
Hibiya K, 557
Hief C, 609
Hill JA, 1111
Hillege H, 335
Hilleman DE, 1503
Hilliard BA, 1511
Hillis LD, 150, 695
Hilton TC, 247
Hippeläinen M, 653
Hirai M, 1417
Hirata K, 1692
Hirata N, 81
Hirata Y, 1114
Hiroe M, 13, 1114
Hiroki T, 1011
Hirsch AT, 593
Hirsh J, 382
Hiss Y, 1388
Hjalmarson Å, 171
Hlatky M, 1117
Hlatky MA, 973
Hochrein H, 1237
Hod H, 1291
Hodges M, 961
Hoffmann R, 697
Höfling B, 226
Ho'stetter R, 1073
Hölander G, 790
Hollman J, 525
Holmgren SM, 1245
Hong M, 1403
Hong MK, 1646
Honos GN, 515
Honye J, 1079
Hood WB Jr, 1465
Hopman JCW, 269
Hör G, 598
Hosoda S, 561
Hourihan M, 403
Howe D, 1465
Hsia J, 1216, 1410, 1511
Hsu P-C, 221
Huang T-Y, 221
Huber MS, 467
Hugenholz PG, 1258
Huikuri HV, 575
Huisman LGM, 1295
Hutchins GM, 370
- Iannetti M, 1108
Ibarra-Perez C, 123
Ichihara Y, 1417
Iesaka Y, 13
Igarashi H, 413
Igarashi T, 691
Ikuta RM, 843
Imanishi M, 343
Imbar S, 957
Imura H, 991
Inada M, 950
Inagaki H, 1417
Indolfi C, 1274
- Interian A Jr, 979
Interian A Jr, 256
Ipsen S, 848
Isaef DM, 1715
Ishihara Y, 1011
Ishii M, 301
Ishikawa K, 410
ISIS-4 Collaborative Group, 87D
Iskandrian AS, 674
Israel DH, 788
Ito H, 1114
Itoh H, 360
Iwasaka T, 950
Izumi S, 1335
- Jütten H, 697
Jackman JD, 116
Jackson K, 1340
Jacob AJ, 805
Jacobs AK, 1158, 1609
Jacobson N, 935
Jaffe WM, 550
Jain A, 1717
Jaiswal D, 498
Jalil J, 685
Janosik D, 1410
Janowitz WR, 1
Janssen J, 857
Jara F, 1020
Jenkins JM, 1321
Jensen RL, 129
Jerjes-Sanchez C, 123
Jimenez W, 719
Jinnouchi Y, 1692
Johnson WL, 313
Jonas RA, 1253, 1681
Jonasson T, 1045
Jones EL, 193, 1530
Jones SR, 370
Jordaens L, 35
Josephson ME, 1037
Joshi J, 478, 766
Jost S, 27
Jugdutt BI, 52D
Juilliére Y, 7
Jureidini SB, 279
Just H, 1138
Jutzy RV, 1715
- Kübler W, 1183
Kaesser UR, 509
Kahn JK, 313
Kaizer J, 61C
Kalan JM, 22B
Kallfelz H-C, 741
Kaltenbach M, 598
Kamath MV, 155
Kammerling JM, 887
Kan JS, 821
Kaniecki DJ, 1662
Kaplinsky E, 725, 1291
Kappenberger L, 681
Karagounis L, 166, 848
Karch M, 1183
Karcher G, 7
Carlson BW, 171
Karpawich PP, 1231
Karpinen K, 653
Karsch KR, 1310
Kaski JC, 111
- Kasper W, 1138, 1575
Kataoka H, 832, 839
Katholi RE, 251
Kaufman JM, 925
Kavey R-EW, 90
Kawamura H, 1351
Kawano T, 1011
Keane JF, 403
Keegan ME, 1127
Kellermann JJ, 485
Kempner KM, 114
Kennedy HL, 247
Kennedy JW, 529
Kennedy KD, 251
Kentrup H, 1073
Kereiakes DJ, 1015
Keren G, 858
Kerensky R, 967
Kergonou J-F, 813
Kerihuel JC, 61
Kern MJ, 1410
Kessler KM, 95
Kettunen R, 575
Khaja F, 355
Khan MM, 1570
Khandheria BK, 1143
Khoury P, 1383
Kidd L, 1055
Kim YH, 1651
Kimball TR, 1377, 1383
King SB III, 1447
Kingma JG Jr, 515
Kingma JH, 1163, 111D
Kirshenbaum JM, 1564
Kishon Y, 1291
Kisslo K, 75
Kisslo KB, 1305, 1477
Kita Y, 1049
Klassen GA, 1542
Kleaveland JP, 1111
Kleber FX, 121D
Kleiger RE, 626
Kleiman NS, 67C
Klein GI, 208, 964, 1651
Klein M, 80D
Klepzig H, 598
Klewser SE, 810
Kligfield P, 1091
Klomps HC, 296
Kloner RA, 329
Klues HG, 1726
Kluft C, 1295
Kluger J, 1227
Kneissl H-G, 598
Kochanovski M, 725
Kochsiek K, 116D
Koester DL, 251
Koike A, 360, 1114
Kojima S, 343
Kondo K, 1417
Kong Y, 1305
Konishi J, 281, 1638
Kono S, 1011
Kono T, 355
Koomen EM, 1163
Koster JF, 392
Koster RW, 857
Kostuk WJ, 232
Kou WH, 1656
- Kowalchuk GJ, 377
Kowey PR, 1662
Kragel AH, 22B
Kramer-Fox R, 215
Kramer MR, 1388
Kramer PH, 557
Krause T, 1575
Krauss RM, 5A
Krauss XH, 296
Kriett JM, 825
Krikler S, 766
Kristal N, 1291
Krol J, 1111
Krucoff M, 1305
Kruijssen DACM, 181
Kubo S, 1692
Kubo SH, 918
Kuhn FE, 1425
Kulakowski P, 440
Kulik TJ, 1253
Kuntz RE, 1431
Kuo C-S, 1551
Kupari M, 653
Kuramoto K, 1351
Kure J, 137
Kutcher M, 967
Kuwajima I, 1351
Kveselis DA, 90
- L'Abbate A, 539
Labovitz AJ, 1677
La Canna G, 1060
Laika SG, 976
Lam J, 34C
Lamas GA, 41D, 80D
Lambert CR, 1687
Lambertz H, 697
Lamers JMJ, 392
Lancée CT, 1625
Landahl S, 547
Landauer JA, 566
Landzberg JS, 788
Lane RT, 976
Lang W, 1247
Langberg JJ, 1094, 1656
Lange RA, 125, 150, 695
Laniado S, 1291
Laragh JH, 918, 1704
LaRaia PJ, 1600
Larcos G, 756, 1097
Large SR, 408
Larsen ET, 284
Laschinger JC, 560
Latson LA, 277
Lauri G, 492
Lavie CJ, 1087
LaVille A, 863
Lawand S, 504
Lawin P, 609
Leather RA, 1651
Lechleitner P, 837, 1545
Lee RT, 593, 1485
Lee TH, 145, 593
Lee WK, 1203
Lehany AM, 1091
Lehmann G, 983
Lehmann MH, 1340
Leier CV, 1103
Leitch JW, 208, 964, 1651
LeJemtel TH, 1465
- Lekochmacher SS, 959
Lemmer JH Jr, 637
Lenzen P, 1677
Leon MB, 140, 85B
Lernfelt B, 547
Lester WM, 284
Letcher JR, 1257
Lev B, 1388
Levi S, 1233
Levine HJ, 1564
Levine PA, 1715
Levy D, 85
Lewis AB, 365
Li P-C, 1321
Liao JK, 823
Lichstein E, 790
Lichtlen PR, 27
Lie KI, 41, 335, 1194
Liel N, 565
Lightfoot B, 1067
Ligon RW, 313
Lillehei CW, 1491
Links JM, 1132
Lisco S, 137
Litowitz H, 1498
Little WC, 564, 967
Litwin CM, 26D
Litwin SE, 26D
Lloyd TR, 267
Loaldi A, 1698
Lolli G, 1032
Longhini C, 398
Longhini L, 398
Look MP, 181
Lord CP, 593
Lorig RJ, 1498
Loscalzo J, 389, 1564
Losem CJ, 509, 1346
Lowenthal DT, 1362
Lu DY, 1425
Lückhoff A, 996
Luke P, 874
Lupinetti FM, 637
Lurie Y, 1123
Lytle BW, 1316
- MacPhail BS, 274
Madison J, 467
Madison JD, 201
Mady C, 402
Magnani B, 101D
Mahan EF III, 263
Mair J, 1545
Malarkey WB, 237
Malaviya AN, 1540
Malik M, 434, 440
Maloney JD, 800
Mancini M, 17A
Marasini M, 796
Marcelletti C, 1089
Marcus BH, 406
Marenzi G, 492
Margheri M, 119
Marie PY, 7
Marino PN, 35D
Mark DB, 973
Markiewicz V, 1291
Marmor A, 1291
Maron BJ, 140, 1469, 1726
Marraccini P, 539

- Marsden C, 31
 Martin GJ, 1668
 Martin GR, 1255
 Martin RP, 817, 827
 Martinez-Rubio A, 609
 Marumo F, 13, 1114
 Marwick TH, 1106, 1498
 Masana L, 863
 Mascioli EA, 377
 Maseri A, 111, 16B, 1295
 Massé J, 566
 Massie B, 935
 Maté I, 1719
 Materson BJ, 95
 Matsuda H, 81
 Matsumura M, 281, 1638
 Matsuyama K, 991
 Mattei O, 1397
 Matthews JP, 1372
 Maul F-D, 598
 Maurer B, 108
 Mauri J, 1020
 Mauskopf JA, 1709
 Maynard C, 529
 Mayor M, 95
 Mazeika P, 478
 Mazzara D, 1397
 Mazzone A, 64B
 McArthur PD, 1372
 McCallister BD, 313
 McCans J, 80D
 McConahay DR, 313
 McCormick CW, 1542
 McCormick D, 1257
 McDermott M, 429
 McDonald JT, 785
 McDonald KM, 108
 McEwan MMP, 80D
 McGuire MA, 621
 McGuire MP, 377
 McIntosh CL, 1726
 McKenzie FN, 232
 McKeown P, 1570
 McKeown PP, 909
 McLaren KM, 805
 McLoughlin MJ, 1346
 Medina A, 176, 802
 Meinertz T, 1138
 Meissner MD, 798
 Melián F, 802
 Meliones JM, 648, 1211
 Meltzer RS, 242
 Menkis AH, 232
 Menlove RL, 166, 848
 Menozzi C, 1032
 Mercer E, 687
 Merlini PA, 58B
 Mesa JM, 1719
 Messerli FH, 57, 65, 509, 1346
 Metra M, 1060
 Mews GC, 874
 Meyer A, 1287
 Meyer RA, 1377, 1383
 Mick MJ, 1316
 Midgley FM, 1255
 Mikawa H, 281, 1638
 Mikell FL, 251
 Milani RV, 1087
 Mill MR, 1717
 Miller BD, 251
 Miller FA Jr, 1143
 Miller JM, 1037
 Millereau M, 418
 Mills RM, 1158
 Minzioni G, 368
 Missouri CG, 971
 Mitterschiffthaler G, 837
 Mixon R, 817
 Mückel M, 1237
 Mohiuddin SM, 1503
 Mohler ER, 1425
 Moleiro F, 256
 Mølgaard H, 777
 Moller JH, 1491
 Mont L, 897
 Montague TJ, 843
 Montero A, 802
 Montero M, 1183
 Montijano A, 802
 Montorsi P, 1698
 Monza E, 614
 Mooney JF, 467
 Mooney MR, 201, 467
 Moore JK, 1525
 Mooss AN, 1503
 Morady F, 1094, 1656
 Morales J, 802
 Morass B, 1545
 Moreno F, 848
 Morganroth J, 785
 Moriel M, 176
 Morikami Y, 580
 Morioka S, 1335
 Moriyama K, 1335
 Morris KG, 1117
 Moser DK, 31
 Moser E, 1575
 Moses HW, 249, 251
 Moskowitz R, 566
 Moss AJ, 429
 Mösslacher H, 1247
 Mosteller M, 661
 Mosteller RD, 1340
 Motro M, 485
 Motz W, 996
 Movilli E, 1060
 Moyé LA, 70D, 80D
 Moya P, 719
 Moyer L, 1436
 Muñoz I, 719
 Mukerji B, 1687
 Mukerji V, 1687
 Mulholland MG, 1570
 Muller DWM, 879
 Müller RM, 1237
 Mullins PA, 408
 Mumma M, 967
 Murakami R, 1335
 Murant G, 242
 Murdock CJ, 208
 Murphy MC, 1447
 Murray KD, 237
 Mussini A, 36B, 1587
 Myerburg RJ, 95, 256, 979
 Myerowitz PD, 237
 Myers GH, 1717
 Myers WO, 679
 Myler RK, 1447
 Myrianths MM, 1619
 Nabel EG, 6C
 Nachtwey JA, 251
 Nadeau C, 80D
 Naessens JM, 1143
 Nakamura K, 561
 Nakano S, 81
 Nakao K, 991
 Nance WE, 661
 Nanda NC, 263
 Narracci P, 42C
 Nascimento R, 693
 Nasim S, 1511
 Nassi G, 539
 Natarajan TK, 1132
 Navarrete L, 1183
 Navetta FI, 116
 Negroni MS, 614
 Neill CA, 1055
 Neish SR, 807
 Nelson CL, 116, 973
 Nemeč JJ, 1498
 Nesto RW, 377
 Neumann L, 1362
 Neutel JM, 51
 Newell JB, 1600
 Niaura RS, 406
 Nicklas J, 631
 Nielsen TT, 291
 Niemöller L, 121D
 Nigri A, 642
 Nihil MR, 807
 Nihoyannopoulos P, 478, 1224
 Nikolic G, 138
 Nilsson G, 1045
 Nishimura RA, 1477
 Nishioka K, 281, 1638
 Nitta J, 13
 Nixon JV, 945
 Nogami A, 13, 1114
 Nouri S, 279
 Novick RJ, 232
 Nubani N, 1357
 Nunez B, 65
 Oakes D, 429
 Oakley C, 71
 Oakley CM, 478, 766, 971, 1224
 Obarski T, 1106
 Ochi H, 1335
 Oddone D, 1032
 Odemuyiwa O, 434, 440
 O'Dorisio TM, 237
 Ogawa T, 301
 Oh JK, 1143
 Ohe T, 343
 Ohman EM, 1305
 Okin PM, 1091
 Okumura K, 991
 Okuno T, 281
 O'Laughlin MP, 807
 Oldroyd KG, 713
 O'Leary PW, 1536
 Oliveira SA, 402
 Oliver J, 1719
 Olivetti G, 7D
 Olson D, 817
 Olsufka M, 529
 Omae T, 343
 O'Neill WW, 1452
 Orbe LC, 1719
 Oren S, 57, 65
 Orishimo TF, 1037
 Orsini E, 539
 Otsuka K, 1351
 Ott DA, 807
 Otto CM, 550, 1477
 Ouyang P, 119B
 Ozawa T, 472
 Ozgüven MA, 1132
 Packer M, 80D
 Pacouret G, 105B
 Padiál LR, 261
 Pahlm O, 1300
 Paladini B, 119
 Palant A, 1291
 Palmeri ST, 114
 Palti Y, 725
 Pan M, 802
 Panayiotou H, 1687
 Paoletti R, 1A
 Paré C, 719
 Paran E, 1362
 Paridon SM, 1231
 Park JC, 276
 Parker JD, 940
 Parker JO, 80D
 Parkin R, 138
 Parness IA, 1681
 Parsons L, 729
 Partanen J, 1120
 Participating Investigators, 1340
 Partington CR, 525
 Pasiński TJ, 415
 Passariello R, 1089
 Pasternak RC, 187, 1431
 Patsch J, 11A
 Patterson GC, 1570
 Patton C, 1491
 Paul T, 741
 Pavlides GS, 1452
 Pavlovic D, 802
 Pawitan Y, 887, 1551
 Pearl W, 286
 Pearlman AS, 550
 Pearson AC, 415, 1677
 Pearson GD, 1055
 Pedersen AK, 291
 Pedroni P, 1188
 Peels HOJ, 1163
 Pelled B, 1291
 Pelliccia A, 140
 Pelliccia F, 642
 Pepine CJ, 785, 1111
 Perkins KA, 838
 Perimutter N, 935
 Perrone-Filardi P, 320
 Perry LW, 1255
 Peter RH, 1305
 Peter T, 1403
 Peters W, 1403
 Pfeffer JM, 17D
 Pfeffer MA, 1436, 1D, 41D, 70D, 80D, 127D
 Pflugfelder PW, 232
 Phillips HR, 116, 1305
 Picardo S, 1089
 Picart N, 42C
 Piccoli DA, 819
 Picus D, 1507
 Piedmonte M, 1316
 Pieper KS, 1117
 Pierce C, 75
 Piessens J, 463
 Piessens JH, 1633
 Pileggi F, 402
 Pines A, 485, 1388
 Pini C, 119
 Pini R, 215
 Pinski SL, 800
 Pinsky WW, 1231
 Piper KS, 75
 Piscione F, 1274
 Pitt B, 106, 137
 Plana N, 863
 Podrid PJ, 1521, 1662
 Polanco GA, 689
 Folese A, 1698
 Poloniecki J, 434, 440
 Pometta D, 17A
 Pomposiello JC, 446
 Pongiglione G, 603, 796
 Pope JE, 1300
 Popma JJ, 879
 Porter TR, 945
 Porway M, 977
 Pouleur H, 71
 Power JA, 114
 Pozzati A, 1581
 Prabhakar C, 249
 Pressly TA, 1687
 Prevedel JA, 1503
 Prieto EI, 271
 Pro-urokinase for Myocardial Infarction Study Group, 1564
 Profeta G, 1079
 Pryor DB, 973
 Pryor TA, 166
 Prystowsky EN, 1329
 Pucci A, 36B
 Puddu P, 1581
 Pupita G, 1397
 Purvis JA, 1570
 Puschendorf B, 837, 1545
 Pye MP, 713
 Rabenau O, 996
 Rabinowitz B, 1291
 Rackley CE, 1425, 1646
 Raffaghello S, 64B
 Ramos AIO, 930
 Rappelli A, 1397
 Raskuragev AB, 959
 Ray JF III, 679
 Ray SG, 713
 Raya TE, 26D
 Raynaud P, 105B
 Raza-Ahmad A, 1542
 Reagan K, 1425, 1646
 Reale A, 642
 Rechavia E, 957
 Recio MG, 271
 Reid M, 1465
 Reiffel JA, 798
 Reimer A, 741
 Reiniger G, 983

- Reis GJ, 1431
 Reisin L, 1291
 Relik-van Wely L, 296
 Remme WJ, 181, 1668
 Renaud S, 813
 Rensing BJWM, 1556
 Reynolds-Haertle RA, 1551
 Ribaldone D, 796
 Ribas M, 719
 Ribeiro PA, 687
 Ricevuti G, 648
 Richards DAB, 621
 Richter A, 171
 Rico J, 1719
 Rimatori C, 1397
 Rinde-Hoffman D, 1724
 Rindi G, 1233
 Ringel RE, 560
 Rioux P, 105B
 Rivera F, 719
 Rizzon P, 99B
 Roberts CS, 22B, 1726
 Roberts MJD, 909, 1570
 Roberts R, 3C
 Roberts WC, 143, 289, 703,
 1107, 1121, 1260, 1B,
 22B, 1367, 1726, 1729
 Roccario ES, 977
 Rockow J, 267
 Rode P, 837
 Rodríguez LM, 897
 Rodrigues-Gomes M, 693
 Rodriguez ER, 1511
 Roelandt JR, 829
 Roelandt JRTC, 1625
 Rogers WJ, 1465
 Roguin N, 1291
 Rolla A, 58B, 1587
 Rolnitzky LM, 626
 Román M, 802
 Roman MJ, 215, 1704
 Romero M, 802
 Romm PA, 1646
 Rosado-Buzzo A, 123
 Rosamond TL, 557
 Rose EP, 259
 Rosenfeld T, 1291
 Rosengren A, 1171
 Rosenmayr G, 1247
 Rosenthal ME, 1037
 Rosing DR, 114
 Rosman HS, 689
 Ross AM, 1216, 1410, 1511,
 58C
 Ross DL, 621
 Ross J Jr, 1257
 Ross RD, 836
 Rossi P, 585
 Rostagno C, 119
 Roubin GS, 1447
 Rouleau JL, 80D
 Rousseau MF, 71
 Roy V, 945
 Rubinstein A, 1123
 Rubison M, 429
 Rudas L, 232
 Rudolph W, 983
 Ruiz CE, 329
 Ruocco NA Jr, 1609
 Ruocco NA Jr, 1158
 Russo L, 119
 Russo P, 1397
 Russolillo E, 1274
 Rutherford BD, 313
 Ryan T, 976
 Ryan TJ, 729, 1158, 1609
 Rychik J, 819
 Rydén L, 71
 Ryman K, 918
 Sørensen KE, 777
 Sabate X, 1020
 Sabbah HN, 355
 Sacks FM, 1436
 Safar ME, 61
 Safran C, 187
 Sagie A, 957
 Sahyouni XN, 1668
 Saini RK, 1227
 Saito H, 1417
 Saito Y, 991
 Sakagoshi N, 81
 Sakai K, 561
 Sakamoto T, 691
 Sakuma A, 360
 Sala J, 1020
 Salcedo EE, 1498
 Salerno DM, 201, 887
 Saltzman HA, 1723
 Samdarshi TE, 263
 Sanada H, 1049
 Sanders SP, 1681
 Sandin RL, 1511
 Sandrini M, 1060
 Sangalang V, 1542
 Sansa M, 451
 Santoro G, 457
 Santoro L, 1176
 Sanyal RS, 263
 Sanz G, 719
 Sapin PM, 1099, 1717
 Sardina M, 1587
 Sassone B, 1581
 Sattler LF, 1425
 Savonitto S, 457, 1587
 Sawada SG, 976
 Schaad JW, 1668
 Scheel JN, 821
 Scheldewaert R, 42C
 Scheler S, 996
 Schelling A, 857
 Schenk EA, 242
 Schieff AF, 1259
 Schieffer H, 47C
 Schieken RM, 661
 Schiller NB, 1242
 Schlaepfer J, 681
 Schlesinger Z, 1291
 Schmidt DH, 868
 Schmitt C, 1183
 Schneider JA, 249
 Schofield PM, 408
 Schouten E, 395
 Schröder R, 598
 Schröder K, 1538
 Schröder R, 1538
 Schraeder PL, 1067
 Schuemichen C, 1575
 Schulhoff N, 255, 790
 Schumacher RR, 1564
 Schumitsch PA, 679
 Schwab SJ, 1117
 Schwartz DC, 1377
 Schwartz PJ, 349, 614
 Schwarz M, 1247
 Schweiger MJ, 977
 Sclarovsky S, 957, 1291
 Scott JP, 408
 Scrutinio D, 99B
 Seebandt ML, 679
 Seelig MS, 1221
 Segar DS, 976
 Segura J, 802
 Seixas T, 897
 Sekiguchi T, 301
 Sellem MA, 745
 Sen S, 47C
 Seo H, 472
 Serota H, 1410
 Serra A, 719
 Serruys PW, 392, 534, 125B,
 1556
 Serwin JB, 689
 Sestier F, 80D
 Seward JB, 1536
 Sgarbossa EB, 800
 Shafique I, 1132
 Shah PK, 707, 16C, 72C
 Shakhovich A, 918
 Shani J, 255, 790
 Shapira M, 176
 Shapiro DR, 1127
 Shapiro EP, 119B, 35D
 Sharifi B, 24C
 Sharkey SW, 961
 Sharp GC, 1687
 Sharp S, 553
 Sharpe N, 64D
 Shaw RE, 1447
 Shea M, 137
 Sheffer A, 276
 Sheffield LT, 729
 Sheikh KH, 1305
 Shekhar YC, 793
 Shelton LW, 1372
 Shemesh O, 1357
 Shen W-K, 1143
 Shepherd J, 5A
 Sherf L, 1291
 Sherman CT, 735
 Sheth M, 689
 Shimada T, 1335
 Shimizu K, 1049
 Shimizu M, 1049
 Shimizu T, 281
 Shimojo M, 950
 Shimosawa T, 1351
 Shimshak TM, 313
 Shiner RJ, 485
 Shiota T, 691
 Shiraiishi H, 413
 Shirakami G, 991
 Spector AV, 959
 Shukla R, 1377
 Siegel RJ, 276
 Siemenczuk D, 935
 Silberman H, 249
 Silva R, 685
 Silver MA, 1253
 Silverman DI, 1431
 Silvey SV, 286
 Simon R, 27
 Simonetti I, 451
 Simonis F, 897
 Simpfordorfer C, 1316
 Singer DH, 1668
 Singh BN, 306
 Singh S, 1227
 Sionis D, 1633
 Siostrzonek P, 1247
 Sketch MH Sr, 1503
 Skinner JS, 99
 Slager CJ, 829
 Smeets J, 543
 Smeets JLRM, 897
 Smidt J, 1545
 Smith A, 276
 Smith DHG, 51
 Smith FC, 90
 Smith JE, 116
 Smith LK, 99
 Smith MD, 761
 Smith PN, 679
 Snider AR, 648, 669, 1211
 Sobel BE, 382
 Sobolski J, 42C
 Sobrino JA, 1719
 Sobrino N, 1719
 Solà R, 863
 Soler T, 1020
 Sotalol Study Group, 1227
 Sourkes SR, 701
 Sourkes TL, 701
 Sousa J, 1094, 1656
 Sousa JEMR, 930
 Souther SK, 761
 Spadafora M, 1101
 Spallarossa P, 110B
 Spaude S, 313
 Specchia G, 1B, 36B, 58B,
 64B, 1587
 Spero LA, 1176
 Spessert C, 1507
 Spovak PJ, 1681
 Spielberg C, 1538
 Spinelli L, 1101
 Spodick DH, 138, 835
 Sriram R, 687
 St. John Sutton M, 940
 Störk TV, 1237
 Stümpflen A, 1247
 Stack RS, 116, 1015, 1305
 Stafford PJ, 751
 Stajer D, 837
 Stamler JS, 389
 Stammen F, 463
 Standley M, 61C
 Starling RC, 133, 237, 1103
 Startt-Selvester RH, 1619
 Staunton A, 440
 Steering Committee, 1263
 Stein KM, 1091
 Stein PD, 355, 1723
 Stein Y, 8A
 Steiner G, 17A
 Steinman R, 626
 Stern S, 176
 Stertz SH, 1447
 Stevens T, 313
 Stewart R, 766
 Stewart WJ, 1106
 Stijnen T, 1625
 Stikley W, 977
 Stoff N, 402
 Stoughton TL, 286
 Strasberg B, 957
 Strasburger JF, 603, 745
 Strauer BE, 996
 Strauss BH, 534
 Strobeck JE, 1203
 Stroobandt R, 35
 Sugaman J, 1525
 Sugihara N, 1049
 Sugimoto T, 691
 Sugishita Y, 301
 Sussex B, 80D
 Suttorp MJ, 1163
 Suzuki A, 1417
 Suzuki Y, 1351
 Svanborg A, 547
 Swain JA, 140
 Szlachcic J, 935
 Taddei T, 119
 Tajik AJ, 1143, 1536
 Takahashi A, 13
 Takamoto T, 1114
 Takeda R, 1049
 Takenaka K, 691
 Takkunen JT, 575
 Tamaki N, 1638
 Taniguchi K, 81, 360
 Tao X, 193
 Taverne R, 47
 Taylor AL, 125
 Taylor AB, 1372
 Taylor GJ, 249, 251
 Taylor RR, 874
 Taylor SE, 31
 Tchong JE, 116, 1305
 TEAM-2 Investigators, 848
 Temma S, 281, 1638
 Temmerman J, 35
 Tenaglia AN, 1015
 Tendler S, 1257
 Teo KK, 843, 1465
 Teo WS, 208
 Testa S, 58B
 Thérout P, 92B, 34C
 The SHK, 1625
 Thomas AC, 1340
 Thomas JD, 1485
 Thomassen A, 291
 Thompson PD, 406
 Tian J, 1377
 Tibblin G, 1171
 Tijssen JGP, 1163
 Tilke-meier PL, 569
 Timmermans C, 463
 Timothy KW, 498
 Tischler MD, 593, 940
 Titus BG, 735
 Tobé TJM, 1194
 Tobis JM, 1079
 Todd IC, 1593
 Toly T, 1067
 Tomita Y, 1417
 Tondo C, 492
 Toole JC, 1724
 Topol EJ, 879, 1015, 136B,
 1447, 1564

- Torelli J, 1106
 Tranchesi B Jr, 161
 Transdermal Nitroglycerin Cooperative Study, 1263
 Travaline JM, 560
 Travin MI, 1600
 Tristani FE, 729
 Trohman RG, 800
 Trouton TG, 1570
 Tsuda N, 950
 Tsujino M, 1114
 Turetz Y, 1388
 Turner I, 751
 Tzivoni D, 176
- Ueda T, 281, 1638
 Umans VA, 534
 Umans WAWM, 1556
 Umezawa S, 1114
 Unger P, 42C
 Unverferth DV, 133
 Urbano A, 977
 Ushiyama K, 301
 Uther JB, 621
 Utzolino S, 1138
- Vaccari M, 398
 Vacek JL, 557, 913
 Valenzuela C, 685
 Vallés F, 802
 Vallala M, 249
 Vallbracht C, 598
 van de Bos A, 857
 van de Kraay AMM, 392
 Van de Werf F, 161
 van den Berg F, 296
 van der Pol JMJ, 296
 van Dijk APJ, 269
 van Egmond FC, 1625
- van Ekelen WAAJ, 296
 Van Fossen DB, 133
 Van Gelder IC, 41, 335
 Van Gilst WM, 41, 335, 111D
 van Hemel NM, 1163
 Van Hoecke J, 925
 Van Hoogenhuyze D, 1668
 Van Lierde J, 1633
 Van Praagh R, 1681
 van Suylen RJ, 1625
 van Swijndregt EM, 1556
 Van Tassel RA, 201
 van Urk H, 1625
 Van Veidhuisen DJ, 1194
 Vanhaecke J, 463
 Vanhove P, 161
 VanZeller P, 693
 Varco RL, 1491
 Vari S, 1249
 Varriale P, 1400
 Vasan RS, 1540
 Vasilieva EJ, 959
 Vassallo JA, 1037
 Vaughan DE, 389
 Vaughn C, 1403
 Velazquez-Rodriguez E, 123
 Ventiliä M, 653
 Vercammen E, 463
 Verhaaren HA, 661
 Verheugt FWA, 1287
 Vermeulen A, 925
 Vermilion RP, 648, 669, 1211
 Verstraete M, 161
 Verwer R, 41
 Vet AJTM, 296
 Vetrovec GW, 1614
 Viamonte M Jr, 1
 Vidaillet HJ, 679
- Vigano M, 36B
 Vilacosta I, 271
 Villari B, 1274
 Vincent GM, 498
 Vincent R, 751
 Viret R, 813
 Visser RF, 296
 Vogt M, 996
 Völler H, 1538
 von Bernuth G, 1073
 Voutilainen S, 653
 Vrolix M, 463
 Vrolix MC, 1633
- Waggoner AD, 1507
 Wagner GS, 1300
 Wagner HN Jr, 1132
 Wagner I, 1545
 Wagner NB, 1300
 Wahr DW, 1564
 Waldecker B, 1183
 Walker JF, 1127
 Wallis JB, 1150
 Wallwork J, 408
 Wang FZ, 1403
 Ware J, 1530
 Warner A, 26D
 Waters D, 34C
 Waugh RA, 1525
 Waxman HL, 1067
 Weaver WD, 1025
 Webb SW, 1570
 Weber MA, 51
 Weg JG, 1723
 Weil T, 977
 Weiler ET, 679
 Weiner DA, 729
- Weinstein N, 1668
 Weintraub WS, 193, 1530
 Weintrob M, 1123
 Weisberg MC, 145
 Weiss JL, 1132, 1203, 35D
 Weiss JS, 1668
 Weiss T, 349
 Wellens HJJ, 543, 897
 Weng P-S, 221
 Wenger TL, 1709
 Wernovsky G, 1253
 Wessel DL, 1253
 Wettach C, 1545
 Whitfield SS, 977
 Wiesfeld ACP, 1194
 Wiklund O, 171
 Wikstrand J, 547
 Wiles HB, 1372
 Wilhelmssen L, 887, 1171
 Willems JL, 1633
 Williams R, 976
 Williamson BD, 137
 Wilson CM, 1570
 Wilson PWF, 85
 Wilson R, 935
 Winston SA, 1321
 Wittels EH, 1120
 Woelfel AK, 1099
 Wong PC, 1681
 Wong RY, 843
 Woodcock TJ, 242
 Woodruff RC, 251
 Wright AR, 945
 Wright LM, 504
 Wu D-K, 221
 Wu J-R, 221
 Wyse DG, 284
- Xiu Y, 1403
- Yamada M, 472
 Yamamoto A, 11A
 Yamashita K, 281, 1638
 Yanagisawa M, 413
 Yanowitz FG, 129
 Yasue H, 580, 991
 Yasui K, 301
 Yee R, 208, 964, 1651
 Yeoh JK, 827
 Yonekura Y, 1638
 Yonezawa Y, 472
 Yoshiyayashi M, 281, 1638
 Young SY, 1015
 Youngblood M, 1465
 Yu BH, 1025
 Yurchak PM, 823
 Yusuf S, 954
- Zahavi I, 1291
 Zanetti JM, 201
 Zangeneh M, 1247
 Zanini P, 1587
 Zarich SW, 377
 Özbek C, 47C
 Zehender M, 1138
 Zeiher A, 1575
 Zeiler K, 1247
 Zheng Y, 329
 Zimny M, 598
 Zion M, 1291
 Zion MM, 837
 Ziskind AA, 560
 Zito A, 64B
 Zoldhelyi P, 2B, 9C

Abstracts

American Academy of Pediatrics Section on Cardiology, Abstracts; 419

Accessory pathway

Anatomy of the "posterior septal space"; 675
 Dimensions of the human posterior septal space and coronary sinus; 621
 Epicardial mapping in patients with "nodoventricular" accessory pathways; 208
 Radiofrequency catheter ablation of accessory pathways: a learning experience; 1651
 Reduction in medical care cost associated with radiofrequency catheter ablation of accessory pathways; 1656
 Successful radiofrequency catheter ablation of accessory pathways that recurred after surgery; 825

Acetylcholine

Effects of high-density lipoprotein on acetylcholine-induced coronary vasoreactivity; 1425
 Evidence of endothelial dysfunction in coronary resistance vessels in patients with angina pectoris and normal coronary angiograms; 996
 Increased plasma level of endothelin-1-like immunoreactivity during coronary spasm in patients with coronary spastic angina; 991

Acquired immune-deficiency syndrome

Cardiac myocytes and dendritic cells harbor human immunodeficiency virus in infected patients with and without cardiac dysfunction: detection by multiplex, nested, polymerase chain reaction in individually microdissected cells from right ventricular endomyocardial biopsy tissue; 1511

Age

Age-related changes in aortic elasticity determined by gated radionuclide angiography in patients with systemic hypertension or healed myocardial infarcts and in normal subjects; 950
 Age-related normal values of signal-averaged electrocardiographic variables after acute myocardial infarction; 440
 Age-related variation in contractility estimate in patients ≤ 20 years of age; 1383
 Aging and left ventricular function in elderly healthy people; 547
 Effect of nifedipine tablets on ambulatory blood pressure in patients aged < 60 and > 65 years with systemic hypertension; 1351
 Gender differences in left ventricular anatomy, blood viscosity and volume regulatory hormones in normal adults; 1704
 Influence of age, body size and heart rate on left ventricular diastolic indexes in young subjects; 1245
 Sudden unexpected death in persons < 40 years of age; 1388

Alcohol

Alcohol intake and nonfatal acute myocardial infarction in Japan; 1011
 Effects of abstinence on alcoholic heart muscle disease; 805
 Radionuclide exercise response in young asymptomatic chronic alcoholics; 566

Alteplase

Coronary recanalization rate after intravenous bolus of alteplase in acute myocardial infarction; 161
 Effectiveness of double bolus alteplase in the treatment of acute myocardial infarction; 1570

Ambulatory monitoring

Effect of digoxin on ST-segment changes detected by ambulatory electrocardiographic monitoring in healthy subjects; 1503

Amiodarone

Effects of amiodarone on serum lipoprotein levels; 259
 Sudden death due to ventricular tachycardia during amiodarone therapy in familial hypertrophic cardiomyopathy; 971
 Use of amiodarone for short-term and adjuvant therapy in young patients; 603

Anemia

Improvement in exercise capacity after correction of anemia in patients with end-stage renal failure; 1060

Anesthesia

Effects of enflurane on inducibility of ventricular tachycardia; 609
 Frequency of respiratory compromise after ketamine sedation for cardiac catheterization in patients < 21 years of age; 1116

Aneurysm

Atrial septal aneurysm mimicking a right atrial mass on transesophageal echocardiography; 827
 Cardiac transplantation for giant coronary artery aneurysms complicating Kawasaki disease; 560
 Late follow-up: after repair of left ventricular aneurysm and (usually) associated coronary bypass grafting; 193
 Rupture of congenital sinus of Valsalva aneurysm in a newborn; 1255

Angina pectoris

Acute and chronic antianginal efficacy of continuous twenty-four-hour application of transdermal nitroglycerin; 1263
 Antiischemic and metabolic effects of glutamate during pacing in patients with stable angina pectoris secondary to either coronary artery disease or syndrome X; 291
 Causes and correlates of death after unsupported coronary angioplasty: implications for use of angioplasty and advanced support techniques in high-risk settings; 1447
 Comparative efficacy and safety of bepridil and diltiazem in chronic stable angina pectoris refractory to diltiazem; 306

Comparison of chest pain, electrocardiographic changes and thallium-201 scintigraphy during varying exercise intensities in men with stable angina pectoris; 569

Effects of daily high-intensity exercise on myocardial perfusion in angina pectoris; 1593
 Effects of nifedipine on total ischemic activity in angina and the importance of in-hospital psychological stress in myocardial infarction; 829
 Effects of urokinase and heparin on minimal cross-sectional area of the culprit narrowing in unstable angina pectoris; 451
 Efficacy of slow-release nifedipine on myocardial ischemic episodes in variant angina pectoris; 580
 Enhanced effectiveness of combined sustained-release forms of isosorbide dinitrate and diltiazem for stable angina pectoris; 983
 Evidence of endothelial dysfunction in coronary resistance vessels in patients with angina pectoris and normal coronary angiograms; 996
 Evolution of myocardial ischemia and left ventricular function in patients with angina pectoris without myocardial infarction and total occlusion of the left anterior descending coronary artery and collaterals from other coronary arteries; 7
 Felodipine (once daily) versus nifedipine (four times daily) for Prinzmetal's angina pectoris; 1587
 Increased plasma level of endothelin-1-like immunoreactivity during coronary spasm in patients with coronary spastic angina; 991
 Long-term efficacy of continuous and intermittent use of transdermal nitroglycerin in stable angina pectoris; 857
 Percutaneous transluminal coronary angioplasty in octogenarians as an effective therapy for angina pectoris; 116
 Platelet function and plasma lipid levels in patients with stable and unstable angina pectoris; 959
 Prognostic significance of silent myocardial ischemia in variant angina pectoris; 1581
 Reproducibility and relation to the degree of myocardial ischemia of postexercise electrocardiographic changes in stable angina pectoris; 1397
 Twenty-four-hour activity of felodipine extended release in chronic stable angina pectoris; 457
 Usefulness of ambulatory silent myocardial ischemia added to the prognostic value of exercise test parameters in predicting risk of cardiac death in patients with stable angina pectoris and exercise-induced myocardial ischemia; 1279
 Usefulness of oral nisoldipine for stable angina pectoris; 1004

Angiography

Angiographic progression to total coronary occlusion in hyperlipidemic patients after acute myocardial infarction; 564

Angiographically assessed coronary arterial patency and reocclusion in patients with acute myocardial infarction treated with anistreplase: results of the Anistreplase Reocclusion Multicenter Study (ARMS); 296

Clinical and angiographic observations on resuscitated victims of exercise-related sudden ischemic death; 47

Edge detection versus videodensitometry for quantitative angiographic assessment of directional coronary atherectomy; 534

Effects of prednisolone therapy on arterial angiographic features in Takayasu's disease; 410

Evidence of endothelial dysfunction in coronary resistance vessels in patients with angina pectoris and normal coronary angiograms; 996

Identification of "surgical" coronary anatomy by exercise radionuclide cineangiography; 1150

Prevalence of non-Q-wave acute myocardial infarction with total angiographic occlusion of the left circumflex coronary artery within eight weeks of infarction; 788

Relation of clinical and angiographic factors to functional capacity as measured by the Duke Activity Status Index; 973

Significance of signal-averaged P-wave changes during exercise in patients with coronary artery disease and correlation with angiographic findings; 1619

Systemic and left ventricular responses to exercise stress in asymptomatic patients with valvular aortic stenosis; 1469

Usefulness of coronary angiography in patients requiring repeat cardiac valve surgery; 1717

Usefulness of the total cholesterol to high-density lipoprotein cholesterol ratio in predicting angiographic coronary artery disease in women; 1646

Angiography, quantitative

Comparative quantitative angiographic analysis of directional coronary atherectomy and balloon coronary angioplasty; 1556

Pitfalls in the determination of absolute dimensions using angiographic catheters as calibration devices in quantitative angiography; 1176

Angioplasty

Ability of high-intensity ultrasound to ablate human atherosclerotic plaques and minimize debris size; 242

Cutting balloon: a novel approach to percutaneous angioplasty; 1249

Effects of serum lipid levels on restenosis after coronary angioplasty; 1431

Impairment of left ventricular function during coronary angioplasty occlusion evaluated with a nonimaging scintillation probe; 598

Laser-assisted versus mechanical recanalization of femoral arterial occlusions; 1079

Myocardial malondialdehyde and uric acid release after short-lasting coronary occlusions during coronary angioplasty: potential mechanisms for free radical generation; 392

Prevalence and significance of ST-segment alternans during coronary angioplasty; 1534

Prior restenosis predicts restenosis after coronary angioplasty of a new significant narrowing; 1158

Risk of thrombosis during coronary angioplasty with low osmolality contrast media; 1020

Seismocardiographic changes associated with obstruction of coronary blood flow during balloon angioplasty; 201

Use of a morphologic classification to predict clinical outcome after dissection from coronary angioplasty; 467

Usefulness of morphologic parameters in predicting the outcome of coronary excimer laser angioplasty; 1310

Angioplasty, percutaneous transluminal coronary

Asymptomatic myocardial ischemia during angioplasty, percutaneous transluminal coronary angioplasty and importance of prior Q-wave infarction and diabetes mellitus; 735

Cardiopulmonary support increases morbidity and mortality in high-risk coronary angioplasty; 790

Causes and correlates of death after unsupported coronary angioplasty: implications for use of angioplasty and advanced support techniques in high-risk settings; 1447

Early and late results of coronary angioplasty and bypass in octogenarians; 1316

Effects of luminal eccentricity on spontaneous coronary vasoconstriction after successful percutaneous transluminal coronary angioplasty; 530

Effects of percutaneous transluminal coronary angioplasty on exercise-induced changes in R-wave amplitude; 114

Experience with low-dose intracoronary recombinant tissue-type plasminogen activator for nonacute total occlusions before percutaneous transluminal coronary angioplasty; 1609

Hematocrit fluctuations after percutaneous transluminal coronary angioplasty; 977

Intracoronary ultrasound evaluation of interventional technologies; 1305

Percutaneous transluminal angioplasty of aortocoronary venous bypass grafts and effect of the caliber of the grafted coronary artery on graft stenosis; 27

Percutaneous transluminal coronary angioplasty in octogenarians as an effective therapy for angina pectoris; 116

Results of percutaneous transluminal angioplasty of the left main coronary artery; 255

Ridogrel in the setting of percutaneous transluminal coronary angioplasty; 463

Safety and efficacy of percutaneous transluminal coronary angioplasty in patients with left ventricular dysfunction; 313

Spasm and arterial injury; 525

Angioscopy

Role of angioscopy in the treatment of peripheral vascular disease with percutaneous atherectomy; 226

Angiotensin-converting enzyme inhibitor

Angiotensin-converting inhibitors in patients with congestive heart failure: a class effect?; 106

Difference in mortality between patients treated with captopril or enalapril in the xamoterol in Severe Heart Failure Study; 71

Initial blood pressure response to enalapril in hospitalized patients (Studies of Left Ventricular Dysfunction [SOLVD]); 1465

Response to mental and physical stress before and during adrenoceptor blocker and angiotensin-converting enzyme inhibitor treatment in essential hypertension; 1362

Anistreplase

Angiographically assessed coronary arterial patency and reocclusion in patients with acute myocardial infarction treated with anistreplase: results of the Anistreplase Reocclusion Multicenter Study (ARMS); 296

Effects of early thrombolytic therapy (anistreplase versus streptokinase) on enzymatic and electrocardiographic infarct size in acute myocardial infarction; 848

Anistreplase Reocclusion Multicenter Study

Angiographically assessed coronary arterial patency and reocclusion in patients with acute myocardial infarction treated with anistreplase: results of the Anistreplase Reocclusion Multicenter Study (ARMS); 296

Antiarrhythmic therapy

An antiarrhythmic drug experience in 941 patients resuscitated from an initial cardiac arrest between 1970 and 1985; 1025

Antibiotic prophylaxis

Should antibiotic prophylaxis be recommended for all patients with mitral valve prolapse?; 564

Anticardiolipin antibodies

Anticardiolipin antibody titers in patients with myocardial infarction; 830

Aorta to pulmonary artery shunts

Catheterizing modified Blalock-Taussig shunts and ascending aorta to pulmonary artery shunts; 279

Aortic dissection

Rupture of the outer partition of aortic dissection during transesophageal echocardiography; 286

Aortic flow

Pronounced reduction of aortic flow velocity and acceleration during heavy isometric exercise in coronary artery disease; 485

Aortic regurgitation

Effects of long-term vasodilator therapy on electrocardiographic abnormalities in chronic aortic regurgitation; 935

Relation between myocardial beta-adrenergic receptor and left ventricular function in patients with left ventricular volume overload due to chronic mitral regurgitation with or without aortic regurgitation; 81

Aortic stenosis

Mitral regurgitation improves when aortic valve area increases significantly; 567

Aortic valve

Echocardiographic determination of aortic and pulmonary valve areas in subjects with normal hearts; 773

Intraoperative balloon valvuloplasty for critical aortic valvular stenosis in neonates; 807

Aortic valve replacement

Comparison of allografts and prosthetic valves when used for emergency aortic valve replacement for active infective endocarditis; 637

Aortic valve stenosis

Doppler echocardiographic findings in adults with severe symptomatic valvular aortic stenosis; 1477

Systemic and left ventricular responses to exercise stress in asymptomatic patients with valvular aortic stenosis; 1469

Aortic volume elasticity

Age-related changes in aortic elasticity determined by gated radionuclide angiography in patients with systemic hypertension or healed myocardial infarcts and in normal subjects; 950

Aortocoronary bypass vein grafts

Antibody HAM56 is not macrophage-specific in vein autografts; 842

Aortocoronary venous bypass grafts

Percutaneous transluminal angioplasty of aortocoronary venous bypass grafts and effect of the caliber of the grafted coronary artery on graft stenosis; 27

Arrhythmias

Cause of ventricular arrhythmia; 566

Cost-effectiveness analysis of the use of digoxin immune Fab(ovine) for treatment of digoxin toxicity; 1709

Effects of amiodarone on serum lipoprotein levels; 259

Effects of increased heart rate and sympathetic tone on intraventricular electrogram morphology; 1321

Electrophysiologic effects of intravenous propafenone at rest, during isoproterenol infusion and during exercise in the Wolff-Parkinson-White syndrome; 681

Importance of myocardial infarct artery patency on the prevalence of ventricular arrhythmia and late potentials after thrombolysis in acute myocardial infarction; 1410

Incidence of QT interval prolongation during pentamidine therapy of pneumocystis carinii pneumonia; 1091

Moricizine (ethmozine HCl)—a new antiarrhythmic drug; is it unique?; 1521

Prevalence, characteristics and significance of ventricular premature complexes and ventricular tachycardia detected by 24-hour continuous electrocardiographic recording in the Cardiac Arrhythmia Suppression Trial; 887

Relation between acute ventricular arrhythmias, ventricular late potentials and mortality in acute myocardial infarction; 1403

Serial antiarrhythmic drug treatment to maintain sinus rhythm after electrical cardioversion for chronic atrial fibrillation or atrial flutter; 335

Survival in patients declining implantable cardioverter-defibrillators; 800

Symmetry, broken symmetry, and restored symmetry of apparent pure ventricular parasystole; 256

Time course and interrelation of reperfusion-induced ST changes and ventricular arrhythmias in acute myocardial infarction; 1138

Unexpected ventricular tachyarrhythmias soon after cardiac surgery; 1099

Use of amiodarone for short-term and adjuvant therapy in young patients; 603

Usefulness of excitable gap and pattern of resetting in atrial flutter for determining reentry circuit location; 492

What's in a name?; 833

Arterial injury

Spasm and arterial injury; 525

Arterial wall

Assessment of medial thinning in atherosclerosis by intravascular ultrasound; 1625

Arteriovenous malformations

Two-dimensional contrast echocardiography in the detection and follow-up of congenital pulmonary arteriovenous malformations; 1507

Aspirin

Effectiveness of double bolus alteplase in the treatment of acute myocardial infarction; 1570

Effects of low-dose aspirin on restenosis after coronary angioplasty; 874

Ridogrel in the setting of percutaneous transluminal coronary angioplasty; 463

Atenolol

Hemodynamic effects of celiprolol in essential hypertension; 509

Atherectomy

Comparative quantitative angiographic analysis of directional coronary atherectomy and balloon coronary angioplasty; 1556

Edge detection versus videodensitometry for quantitative angiographic assessment of directional coronary atherectomy; 534

In-hospital costs associated with new percutaneous coronary devices; 879

Role of angioscopy in the treatment of peripheral vascular disease with percutaneous atherectomy; 226

Atherosclerosis

Actuarial risk of sudden death while awaiting cardiac transplantation in patients with atherosclerotic heart disease; 545

Assessment of medial thinning in atherosclerosis by intravascular ultrasound; 1625

Digoxin-induced vasoconstriction of normal and atherosclerotic epicardial coronary arteries; 1274

Laser-assisted versus mechanical recanalization of femoral arterial occlusions; 1079

Athletes

Effects of exercise on left ventricular diastolic performance in trained athletes; 945

Atretic valve

Nonsurgical treatment of a neonate with pulmonary atresia and intact ventricular septum by transcatheter puncture and balloon dilation of the atretic valve membrane; 277

Atrial fibrillation

Atrial natriuretic peptide and cyclic guanosine monophosphate response to cardioversion of atrial flutter or fibrillation; 837

Can patients discriminate between atrial fibrillation and regular supraventricular tachycardia?; 964

Efficacy and safety of sotalol in digitalized patients with chronic atrial fibrillation; 1227

Prediction of uneventful cardioversion and maintenance of sinus rhythm from direct-current electrical cardioversion of chronic atrial fibrillation and flutter; 41

Quantitative analysis of signal-averaged P waves in idiopathic paroxysmal atrial fibrillation; 751

Role of concealed and supernormal conduction during atrial fibrillation in the preexcitation syndrome; 1329

Serial antiarrhythmic drug treatment to maintain sinus rhythm after electrical cardioversion for chronic atrial fibrillation or atrial flutter; 335

Superior vena cava flow and tricuspid annular motion after cardioversion of atrial fibrillation, and role of right atrial relaxation on systolic venous return; 1335

Atrial flutter

Atrial natriuretic peptide and cyclic guanosine monophosphate response to cardioversion of atrial flutter or fibrillation; 837

Prediction of uneventful cardioversion and maintenance of sinus rhythm from direct-current electrical cardioversion of chronic atrial fibrillation and flutter; 41

Serial antiarrhythmic drug treatment to maintain sinus rhythm after electrical cardioversion for chronic atrial fibrillation or atrial flutter; 335

Usefulness of excitable gap and pattern of resetting in atrial flutter for determining reentry circuit location; 492

Atrial mass

Atrial septal aneurysm mimicking a right atrial mass on transesophageal echocardiography; 827

Impaired response of atrial natriuretic factor to blood volume expansion in acute right ventricular infarction; 719

Atrial natriuretic peptide

Atrial natriuretic peptide and cyclic guanosine monophosphate response to cardioversion of atrial flutter or fibrillation; 837

Exercise-induced secretion of atrial natriuretic factor and its relation to hemodynamic and sympathetic stimulation in untreated essential hypertension; 918

Different mechanisms of polyuria and natriuresis associated with paroxysmal supraventricular tachycardia; 343

Gender differences in left ventricular anatomy, blood viscosity and volume regulatory hormones in normal adults; 1704

Preserved atrial natriuretic peptide secretory function after cardiac transplantation; 237

Atrial relaxation

Superior vena cava flow and tricuspid anular motion after cardioversion of atrial fibrillation, and role of right atrial relaxation on systolic venous return; 1335

Atrial septum

Transesophageal echocardiographic features of the atrial septum in constrictive pericarditis; 271

Atrioventricular block

Dynamics of atrioventricular nodal conduction ratios during conversion of 2:1 into 3:1, 4:1 and 5:1 atrioventricular block; 979

Atrioventricular conduction

Long-term follow-up after intracoronary ethanol ablation of atrioventricular conduction; 543

Atrioventricular nodal accommodation

Effects of cardiac denervation on atrioventricular nodal accommodation and hysteresis; 1458

Auscultation

Should antibiotic prophylaxis be recommended for all patients with mitral valve prolapse?; 564

Autografts

Antibody HAM56 is not macrophage-specific in vein autografts; 842

Balloon angioplasty

Balloon dilatation of a stenotic Waterston shunt with long-term follow-up; 821

Comparative quantitative angiographic analysis of directional coronary atherectomy and balloon coronary angioplasty; 1556

Balloon valvotomy

Comparison of mitral valve area results of balloon mitral valvotomy using the Inoue and double balloon techniques; 687

Balloon valvuloplasty

Nonsurgical treatment of a neonate with pulmonary atresia and intact ventricular septum by transcatheter puncture and balloon dilation of the atretic valve membrane; 277

Radiation exposure of pediatric patients and physicians during cardiac catheterization and balloon pulmonary valvuloplasty; 221

Balloon, cutting

Cutting balloon: a novel approach to percutaneous angioplasty; 1249

Bayes Theorem

Echocardiographic diagnosis of cardiac tamponade: a Bayesian analysis; 1242

Bepridil

Comparative efficacy and safety of bepridil and diltiazem in chronic stable angina pectoris refractory to diltiazem; 306

Beta blockers

Adrenergic hypersensitivity after beta-blocker withdrawal in hypertrophic cardiomyopathy; 766

An antiarrhythmic drug experience in 941 patients resuscitated from an initial cardiac arrest between 1970 and 1985; 1025

Beneficial effect of long-term beta blockade after acute myocardial infarction in patients without anterograde flow in the infarct artery; 150

Effect of bisoprolol on blood pressure and arterial hemodynamics in systemic hypertension; 61

Effectiveness of sotalol in preventing supraventricular tachyarrhythmias shortly after coronary artery bypass grafting; 1163

Effects of beta blockade on the relation between heart rate and ventricular diastolic perfusion time during exercise in systemic hypertension; 1101

Efficacy and safety of intravenous sotalol for termination of paroxysmal supraventricular tachycardia; 35

Efficacy and safety of sotalol in digitalized patients with chronic atrial fibrillation; 1227

Hemodynamic effects of celiprolol in essential hypertension; 509

Metoprolol as antihypertensive drug; 831

Response to mental and physical stress before and during adrenoreceptor blocker and angiotensin-converting enzyme inhibitor treatment in essential hypertension; 1362

Reverse use-dependent effects of sotalol demonstrated by recording monophasic action potentials of the right ventricle; 1183

Bioprostheses

Effectiveness of balloon percutaneous valvuloplasty for stenotic bioprosthetic valves in different positions; 1719

Biopsy

H and L ferritins in myocardium in iron overload; 1233

Usefulness of magnetic resonance imaging for diagnosis of acute myocarditis in infants and children, and comparison with endomyocardial biopsy; 1089

Bisoprolol

Effect of bisoprolol on blood pressure and arterial hemodynamics in systemic hypertension; 61

Björk-Shiley valve

Strut fracture and embolization of a Björk-Shiley valve from the tricuspid valve position; 1253

Blalock-Taussig shunts

Catheterizing modified Blalock-Taussig shunts and ascending aorta to pulmonary artery shunts; 279

Blood flow

Beneficial effect of long-term beta blockade after acute myocardial infarction in patients without anterograde flow in the infarct artery; 150

Mitral and pulmonary venous flow under influence of positive end-expiratory pressure ventilation analyzed by transesophageal pulsed Doppler echocardiography; 697

Seismocardiographic changes associated with obstruction of coronary blood flow during balloon angioplasty; 201

Spontaneous echo contrast effect as an indicator of flow-limiting coronary stenosis; 276

Transesophageal echocardiographic characterization of pulmonary vein flow not due to atrial contraction or mitral regurgitation; 415

Blood pressure

Effect of bisoprolol on blood pressure and arterial hemodynamics in systemic hypertension; 61

Effect of nifedipine tablets on ambulatory blood pressure in patients aged <60 and >65 years with systemic hypertension; 1351

Hemodynamic comparison of two nifedipine formulations in patients with essential hypertension; 1346

Influence of the arterial blood pressure and nonhemodynamic factors on left ventricular hypertrophy in moderate essential hypertension; 925

Initial blood pressure response to enalapril in hospitalized patients (Studies of Left Ventricular Dysfunction [SOLVD]); 1465

Older age and elevated blood pressure are risk factors for intracerebral hemorrhage after thrombolysis; 166

Body size

Influence of age, body size and heart rate on left ventricular diastolic indexes in young subjects; 1245

Bundle branch block

Diagnostic accuracy of exercise thallium-201 single-photon emission computed tomography in patients with left bundle branch block; 756

Improved specificity of myocardial thallium-201 single-photon emission computed tomography in patients with left bundle branch block by dipyridamole; 504

Right bundle branch block induced by right ventricular involvement in inferior wall left ventricular acute myocardial infarction; 839

Role of dipyridamole thallium-201 imaging in left bundle branch block; 1097

Usefulness of QRST time-integral values of 12-lead electrocardiograms in diagnosing healed myocardial infarction complicated by left bundle branch block; 1417

Calcium antagonists

Cardiovascular effects of isradipine in essential hypertension; 65

Comparative efficacy and safety of bepridil and diltiazem in chronic stable angina pectoris refractory to diltiazem; 306

Coronary hemodynamics and coronary flow reserve after intracoronary diltiazem in humans; 1633

Effects of diltiazem on long-term outcome after acute myocardial infarction in patients with and without a history of systemic hypertension; 429

Efficacy of slow-release nifedipine on myocardial ischemic episodes in variant angina pectoris; 580

Felodipine (once daily) versus nifedipine (four times daily) for Prinzmetal's angina pectoris; 1287

Short-term efficacy and safety of a single five-million dose of oral nifedipine in uncontrolled essential systemic hypertension; 123

Twenty-four-hour activity of felodipine extended release in chronic stable angina pectoris; 457

Usefulness of oral nisoldipine for stable angina pectoris; 1004

Captopril

Difference in mortality between patients treated with captopril or enalapril in the xamoterol in Severe Heart Failure Study; 71

Effects of early captopril administration on infarct expansion, left ventricular remodeling and exercise capacity after acute myocardial infarction; 713

Cardiac abnormalities

Prevalence of cardiac abnormalities early in the course of systemic lupus erythematosus; 1540

Cardiac arrest

A cellular transtelephonic defibrillator for management of cardiac arrest outside the hospital; 909

An antiarrhythmic drug experience in 941 patients resuscitated from an initial cardiac arrest between 1970 and 1985; 1025

Increased risk of death and cardiac arrest from encainide and flecainide in patients after non-Q-wave acute myocardial infarction in the Cardiac Arrhythmia Suppression Trial; 1551

Unexpected ventricular tachyarrhythmias soon after cardiac surgery; 1099

Cardiac Arrhythmia Suppression Trial

Increased risk of death and cardiac arrest from encainide and flecainide in patients after non-Q-wave acute myocardial infarction in the Cardiac Arrhythmia Suppression Trial; 1551

Prevalence, characteristics and significance of ventricular premature complexes and ventricular tachycardia detected by 24-hour continuous electrocardiographic recording in the Cardiac Arrhythmia Suppression Trial; 887

Cardiac catheterization

Detection of patent foramen ovale by Doppler color flow mapping in patients undergoing cardiac catheterization; 125

Validation of a bedside method of activated partial thromboplastin time measurement with clinical range guidelines; 557

Cardiac cells

Cardiac myocytes and dendritic cells harbor human immunodeficiency virus in infected patients with and without cardiac dysfunction: detection by multiplex, nested, polymerase chain reaction in individually microdissected cells from right ventricular endomyocardial biopsy tissue; 1511

Cardiac denervation

Effects of cardiac denervation on atrioventricular nodal accommodation and hysteresis; 1458

Cardiac dysrhythmias

Efficacy and safety of intravenous and oral propafenone in pediatric cardiac dysrhythmias; 741

Cardiac function

Acute effects of intravenous nicardipine on hemodynamics and cardiac function in patients with a healed myocardial infarction and no evidence of congestive heart failure; 301

Cardiac innervation

Evolution of heart rate responsiveness after orthotopic cardiac transplantation; 232

Cardiac output

Limitations of testing methods for evaluation of dual chamber versus single chamber adaptive rate pacing; 1715

Cardiac rehabilitation

National Cholesterol Education Program's recommendations, and implications of "missing" high-density lipoprotein cholesterol in cardiac rehabilitation programs; 1087

Cardiac tamponade

Echocardiographic diagnosis of cardiac tamponade: a Bayesian analysis; 1242

Cardiac transplantation

Actuarial risk of sudden death while awaiting cardiac transplantation in patients with atherosclerotic heart disease; 545

Anatomic and electrical correlations of the heart; 839

Cardiac transplant waiting lists, donor shortage and retransplantation and implications for using donor hearts; 408

Cardiac transplantation for giant coronary artery aneurysms complicating Kawasaki disease; 560

Effects of cardiac denervation on atrioventricular nodal accommodation and hysteresis; 1458

Evolution of heart rate responsiveness after orthotopic cardiac transplantation; 232

Exercise hemodynamics and oxygen delivery measurements using rebreathing techniques in heart transplant patients; 129

Immunosuppressive therapy and lipoprotein abnormalities after cardiac transplantation; 389

Increased lipid peroxidation in cyclosporin-treated heart transplant recipients; 813

Lipid profiles after cardiac transplantation; 566

Lymphoproliferative disorder early after cardiac transplantation; 1724

Outcome of infants and children with dilated cardiomyopathy; 365

Preserved atrial natriuretic peptide secretory function after cardiac transplantation; 237

Cardiac tremors

Natural history of cardiac rhabdomyoma; 831

Cardiac tumors

Evaluation of cardiac tumors in tuberous sclerosis by magnetic resonance imaging; 281

Cardiologist's tools

"Anything to be done right has got to be done by people that make their living at it"; 837

Cardiomyopathy

Adrenergic hypersensitivity after beta-blocker withdrawal in hypertrophic cardiomyopathy; 766

Appearance of or persistence of severe mitral regurgitation without left ventricular outflow obstruction after partial ventricular septal myotomy-myectomy in hypertrophic cardiomyopathy; 1726

Cardiac myocytes and dendritic cells harbor human immunodeficiency virus in infected patients with and without cardiac dysfunction: detection by multiplex, nested, polymerase chain reaction in individually microdissected cells from right ventricular endomyocardial biopsy tissue; 1511

Echocardiographic evidence for the existence of a distinct diabetic cardiomyopathy (the Framingham Heart Study); 85

Effects of abstinence on alcoholic heart muscle disease; 805

Electrocardiographic correlates with left ventricular morphology in idiopathic dilated cardiomyopathy; 642

Evolution of the endocardial fibrotic process in endomyocardial fibrosis; 402

Left atrial afterload mismatch in hypertrophic cardiomyopathy; 1049

Left ventricular filling abnormalities in asymptomatic morbid obesity; 377

Left ventricular shape as a determinant of functional mitral regurgitation in patients with severe heart failure secondary to either coronary artery disease or idiopathic dilated cardiomyopathy; 355

Morbidity of endomyocardial biopsy in cardiomyopathy; 133

Outcome of infants and children with dilated cardiomyopathy; 365

Permanent pacing as treatment for hypertrophic cardiomyopathy; 108

Plasma endothelin-1 levels in idiopathic dilated cardiomyopathy; 1114

Prognostic features of children with idiopathic dilated cardiomyopathy; 1372

Usefulness of echocardiography to differentiate dilated cardiomyopathy from coronary-induced congestive heart failure; 1224

Usefulness of OPC-8212, a quinolone derivative, for chronic congestive heart failure in patients with ischemic heart disease or idiopathic dilated cardiomyopathy; 1203

Cardiopulmonary rehabilitation program

Effects of a multidimensional cardiopulmonary rehabilitation program on psychosocial function; 31

Cardiopulmonary resuscitation

Thrombolytic therapy in patients requiring cardiopulmonary resuscitation; 1015

Cardioversion

Atrial natriuretic peptide and cyclic guanosine monophosphate response to cardioversion of atrial flutter or fibrillation; 837

Operative mortality with implantation of the automatic cardioverter-defibrillator; 1340

Prediction of uneventful cardioversion and maintenance of sinus rhythm from direct-current electrical cardioversion of chronic atrial fibrillation and flutter; 41

Superior vena cava flow and tricuspid annular motion after cardioversion of atrial fibrillation, and role of right atrial relaxation on systolic venous return; 1335

Usefulness of placement of intraoperative epicardial wires during automatic implantable cardioverter-defibrillator insertion to preclude the need for transvenous catheters at the Predischarge Electrophysiology Study; 679

Carotid sinus massage

Neurally mediated syncope detected by carotid sinus massage and head-up tilt test in sick sinus syndrome; 1032

Catecholamines

Electrophysiologic profile of isopamine in patients with congestive heart failure and ventricular tachycardia and relation to its effects on hemodynamics and plasma catecholamines; 1194

Catheter ablation

Radiofrequency catheter ablation of accessory pathways: a learning experience; 1651

Reduction in medical care cost associated with radiofrequency catheter ablation of accessory pathways; 1656

Successful radiofrequency catheter ablation of accessory pathways that recurred after surgery; 825

Catheterization

Catheterizing modified Blalock-Taussig shunts and ascending aorta to pulmonary artery shunts; 279

Comparison of angiographic findings and demographic variables in patients with coronary artery disease presenting with acute pulmonary edema versus those presenting with chest pain; 1614

Comparison of cardiovascular and renal toxicity after cardiac catheterization using a nonionic versus ionic radiographic contrast agent; 1117

Frequency of respiratory compromise after ketamine sedation for cardiac catheterization in patients < 21 years of age; 1116

Radiation exposure of pediatric patients and physicians during cardiac catheterization and balloon pulmonary valvuloplasty; 221

Usefulness of coronary angiography in patients requiring repeat cardiac valve surgery; 1717

Value of transesophageal echocardiography during complex or high-risk coronary interventions in the cardiac catheterization laboratory; 1452

Catheters

Pitfalls in the determination of absolute dimensions using angiographic catheters as calibration devices in quantitative angiography; 1176

Cavopulmonary shunt*

Postprandial changes in oxygen saturation in patients with bidirectional cavopulmonary shunts; 267

Celiprolol

Hemodynamic effects of celiprolol in essential hypertension; 509

Central nervous system

Focal myocardial necrosis associated with multiple sclerosis of the medulla; 1542

Chest pain

Comparison of angiographic findings and demographic variables in patients with coronary artery disease presenting with acute pulmonary edema versus those presenting with chest pain; 1614

Children

A new pericardiocentesis set; 834

Age-related variation in contractility estimate in patients \leq 20 years of age; 1383

Complex ventricular ectopic activity in patients < 20 years of age with or without syncope, and the role of ventricular extrastimulus testing; 745

Determination of left atrial area and volume by cross-sectional echocardiography in healthy infants and children; 1073

Efficacy and safety of intravenous and oral propafenone in pediatric cardiac dysrhythmias; 741

Late intravenous gamma globulin treatment in infants and children with Kawasaki disease and coronary artery abnormalities; 796

Medical versus surgical management of intracardiac rhabdomyomas; 836

Outcome of infants and children with dilated cardiomyopathy; 365

Prognostic features of children with idiopathic dilated cardiomyopathy; 1372

Still's-like innocent murmur can be produced by increasing aortic velocity to a threshold value; 810

The changing pattern of infective endocarditis in childhood; 90

Usefulness of magnetic resonance imaging for diagnosis of acute myocarditis in infants and children, and comparison with endomyocardial biopsy; 1089

Cholesterol

Cholesterol-lowering effects of a 10 mg daily dose of lovastatin in patients with initial total cholesterol levels 200 to 240 mg/dl (5.18 to 6.21 mmol/liter); 1123

Economic evaluation of cholesterol lowering; 1120

Effect of a community cholesterol screening program on serum total cholesterol level; 247

Effectiveness of probucol in reducing plasma low-density lipoprotein cholesterol oxidation in hypercholesterolemia; 863

Effects of amiodarone on serum lipoprotein levels; 259

Effects of high-density lipoprotein on acetylcholine-induced coronary vasoreactivity; 1425

Effects of serum lipid levels on restenosis after coronary angioplasty; 1431

Frequency of low serum high-density lipoprotein cholesterol levels in hospitalized patients with "desirable" total cholesterol levels; 187

Immunosuppressive therapy and lipoprotein abnormalities after cardiac transplantation; 389

Long-term safety and efficacy profile of simvastatin; 1127

National Cholesterol Education Program's recommendations, and implications of "missing" high-density lipoprotein cholesterol in cardiac rehabilitation programs; 1087

Rationale and design of a secondary prevention trial of lowering normal plasma cholesterol levels after acute myocardial infarction: the cholesterol and recurrent events trial (CARE); 1436

Usefulness of the total cholesterol to high-density lipoprotein cholesterol ratio in predicting angiographic coronary artery disease in women; 1646

Cholesterol and recurrent events trial

Rationale and design of a secondary prevention trial of lowering normal plasma cholesterol levels after acute myocardial infarction: the cholesterol and recurrent events trial (CARE); 1436

Circadian variation

Circadian variation and influence of risk factors on heart rate variability in healthy subjects; 777

Diurnal variations of neurocardiac rhythms in acute myocardial infarction; 155

Effect of propranolol (long-acting) on the circadian fluctuation of tissue-plasminogen activator and plasminogen activator inhibitor-1; 1295

Claudication

Effects of handrail support on claudication and hemodynamic responses to single-stage and progressive treadmill protocols in peripheral vascular occlusive disease; 99

Cocaine

Cocaine and myocardial infarction; 833

Conduction

Distribution patterns of ventricular premature complexes in long-term electrocardiographic recordings and their usefulness in disclosing modulated parasystole; 1045

Dynamics of atrioventricular nodal conduction ratios during conversion of 2:1 into 3:1, 4:1 and 5:1 atrioventricular block; 979

Noncapturing stimuli during the basic drive shortens ventricular refractoriness; 1094

Role of concealed and supernormal conduction during atrial fibrillation in the preexcitation syndrome; 1329

Congenital defects

Two-dimensional contrast echocardiography in the detection and follow-up of congenital pulmonary arteriovenous malformations; 1507

Congenital heart disease

- Determinants of outcome in hospitalized infants with congenital heart disease; 1055
- Doppler assessment of pulmonary artery flow patterns and ventricular function after the Fontan operation; 1211
- Echocardiographic documentation of splenic anatomy in complex congenital heart disease; 1536
- Exercise performance with single chamber rate-responsive pacing in congenital heart defects after operation; 1231
- Incidence of renal dysfunction in adults with cyanotic congenital heart disease; 403
- Late results (30 to 35 years) after operative closure of isolated ventricular septal defect from 1954 to 1960; 1491
- Left main coronary artery arising from the pulmonary trunk in a 56-year-old patient presenting with acute myocardial infarction; 1257
- Non-surgical treatment of a neonate with pulmonary atresia and intact ventricular septum by transcatheter puncture and balloon dilation of the atretic valve membrane; 277
- Pulmonary valve-moderator band distance and association with development of double-chambered right ventricle; 1681
- Rupture of congenital sinus of Valsalva aneurysm in a newborn; 1255
- The changing pattern of infective endocarditis in childhood; 90
- Transesophageal echocardiographic assessment of congenital coronary artery to coronary sinus fistulas in adults; 263

Congestive heart failure

- Acute effects of intravenous nicardipine on hemodynamics and cardiac function in patients with a healed myocardial infarction and no evidence of congestive heart failure; 301
- Angiotensin-converting inhibitors in patients with congestive heart failure: a class effect?; 106
- Cardiac transplant waiting lists, donor shortage and retransplantation and implications for using donor hearts; 408
- Difference in mortality between patients treated with captopril or enalapril in the rameterol in Severe Heart Failure Study; 71
- Effect of digoxin on contractility and symptoms in infants with a large ventricular septal defect; 1377
- Effectiveness of imazodan for treatment of chronic congestive heart failure; 631
- Effects of enoximone on exercise tolerance in patients with mild to moderate heart failure; 360
- Electrophysiologic profile of ibopamine in patients with congestive heart failure and ventricular tachycardia and relation to its effects on hemodynamics and plasma catecholamines; 1194
- Hemodynamic resistance to intravenous nitroglycerin in severe congestive heart failure and restored response after diuresis; 1400

- Initial blood pressure response to enalapril in hospitalized patients (Studies of Left Ventricular Dysfunction (SOLVD)); 1465
- Plasma endothelin-1 levels in idiopathic dilated cardiomyopathy; 1114
- Reproducibility and relation to mean heart rate of heart rate variability in normal subjects and in patients with congestive heart failure secondary to coronary artery disease; 1668
- The mystery of nitrate resistance; 1393
- Urinary kallikrein excretion in congestive heart failure; 685
- Usefulness of echocardiography to differentiate dilated cardiomyopathy from coronary-induced congestive heart failure; 1224
- Usefulness of hydralazine to withdraw from dobutamine in severe congestive heart failure; 1103
- Usefulness of OPC-8212, a quinolone derivative, for chronic congestive heart failure in patients with ischemic heart disease or idiopathic dilated cardiomyopathy; 1203

Contractility

- Age-related variation in contractility estimate in patients ≤ 20 years of age; 1383
- Effect of digoxin on contractility and symptoms in infants with a large ventricular septal defect; 1377

Contrast media

- Comparison of cardiovascular and renal toxicity after cardiac catheterization using a nonionic versus ionic radiographic contrast agent; 1117
- Risk of thrombosis during coronary angioplasty with low osmolality contrast media; 1020

Coronary angioplasty

- Cause of acute myocardial infarction after successful coronary angioplasty; 967
- Effects of low-dose aspirin on restenosis after coronary angioplasty; 874
- In-hospital costs associated with new percutaneous coronary devices; 879

Coronary artery bypass grafting

- Acute myocardial infarction due to thrombotic reperfusion of chronically occluded saphenous vein coronary bypass grafts; 274
- Early and late results of coronary angioplasty and bypass in octogenarians; 1316
- Effectiveness of sotalol in preventing supraventricular tachyarrhythmias shortly after coronary artery bypass grafting; 1163
- Late follow-up after repair of left ventricular aneurysm and (usually) associated coronary bypass grafting; 193
- What's in a name?; 833

Coronary artery disease

- Anticardiolipin antibody titers in patients with myocardial infarction; 830
- Antiischemic and metabolic effects of glutamate during pacing in patients with stable angina pectoris secondary to either coronary artery disease or syndrome X; 291
- Cholesterol-lowering effects of a 10 mg daily dose of lovastatin in patients with initial total cholesterol levels 200 to 240 mg/dl (5.18 to 6.21 mmol/liter); 1123

- Comparative efficacy and safety of bepridil and diltiazem in chronic stable angina pectoris refractory to diltiazem; 306
- Comparison of angiographic findings and demographic variables in patients with coronary artery disease presenting with acute pulmonary edema versus those presenting with chest pain; 1614
- Comparison of exercise radionuclide angiography with thallium SPECT imaging for detection of significant narrowing of the left circumflex coronary artery; 320
- Comparison of serial quantitative evaluation of calcified coronary artery plaque by ultrafast computed tomography in persons with and without obstructive coronary artery disease; 1
- Coronary artery surgery in octogenarians; 1530
- Digoxin-induced vasoconstriction of normal and atherosclerotic epicardial coronary arteries; 1274
- Effects of high-density lipoprotein on acetylcholine-induced coronary vasoreactivity; 1425
- Effects of low-dose aspirin on restenosis after coronary angioplasty; 874
- Effects of serum lipid levels on restenosis after coronary angioplasty; 1431
- Enhanced effectiveness of combined sustained-release forms of isosorbide dinitrate and diltiazem for stable angina pectoris; 983
- Evaluation of dipyridamole-Doppler echocardiography for detection of myocardial ischemia and coronary artery disease; 478
- Evaluation of transient mitral regurgitation in coronary artery disease; 868
- Evolution of myocardial ischemia and left ventricular function in patients with angina pectoris without myocardial infarction and total occlusion of the left anterior descending coronary artery and collaterals from other coronary arteries; 7
- Identification of "surgical" coronary anatomy by exercise radionuclide cineangiography; 1150
- Improved specificity of myocardial thallium-201 single-photon emission computed tomography in patients with left bundle branch block by dipyridamole; 504
- Lack of reproducibility of frequency versus time domain signal-averaged electrocardiographic analyses and effects of lead polarity in coronary artery disease; 913
- Late intravenous gamma globulin treatment in infants and children with Kawasaki disease and coronary artery abnormalities; 796
- Left ventricular shape as a determinant of functional mitral regurgitation in patients with severe heart failure secondary to either coronary artery disease or idiopathic dilated cardiomyopathy; 355
- Long-term safety and efficacy profile of simvastatin; 1127
- Noninvasive identification of significant narrowing of the left main coronary artery by dipyridamole thallium scintigraphy; 472

Parental history of acute myocardial infarction and coronary artery disease in men; 838

Percutaneous transluminal angioplasty of aortocoronary venous bypass grafts and effect of the caliber of the grafted coronary artery on graft stenosis; 27

Periodicity of global ventricular activation of sinus beats in patients with coronary artery disease and sustained ventricular tachycardia; 901

Pitfalls in the determination of absolute dimensions using angiographic catheters as calibration devices in quantitative angiography; 1176

Prognostic significance of silent myocardial ischemia in variant angina pectoris; 1581

Pronounced reduction of aortic flow velocity and acceleration during heavy isometric exercise in coronary artery disease; 485

Prospective identification by two-dimensional echocardiography of anomalous origin of the left main coronary artery from the right sinus of Valsalva; 140

Reproducibility and relation to mean heart rate of heart rate variability in normal subjects and in patients with congestive heart failure secondary to coronary artery disease; 1668

Reproducibility and relation to the degree of myocardial ischemia of postexercise electrocardiographic changes in stable angina pectoris; 1397

Results of percutaneous transluminal angioplasty of the left main coronary artery; 255

Safety and efficacy of percutaneous transluminal coronary angioplasty in patients with left ventricular dysfunction; 313

Self-perceived psychological stress and incidence of coronary artery disease in middle-aged men; 1171

Significance of signal-averaged P-wave changes during exercise in patients with coronary artery disease and correlation with angiographic findings; 1619

Spontaneous echo contrast effect as an indicator of flow-limiting coronary stenosis; 276

Stunned left ventricular myocardium after exercise treadmill testing in coronary artery disease; 329

Systemic neurohumoral activation and vasoconstriction during pacing-induced acute myocardial ischemia in patients with stable angina pectoris; 181

Transesophageal echocardiographic assessment of congenital coronary artery to coronary sinus fistulas in adults; 263

Use of Valsalva maneuver to unmask left ventricular diastolic function abnormalities by Doppler echocardiography in patients with coronary artery disease or systemic hypertension; 515

Usefulness of coronary angiography in patients requiring repeat cardiac valve surgery; 1717

Usefulness of severity of myocardial ischemia on exercise testing in predicting the severity of myocardial ischemia during daily activities; 176

Usefulness of technetium-99m-MIBI and thallium-201 in tomographic imaging combined with high-dose dipyridamole and handgrip exercise for detecting coronary artery disease; 575

Usefulness of the total cholesterol to high-density lipoprotein cholesterol ratio in predicting angiographic coronary artery disease in women; 1646

Value of transesophageal echocardiography during complex or high-risk coronary interventions in the cardiac catheterization laboratory; 1452

Coronary artery dissection

Use of a morphologic classification to predict clinical outcome after dissection from coronary angioplasty; 467

Coronary Artery Surgery Study Registry

Significance of silent myocardial ischemia during exercise testing in patients with diabetes mellitus: a report from the Coronary Artery Surgery Study (CASS) Registry; 729

Coronary artery anomaly

Left main coronary artery arising from the pulmonary trunk in a 56-year-old patient presenting with acute myocardial infarction; 1257

Coronary flow

Coronary hemodynamics and coronary flow reserve after intracoronary diltiazem in humans; 1633

Coronary observation unit

Outcome of patients who were admitted to a new short-stay unit to "rule-out" myocardial infarction; 145

Coronary occlusion

Angiographic progression to total coronary occlusion in hyperlipidemic patients after acute myocardial infarction; 564

Experience with low-dose intracoronary recombinant tissue-type plasminogen activator for nonacute total occlusions before percutaneous transluminal coronary angioplasty; 1609

Coronary sinus

Dimensions of the human posterior septal space and coronary sinus; 621

Coronary sinus fistulas

Transesophageal echocardiographic assessment of congenital coronary artery to coronary sinus fistulas in adults; 263

Coronary spasm

Increased plasma level of endothelin-1-like immunoreactivity during coronary spasm in patients with coronary spastic angina; 991

Coronary vasoreactivity

Effects of high-density lipoprotein on acetylcholine-induced coronary vasoreactivity; 1425

Corticosteroids

Usefulness of corticosteroid therapy for protein-losing enteropathy after the Fontan procedure; 819

Cost analysis

Comparative cost-effectiveness analysis of quinidine, procainamide and mexiletine; 1662

Cost-effectiveness analysis of the use of digoxin immune Fab(ovine) for treatment of digoxin toxicity; 1709

Economic evaluation of cholesterol lowering; 1120

In-hospital costs associated with new percutaneous coronary devices; 879

Reduction in medical care cost associated with radiofrequency catheter ablation of accessory pathways; 1656

Cost-effectiveness

Outcome of patients who were admitted to a new short-stay unit to "rule-out" myocardial infarction; 145

Creatine kinase-MB

Early detection of acute myocardial infarction by measurement of mass concentration of creatine kinase-MB; 1545

Usefulness of electrocardiographic findings and creatine kinase levels on admission in predicting the accuracy of the interval between onset of chest pain of acute myocardial infarction and initiation of thrombolytic therapy; 1287

Creatinine

Usefulness of serum creatinine as a marker for coronary events in elderly patients with either systemic hypertension or diabetes mellitus; 678

CREST syndrome

Acute and long-term effects of nifedipine on pulmonary and systemic hemodynamics in patients with pulmonary hypertension associated with diffuse systemic sclerosis, the CREST syndrome and mixed connective tissue disease; 1687

Cyclosporin

Increased lipid peroxidation in cyclosporin-treated heart transplant recipients; 813

Death, sudden

Actuarial risk of sudden death while awaiting cardiac transplantation in patients with atherosclerotic heart disease; 545

Clinical and angiographic observations on resuscitated victims of exercise-related sudden ischemic death; 47

Comparison of the predictive characteristics of heart rate variability index and left ventricular ejection fraction for all-cause mortality, arrhythmic events and sudden death after acute myocardial infarction; 434

Effect of propranolol (long-acting) on the circadian fluctuation of tissue-plasminogen activator and plasminogen activator inhibitor-1; 1295

Permanent pacing as treatment for hypertrophic cardiomyopathy; 108

Sudden death due to ventricular tachycardia during amiodarone therapy in familial hypertrophic cardiomyopathy; 971

Sudden death during ambulatory electrocardiographic monitoring; 785
Sudden unexpected death in persons < 40 years of age; 1288

Defibrillators

A cellular transtelephonic defibrillator for management of cardiac arrest outside the hospital; 909
Operative mortality with implantation of the automatic cardioverter-defibrillator; 1340
Survival in patients declining implantable cardioverter-defibrillators; 800
Usefulness of placement of intraoperative epicardial wires during automatic implantable cardioverter-defibrillator insertion to preclude the need for transvenous catheters at the Predischarge Electrophysiology Study; 679

Diabetes mellitus

Asymptomatic myocardial ischemia during angioplasty, percutaneous transluminal coronary angioplasty and importance of prior Q-wave infarction and diabetes mellitus; 735
Echocardiographic evidence for the existence of a distinct diabetic cardiomyopathy (the Framingham Heart Study); 85
Lack of pain during myocardial infarction in diabetics—is autonomic dysfunction responsible?; 793
Significance of silent myocardial ischemia during exercise testing in patients with diabetes mellitus: a report from the Coronary Artery Surgery Study (CASS) Registry; 729
Usefulness of serum creatinine as a marker for coronary events in elderly patients with either systemic hypertension or diabetes mellitus; 678

Diagnosis, early

Early prediction of acute myocardial infarction from clinical history, examination and electrocardiogram in the emergency room; 171

Digoxin

Digoxin-induced vasoconstriction of normal and atherosclerotic epicardial coronary arteries; 1274
Effect of digoxin on contractility and symptoms in infants with a large ventricular septal defect; 1377
Effect of digoxin on ST-segment changes detected by ambulatory electrocardiographic monitoring in healthy subjects; 1503

Digoxin immune Fab

Cost-effectiveness analysis of the use of digoxin immune Fab(ovine) for treatment of digoxin toxicity; 1709

Digoxin toxicity

Cost-effectiveness analysis of the use of digoxin immune Fab(ovine) for treatment of digoxin toxicity; 1709

Diltiazem

Comparative efficacy and safety of bepridil and diltiazem in chronic stable angina pectoris refractory to diltiazem; 306

Coronary hemodynamics and coronary flow reserve after intracoronary diltiazem in humans; 1633

Effects of diltiazem on long-term outcome after acute myocardial infarction in patients with and without a history of systemic hypertension; 429

Effects of hydrochlorothiazide, diltiazem and enalapril on mononuclear cell sodium and magnesium levels in systemic hypertension; 1357

Enhanced effectiveness of combined sustained-release forms of isosorbide dinitrate and diltiazem for stable angina pectoris; 983

Dipyridamole

Dipyridamole sesta MIBI myocardial imaging; 674

Evaluation of dipyridamole-Doppler echocardiography for detection of myocardial ischemia and coronary artery disease; 478

Improved specificity of myocardial thallium-201 single-photon emission computed tomography in patients with left bundle branch block by dipyridamole; 504

Noninvasive identification of significant narrowing of the left main coronary artery by dipyridamole thallium scintigraphy; 472

Prediction of major cardiac events after peripheral vascular surgery using dipyridamole echocardiography; 593

Role of dipyridamole thallium-201 imaging in left bundle branch block; 1097

Usefulness of technetium-99m-MIBI and thallium-201 in tomographic imaging combined with high-dose dipyridamole and handgrip exercise for detecting coronary artery disease; 575

Diuresis

Hemodynamic resistance to intravenous nitroglycerin in severe congestive heart failure and restored response after diuresis; 1400

The mystery of nitrate resistance; 1393

Dobutamine

Still's-like innocent murmur can be produced by increasing aortic velocity to a threshold value; 810

Usefulness of hydralazine to withdraw from dobutamine in severe congestive heart failure; 1103

Doppler ultrasound

Comparison of transcranial Doppler ultrasound and transesophageal contrast echocardiography in the detection of interatrial right-to-left shunts; 1498

Comparison of transthoracic and transesophageal echocardiography for assessment of left-sided valvular regurgitation; 1677

Coronary hemodynamics and coronary flow reserve after intracoronary diltiazem in humans; 1633

Detection of patent foramen ovale by Doppler color flow mapping in patients undergoing cardiac catheterization; 125

Diagnosis of patent ductus arteriosus in adults by biplane transesophageal color Doppler flow mapping; 691

Doppler assessment of pulmonary artery flow patterns and ventricular function after the Fontan operation; 1211

Doppler echocardiographic estimation of mitral valve area during changing hemodynamic conditions; 1485

Doppler echocardiographic findings in adults with severe symptomatic valvular aortic stenosis; 1477

Echo-Doppler study of right ventricular filling in asymptomatic patients with Senning operation for transposition of the great arteries; 693

Evaluation of dipyridamole-Doppler echocardiography for detection of myocardial ischemia and coronary artery disease; 478

Factors influencing Doppler indexes of left ventricular filling in healthy persons; 653

Influence of Doppler sample volume location on ventricular filling velocities; 550

Left ventricular ejection fraction measured with Doppler color flow mapping techniques; 669

Long-term assessment of right ventricular diastolic filling in patients with pulmonic valve stenosis successfully treated in childhood; 648

Mitral and pulmonary venous flow under influence of positive end-expiratory pressure ventilation analyzed by transesophageal pulsed Doppler echocardiography; 697

Natural history of cardiac rhabdomyoma; 831

Noninvasive assessment by pulsed Doppler ultrasound of left ventricular filling behavior in long distance runners during marathon race; 1237

Pronounced reduction of aortic flow velocity and acceleration during heavy isometric exercise in coronary artery disease; 485

Right-sided valve regurgitation in congenital heart disease determined by Doppler regurgitant velocity measurement; 269

Superior vena cava flow and tricuspid anular motion after cardioversion of atrial fibrillation, and role of right atrial relaxation on systolic venous return; 1335

Use of Valsalva maneuver to unmask left ventricular diastolic function abnormalities by Doppler echocardiography in patients with coronary artery disease or systemic hypertension; 515

Drug treatment

Dilution of potent drugs; 418

Effects of immunosuppressive therapy in biopsy-proved myocarditis and borderline myocarditis on left ventricular function; 370

Serial antiarrhythmic drug treatment to maintain sinus rhythm after electrical cardioversion for chronic atrial fibrillation or atrial flutter; 335

Duke Activity Status Index

Relation of clinical and angiographic factors to functional capacity as measured by the Duke Activity Status Index; 973

Echocardiography

- Comparison of transesophageal and transthoracic contrast echocardiography for detection of a patent foramen ovale; 1247
- Determination of left atrial area and volume by cross-sectional echocardiography in healthy infants and children; 1073
- Dobutamine stress echocardiography for assessment of cardiac risk before noncardiac surgery; 976
- Echo-Doppler study of right ventricular filling in asymptomatic patients with Senning operation for transposition of the great arteries; 693
- Echocardiographic assessment of left ventricular function and wall motion at high altitude in normal subjects; 1692
- Echocardiographic diagnosis of cardiac tamponade: a Bayesian analysis; 1242
- Echocardiographic documentation of splenic anatomy in complex congenital heart disease; 1536
- Echocardiographic evidence for the existence of a distinct diabetic cardiomyopathy (the Framingham Heart Study); 85
- Evaluation of cardiac tumors in tuberous sclerosis by magnetic resonance imaging; 281
- Evaluation of dipyridamole-Doppler echocardiography for detection of myocardial ischemia and coronary artery disease; 478
- Evaluation of transient mitral regurgitation in coronary artery disease; 868
- Left ventricular ejection fraction measured with Doppler color flow mapping techniques; 669
- Mitral and pulmonary venous flow under influence of positive end-expiratory pressure ventilation analyzed by transesophageal pulsed Doppler echocardiography; 697
- Prediction of major cardiac events after peripheral vascular surgery using dipyridamole echocardiography; 593
- Prevalence of cardiac abnormalities early in the course of systemic lupus erythematosus; 1540
- Prospective identification by two-dimensional echocardiography of anomalous origin of the left main coronary artery from the right sinus of Valsalva; 140
- Pulmonary valve-moderator band distance and association with development of double-chambered right ventricle; 1681
- Time-motion reconstruction of mitral leaflet motion from two-dimensional echocardiography in mitral valve prolapse; 215
- Transesophageal echocardiographic assessment of congenital coronary artery to coronary sinus fistulas in adults; 263
- Transesophageal echocardiographic characterization of pulmonary vein flow not due to atrial contraction or mitral regurgitation; 415
- Transesophageal echocardiographic features of stenotic bioprosthetic valves in the mitral and tricuspid valve positions; 689

- Transesophageal echocardiographic findings of papillary muscle rupture; 561
- Two-dimensional contrast echocardiography in the detection and follow-up of congenital pulmonary arteriovenous malformations; 1507
- Two-dimensional echocardiographic characteristics of pericardial hematoma secondary to left ventricular free wall rupture complicating acute myocardial infarction; 961
- Use of Valsalva maneuver to unmask left ventricular diastolic function abnormalities by Doppler echocardiography in patients with coronary artery disease or systemic hypertension; 515
- Usefulness of echocardiography to differentiate dilated cardiomyopathy from coronary-induced congestive heart failure; 1224
- Value and limitations of two-dimensional echocardiography in predicting myocardial infarct size; 1143

Echocardiography, transesophageal

- Assessment of the mitral valve splitability score by transthoracic and transesophageal echocardiography; 1106
- Atrial septal aneurysm mimicking a right atrial mass on transesophageal echocardiography; 827
- Comparison of transcranial Doppler ultrasound and transesophageal contrast echocardiography in the detection of interatrial right-to-left shunts; 1498
- Comparison of transthoracic and transesophageal echocardiography for assessment of left-sided valvular regurgitation; 1677
- Frequency of positive blood cultures during transesophageal echocardiography; 1538
- Rupture of the outer partition of aortic dissection during transesophageal echocardiography; 286
- Transesophageal echocardiographic features of the atrial septum in constrictive pericarditis; 271
- Value of transesophageal echocardiography during complex or high-risk coronary interventions in the cardiac catheterization laboratory; 1452

Eggs

- Some musings on the egg and me; 1259

Ejection fraction

- Comparison of the predictive characteristics of heart rate variability index and left ventricular ejection fraction for all-cause mortality, arrhythmic events and sudden death after acute myocardial infarction; 434

Elderly patients

- Aging and left ventricular function in elderly healthy people; 547
- Are we biased in our approach to treating elderly patients with heart disease?; 954
- Comparisons of risk and patterns of practice in patients older and younger than 70 years with acute myocardial infarction in a two-year period (1987-1989); 843

- Coronary artery surgery in octogenarians; 1530
- Early and late results of coronary angioplasty and bypass in octogenarians; 1316
- Older age and elevated blood pressure are risk factors for intracerebral hemorrhage after thrombolysis; 166
- Percutaneous transluminal coronary angioplasty in octogenarians as an effective therapy for angina pectoris; 116
- Usefulness of serum creatinine as a marker for coronary events in elderly patients with either systemic hypertension or diabetes mellitus; 678

Electrocardiograms

- Usefulness of QRST time-integral values of 12-lead electrocardiograms in diagnosing healed myocardial infarction complicated by left bundle branch block; 1417

Electrocardiography

- A cellular transtelephonic defibrillator for management of cardiac arrest outside the hospital; 909
- Age-related normal values of signal-averaged electrocardiographic variables after acute myocardial infarction; 440
- Anatomic and electrical correlations of the heart; 839
- Beat-to-beat electrocardiographic morphology variation in healed myocardial infarction; 725
- Bidirectional ST shift in ischemic right ventricle; 832
- Comparison of chest pain, electrocardiographic changes and thallium-201 scintigraphy during varying exercise intensities in men with stable angina pectoris; 569
- Coronary adrenergic hyperreactivity in patients with syndrome X and abnormal electrocardiograms at rest; 1698
- Distribution patterns of ventricular premature complexes in long-term electrocardiographic recordings and their usefulness in disclosing modulated parasystole; 1045
- Early prediction of acute myocardial infarction from clinical history, examination and electrocardiogram in the emergency room; 171
- Effect of digoxin on ST-segment changes detected by ambulatory electrocardiographic monitoring in healthy subjects; 1503
- Effects of early thrombolytic therapy (anistreplase versus streptokinase) on enzymatic and electrocardiographic infarct size in acute myocardial infarction; 848
- Effects of long-term vasodilator therapy on electrocardiographic abnormalities in chronic aortic regurgitation; 935
- Effects of percutaneous transluminal coronary angioplasty on exercise-induced changes in R-Wave amplitude; 114
- Electrocardiographic correlates of reperfusion status after thrombolysis: is the "incomplete" or "interrupted" infarction a non-Q-wave infarction?; 520
- Electrocardiographic correlates with left ventricular morphology in idiopathic dilated cardiomyopathy; 642

- Independent effects of low frequency magnitude and phase distortion of the recorded electrocardiogram; 553
- Lack of reproducibility of frequency versus time domain signal-averaged electrocardiographic analyses and effects of lead polarity in coronary artery disease; 913
- Prevalence, characteristics and significance of ventricular premature complexes and ventricular tachycardia detected by 24-hour continuous electrocardiographic recording in the Cardiac Arrhythmia Suppression Trial; 887
- Seismocardiographic changes associated with obstruction of coronary blood flow during balloon angioplasty; 201
- Specificity and sensitivity of QRS criteria for diagnosis of single and multiple myocardial infarcts; 1300
- Sudden death during ambulatory electrocardiographic monitoring; 785
- Sympathetic and vagal influences on rate-dependent changes of QT interval in healthy subjects; 1188
- Upright retrograde P waves during ventricular tachycardia; 138
- Usefulness of electrocardiographic findings and creatine kinase levels on admission in predicting the accuracy of the interval between onset of chest pain of acute myocardial infarction and initiation of thrombolytic therapy; 1287
- Usefulness of total 12-lead QRS voltage for determining the presence of left ventricular hypertrophy in systemic hypertension; 261
- Value of the electrocardiogram for prediction of left ventricular mural thrombus in anterior wall acute myocardial infarction; 957
- Electrocardiography, ambulatory**
- Combined ambulatory electroencephalographic and electrocardiographic recordings for evaluation of syncope; 1067
- Quantitative analysis of Wenckebach periodicity; 835
- Electroencephalography, ambulatory**
- Combined ambulatory electroencephalographic and electrocardiographic recordings for evaluation of syncope; 1067
- Electrogram analysis**
- Effects of increased heart rate and sympathetic tone on intraventricular electrogram morphology; 1321
- Electrophysiologic studies**
- Clinical and electrophysiologic characteristics of exercise-related idiopathic ventricular tachycardia; 897
- Complex ventricular ectopic activity in patients < 20 years of age with or without syncope, and the role of ventricular extrastimulus testing; 745
- Effects of enflurane on inducibility of ventricular tachycardia; 609
- Electrophysiologic effects of intravenous propafenone at rest, during isoproterenol infusion and during exercise in the Wolff-Parkinson-White syndrome; 681
- Electrophysiologic profile of ibopamine in patients with congestive heart failure and ventricular tachycardia and relation to its effects on hemodynamics and plasma catecholamines; 1194
- Evidence suggesting time-dependent recovery of excitability in the in vivo human sinus node; 798
- Noncapturing stimuli during the basic drive shortens ventricular refractoriness; 1094
- Reverse use-dependent effects of sotalol demonstrated by recording monophasic action potentials of the right ventricle; 1183
- Role of concealed and supernormal conduction during atrial fibrillation in the preexcitation syndrome; 1329
- Usefulness of the Δ HA interval to accurately distinguish atrioventricular nodal reentry from orthodromic septal bypass tract tachycardias; 1037
- Usefulness of excitable gap and pattern of resetting in atrial flutter for determining reentry circuit location; 492
- Usefulness of placement of intraoperative epicardial wires during automatic implantable cardioverter-defibrillator insertion to preclude the need for transvenous catheters at the Predischarge Electrophysiology Study; 679
- Embolisms**
- Comparison of transesophageal and transthoracic contrast echocardiography for detection of a patent foramen ovale; 1247
- Embolization**
- Strut fracture and embolization of a Björk-Shiley valve from the tricuspid valve position; 1253
- Enalapril**
- Difference in mortality between patients treated with captopril or enalapril in the xamoterol in Severe Heart Failure Study; 71
- Effects of hydrochlorothiazide, diltiazem and enalapril on mononuclear cell sodium and magnesium levels in systemic hypertension; 1357
- Initial blood pressure response to enalapril in hospitalized patients (Studies of Left Ventricular Dysfunction [SOLVD]); 1465
- Encainide**
- Increased risk of death and cardiac arrest from encainide and flecainide in patients after non-Q-wave acute myocardial infarction in the Cardiac Arrhythmia Suppression Trial; 1551
- Endocarditis**
- Comparison of allografts and prosthetic valves when used for emergency aortic valve replacement for active infective endocarditis; 637
- Libman-Sacks endocarditis mimicking intracardiac tumor; 817
- The changing pattern of infective endocarditis in childhood; 90
- Endomyocardial biopsy**
- Cardiac myocytes and dendritic cells harbor human immunodeficiency virus in infected patients with and without cardiac dysfunction: detection by multiplex, nested, polymerase chain reaction in individually microdissected cells from right ventricular endomyocardial biopsy tissue; 1511
- Morbidity of endomyocardial biopsy in cardiomyopathy; 133
- Endomyocardial fibrosis**
- Evolution of the endocardial fibrotic process in endomyocardial fibrosis; 402
- Endothelin**
- Increased plasma level of endothelin-1-like immunoreactivity during coronary spasm in patients with coronary spastic angina; 991
- Plasma endothelin-1 levels in idiopathic dilated cardiomyopathy; 1114
- Enflurane**
- Effects of enflurane on inducibility of ventricular tachycardia; 609
- Enoximone**
- Effects of enoximone on exercise tolerance in patients with mild to moderate heart failure; 360
- Enzymes**
- Early detection of acute myocardial infarction by measurement of mass concentration of creatine kinase-MB; 1545
- Effects of early thrombolytic therapy (anistreplase versus streptokinase) on enzymatic and electrocardiographic infarct size in acute myocardial infarction; 848
- Epilepsy**
- Combined ambulatory electroencephalographic and electrocardiographic recordings for evaluation of syncope; 1067
- Ergonovine**
- Acute myocardial infarction after ergonovine administration for uterine bleeding; 823
- Ethanol ablation**
- Long-term follow-up after intracoronary ethanol ablation of atrioventricular conduction; 543
- Exercise**
- Clinical and electrophysiologic characteristics of exercise-related idiopathic ventricular tachycardia; 897
- Comparison of chest pain, electrocardiographic changes and thallium-201 scintigraphy during varying exercise intensities in men with stable angina pectoris; 569
- Effects of a multidimensional cardiopulmonary rehabilitation program on psychosocial function; 31
- Effects of beta blockade on the relation between heart rate and ventricular diastolic perfusion time during exercise in systemic hypertension; 1101
- Effects of daily high-intensity exercise on myocardial perfusion in angina pectoris; 1593
- Effects of early captopril administration on infarct expansion, left ventricular remodeling and exercise capacity after acute myocardial infarction; 713
- Effects of enoximone on exercise tolerance in patients with mild to moderate heart failure; 360

Effects of exercise on heart rate, QT, QTc and QT/QT2 in the Romano-Ward inherited long QT syndrome; 498

Effects of exercise on left ventricular diastolic performance in trained athletes; 945

Electrophysiologic effects of intravenous propafenone at rest, during isoproterenol infusion and during exercise in the Wolff-Parkinson-White syndrome; 681

Evolution of heart rate responsiveness after orthotopic cardiac transplantation; 232

Exercise hemodynamics and oxygen delivery measurements using rebreathing techniques in heart transplant patients; 129

Exercise performance with single chamber rate-responsive pacing in congenital heart defects after operation; 1231

Exercise-induced secretion of atrial natriuretic factor and its relation to hemodynamic and sympathetic stimulation in untreated essential hypertension; 918

Improved specificity of myocardial thallium-201 single-photon emission computed tomography in patients with left bundle branch block by dipyridamole; 504

Improvement in exercise capacity after correction of anemia in patients with end-stage renal failure; 1060

Preserved atrial natriuretic peptide secretory function after cardiac transplantation; 237

Pronounced reduction of aortic flow velocity and acceleration during heavy isometric exercise in coronary artery disease; 485

Radionuclide exercise response in young asymptomatic chronic alcoholics; 566

Usefulness of oral nisoldipine for stable angina pectoris; 1004

Usefulness of physical exercise for maintaining smoking cessation in women; 406

Exercise testing

Acute and chronic antianginal efficacy of continuous twenty-four-hour application of transdermal nitroglycerin; 1263

Comparison of exercise radionuclide angiography with thallium SPECT imaging for detection of significant narrowing of the left circumflex coronary artery; 320

Diagnostic accuracy of exercise thallium-201 single-photon emission computed tomography in patients with left bundle branch block; 756

Effectiveness of imazodan for treatment of chronic congestive heart failure; 631

Effects of beta₂-adrenoceptor stimulation on exercise-induced myocardial ischemia; 111

Effects of handrail support on claustrophobia and hemodynamic responses to single-stage and progressive treadmill protocols in peripheral vascular occlusive disease; 99

Effects of parasympathetic blockade on ischemic threshold in patients with exercise-induced myocardial ischemia; 539

Effects of percutaneous transluminal coronary angioplasty on exercise-induced changes in R-wave amplitude; 114

Identification of "surgical" coronary anatomy by exercise radionuclide cineangiography; 1150

Limitations of testing methods for evaluation of dual chamber versus single chamber adaptive rate pacing; 1715

Long-term efficacy of continuous and intermittent use of transdermal nitroglycerin in stable angina pectoris; 857

Reproducibility and relation to the degree of myocardial ischemia of postexercise electrocardiographic changes in stable angina pectoris; 1397

Role of dipyridamole thallium-201 imaging in left bundle branch block; 1097

Significance of signal-averaged P-wave changes during exercise in patients with coronary artery disease and correlation with angiographic findings; 1619

Significance of silent myocardial ischemia during exercise testing in patients with diabetes mellitus: a report from the Coronary Artery Surgery Study (CASS) Registry; 729

Silent versus symptomatic ischemia during a thallium-201 exercise test; 1600

Stunned left ventricular myocardium after exercise treadmill testing in coronary artery disease; 329

Systemic and left ventricular responses to exercise stress in asymptomatic patients with valvular aortic stenosis; 1469

Twenty-four-hour activity of felodipine extended release in chronic stable angina pectoris; 457

Use of isometric exercise testing can replace isotonic testing to detect and evaluate hypertensive populations; 565

Usefulness of ambulatory silent myocardial ischemia added to the prognostic value of exercise test parameters in predicting risk of cardiac death in patients with stable angina pectoris and exercise-induced myocardial ischemia; 1279

Usefulness of severity of myocardial ischemia on exercise testing in predicting the severity of myocardial ischemia during daily activities; 176

Usefulness of technetium-99m-MIBI and thallium-201 in tomographic imaging combined with high-dose dipyridamole and handgrip exercise for detecting coronary artery disease; 575

Family history

Parental history of acute myocardial infarction and coronary artery disease in men; 838

Felodipine

Felodipine (once daily) versus nifedipine (four times daily) for Prinzmetal's angina pectoris; 1587

Twenty-four-hour activity of felodipine extended release in chronic stable angina pectoris; 457

Ferritins

H and L ferritins in myocardium in iron overload; 1233

Flecainide

Increased risk of death and cardiac arrest from encainide and flecainide in patients after non-Q-wave acute myocardial infarction in the Cardiac Arrhythmia Suppression Trial; 1551

Fontan operation

Clinical spectrum of venous thrombi in the Fontan patient; 1721

Doppler assessment of pulmonary artery flow patterns and ventricular function after the Fontan operation; 1211

Usefulness of corticosteroid therapy for protein-losing enteropathy after the Fontan procedure; 819

Framingham Heart Study

Echocardiographic evidence for the existence of a distinct diabetic cardiomyopathy (the Framingham Heart Study); 85

Free radicals

Myocardial malondialdehyde and uric acid release after short-lasting coronary occlusions during coronary angioplasty: potential mechanisms for free radical generation; 392

From the Editor

Alkaline paper and preserving the record; 1729

Benjamin Franklin's "Poor Richard's Almanack" and its maxims on physicians, medicine and nutrition; 703

Human records and a tribute to the "Guinness Book of World Records"; 288

Of-repeated requests to authors from an editor of a cardiology journal; 1121

The government is in your office and listening to their script; 143

What medical students are asking; 1260

Functional status

Relation of clinical and angiographic factors to functional capacity as measured by the Duke Activity Status Index; 973

Gamma globulin

Late intravenous gamma globulin treatment in infants and children with Kawasaki disease and coronary artery abnormalities; 796

Genetics

Bivariate genetic analysis of left ventricular mass and weight in pubertal twins (the Medical College of Virginia Twin Study); 661

Glucose metabolism

Regional myocardial perfusion and metabolism assessed by positron emission tomography in children with Kawasaki disease and significance of abnormal Q waves and their disappearance; 1638

Glutamate

Antischemic and metabolic effects of glutamate during pacing in patients with stable angina pectoris secondary to either coronary artery disease or syndrome X; 291

Guanosine monophosphate

Atrial natriuretic peptide and cyclic guanosine monophosphate response to cardioversion of atrial flutter or fibrillation; 837

ΔHA interval

Usefulness of the ΔHA interval to accurately distinguish atrioventricular nodal reentry from orthodromic septal bypass tract tachycardias; 1037

Head-up tilt test

Neurally mediated syncope detected by carotid sinus massage and head-up tilt test in sick sinus syndrome; 1032

Healthy subjects

Aging and left ventricular function in elderly healthy people; 547
Circadian variation and influence of risk factors on heart rate variability in healthy subjects; 777
Factors influencing Doppler indexes of left ventricular filling in healthy persons; 653
Sympathetic and vagal influences on rate-dependent changes of QT interval in healthy subjects; 1188

Heart disease

Actuarial risk of sudden death while awaiting cardiac transplantation in patients with atherosclerotic heart disease; 545

Heart rate

Circadian variation and influence of risk factors on heart rate variability in healthy subjects; 777
Comparison of the predictive characteristics of heart rate variability index and left ventricular ejection fraction for all-cause mortality, arrhythmic events and sudden death after acute myocardial infarction; 434
Diurnal variations of neurocardiac rhythms in acute myocardial infarction; 155
Effect of reflex vagal activation on frequency of ventricular premature complexes; 349
Effects of beta blockade on the relation between heart rate and ventricular diastolic perfusion time during exercise in systemic hypertension; 1101
Effects of exercise on heart rate, QT, QTc and QT/QT2 in the Romano-Ward inherited long QT syndrome; 498
Effects of increased heart rate and sympathetic tone on intraventricular electrogram morphology; 1321
Evolution of heart rate responsiveness after orthotopic cardiac transplantation; 232
Influence of age, body size and heart rate on left ventricular diastolic indexes in young subjects; 1245
Reproducibility and relation to mean heart rate of heart rate variability in normal subjects and in patients with congestive heart failure secondary to coronary artery disease; 1668
Stability over time of variables measuring heart rate variability in normal subjects; 626

Hematocrit

Hematocrit fluctuations after percutaneous transluminal coronary angioplasty; 977

Hematoma

Two-dimensional echocardiographic characteristics of pericardial hematoma secondary to left ventricular free wall rupture complicating acute myocardial infarction; 961

Hemodialysis

Improvement in exercise capacity after correction of anemia in patients with end-stage renal failure; 1060

Hemodynamics

Acute and long-term effects of nifedipine on pulmonary and systemic hemodynamics in patients with pulmonary hypertension associated with diffuse systemic sclerosis, the CREST syndrome and mixed connective tissue disease; 1687
Acute effects of intravenous nicardipine on hemodynamics and cardiac function in patients with a healed myocardial infarction and no evidence of congestive heart failure; 301
Coronary hemodynamics and coronary flow reserve after intracoronary diltiazem in humans; 1633
Doppler echocardiographic estimation of mitral valve area during changing hemodynamic conditions; 1485
Effect of bisoprolol on blood pressure and arterial hemodynamics in systemic hypertension; 61
Effects of handrail support on claudication and hemodynamic responses to single-stage and progressive treadmill protocols in peripheral vascular occlusive disease; 99
Electrophysiologic profile of ibopamine in patients with congestive heart failure and ventricular tachycardia and relation to its effects on hemodynamics and plasma catecholamines; 1194
Exercise hemodynamics and oxygen delivery measurements using rebreathing techniques in heart transplant patients; 129
Exercise-induced secretion of atrial natriuretic factor and its relation to hemodynamic and sympathetic stimulation in untreated essential hypertension; 918
Hemodynamic comparison of two nifedipine formulations in patients with essential hypertension; 1346
Hemodynamic effects of celiprolol in essential hypertension; 509
Hemodynamic resistance to intravenous nitroglycerin in severe congestive heart failure and restored response after diuresis; 1400
Incremental prognostic accuracy of clinical, radionuclide and hemodynamic data in acute myocardial infarction; 707
Preserved atrial natriuretic peptide secretory function after cardiac transplantation; 237
Systemic neurohumoral activation and vasoconstriction during pacing-induced acute myocardial ischemia in patients with stable angina pectoris; 181
The mystery of nitrate resistance; 1393

Heparin

Comparison of intravenous urokinase plus heparin versus heparin alone in acute myocardial infarction; 585
Effects of urokinase and heparin on minimal cross-sectional area of the culprit narrowing in unstable angina pectoris; 451

Ridgway in the setting of percutaneous transluminal coronary angioplasty; 463

HMG CoA reductase inhibitors

Rationale and design of a secondary prevention trial of lowering normal plasma cholesterol levels after acute myocardial infarction: the cholesterol and recurrent events trial (CARE); 1436

Holter monitoring

Circadian variation and influence of risk factors on heart rate variability in healthy subjects; 777
Usefulness of ambulatory silent myocardial ischemia added to the prognostic value of exercise test parameters in predicting risk of cardiac death in patients with stable angina pectoris and exercise-induced myocardial ischemia; 1279
Usefulness of severity of myocardial ischemia on exercise testing in predicting the severity of myocardial ischemia during daily activities; 176

Human immunodeficiency virus

Cardiac myocytes and dendritic cells harbor human immunodeficiency virus in infected patients with and without cardiac dysfunction: detection by multiplex, nested, polymerase chain reaction in individually microdissected cells from right ventricular endomyocardial biopsy tissue; 1511
Late potentials and their relation to ventricular function in human immunodeficiency virus infection; 1216

Hydralazine

Usefulness of hydralazine to withdraw from dobutamine in severe congestive heart failure; 1103

Hydrochlorothiazide

Effects of hydrochlorothiazide, diltiazem and enalapril on mononuclear cell sodium and magnesium levels in systemic hypertension; 1357

Hypercholesterolemia

Cholesterol-lowering effects of a 10 mg daily dose of lovastatin in patients with initial total cholesterol levels 200 to 240 mg/dl (5.18 to 6.21 mmol/liter); 1123
Effectiveness of probucol in reducing plasma low-density lipoprotein cholesterol oxidation in hypercholesterolemia; 863
Long-term safety and efficacy profile of simvastatin; 1127

Hypersensitivity

Adrenergic hypersensitivity after beta-blocker withdrawal in hypertrophic cardiomyopathy; 766

Hypertension

Age-related changes in aortic elasticity determined by gated radionuclide angiography in patients with systemic hypertension or healed myocardial infarcts and in normal subjects; 950
Cardiovascular effects of isradipine in essential hypertension; 65

Effect of nifedipine tablets on ambulatory blood pressure in patients aged < 60 and > 65 years with systemic hypertension; 1351

Effects of beta blockade on the relation between heart rate and ventricular diastolic perfusion time during exercise in systemic hypertension; 1101

Effects of hydrochlorothiazide, diltiazem and enalapril on mononuclear cell sodium and magnesium levels in systemic hypertension; 1357

Exercise-induced secretion of atrial natriuretic factor and its relation to hemodynamic and sympathetic stimulation in untreated essential hypertension; 918

Hemodynamic comparison of two nifedipine formulations in patients with essential hypertension; 1346

Hemodynamic effects of celiprolol in essential hypertension; 509

Influence of the arterial blood pressure and nonhemodynamic factors on left ventricular hypertrophy in moderate essential hypertension; 925

Left atrial afterload mismatch in hypertrophic cardiomyopathy; 1049

Metoprolol as antihypertensive drug; 831

Primary pulmonary hypertension for 30 years; 284

Response to mental and physical stress before and during adrenoreceptor blocker and angiotensin-converting enzyme inhibitor treatment in essential hypertension; 1362

Use of isometric exercise testing can replace isotonic testing to detect and evaluate hypertensive populations; 565

Hypertrophic cardiomyopathy

Sudden death due to ventricular tachycardia during amiodarone therapy in familial hypertrophic cardiomyopathy; 971

Hypoxia

Echocardiographic assessment of left ventricular function and wall motion at high altitude in normal subjects; 1692

Hysteresis

Effects of cardiac denervation on atrioventricular nodal accommodation and hysteresis; 1458

Ibopamine

Electrophysiologic profile of ibopamine in patients with congestive heart failure and ventricular tachycardia and relation to its effects on hemodynamics and plasma catecholamines; 1194

Imazodan

Effectiveness of imazodan for treatment of chronic congestive heart failure; 631

Immunosuppressive therapy

Effects of immunosuppressive therapy in biopsy-proved myocarditis and borderline myocarditis on left ventricular function; 370

Immunosuppressive therapy and lipoprotein abnormalities after cardiac transplantation; 389

Lymphoproliferative disorder early after cardiac transplantation; 1724

Infants

Determinants of outcome in hospitalized infants with congenital heart disease; 1055

Determination of left atrial area and volume by cross-sectional echocardiography in healthy infants and children; 1073

Effect of digoxin on contractility and symptoms in infants with a large ventricular septal defect; 1377

Usefulness of magnetic resonance imaging for diagnosis of acute myocarditis in infants and children, and comparison with endomyocardial biopsy; 1089

Infections

Frequency of positive blood cultures during transesophageal echocardiography; 1538

Interatrial shunts

Comparison of transcranial Doppler ultrasound and transesophageal contrast echocardiography in the detection of interatrial right-to-left shunts; 1498

International Study of Infarct Survival 4

Magnesium in acute myocardial infarction (International Study of Infarct Survival 4); 1221

Interventional cardiology

Divine intervention; 1222

Intracoronary ultrasound evaluation of interventional technologies; 1305

Intracerebral hemorrhage

Older age and elevated blood pressure are risk factors for intracerebral hemorrhage after thrombolysis; 166

Iron overload

H and L ferritins in myocardium in iron overload; 1233

Ischemia

Antischismic and metabolic effects of glutamate during pacing in patients with stable angina pectoris secondary to either coronary artery disease or syndrome X; 291

Asymptomatic myocardial ischemia during angioplasty, percutaneous transluminal coronary angioplasty and importance of prior Q-wave infarction and diabetes mellitus; 735

Beat-to-beat electrocardiographic morphology variation in healed myocardial infarction; 725

Bidirectional ST shift in ischemic right ventricle; 832

Cocaine and myocardial infarction; 833

Comparison of chest pain, electrocardiographic changes and thallium-201 scintigraphy during varying exercise intensities in men with stable angina pectoris; 569

Early prediction of acute myocardial infarction from clinical history, examination and electrocardiogram in the emergency room; 171

Effects of nifedipine on total ischemic activity in angina and the importance of in-hospital psychological stress in myocardial infarction; 829

Effects of parasympathetic blockade on ischemic threshold in patients with exercise-induced myocardial ischemia; 539

Noninvasive identification of significant narrowing of the left main coronary artery by diprydamole thallium scintigraphy; 472

Significance of silent myocardial ischemia during exercise testing in patients with diabetes mellitus: a report from the Coronary Artery Surgery Study (CASS) Registry; 729

Silent versus symptomatic ischemia during a thallium-201 exercise test; 1600

Usefulness of OPC-8212, a quinolinone derivative, for chronic congestive heart failure in patients with ischemic heart disease or idiopathic dilated cardiomyopathy; 1203

Ischemia index

Usefulness of severity of myocardial ischemia on exercise testing in predicting the severity of myocardial ischemia during daily activities; 176

Isoproterenol

Electrophysiologic effects of intravenous propafenone at rest, during isoproterenol infusion and during exercise in the Wolff-Parkinson-White syndrome; 681

Isosorbide dinitrate

Enhanced effectiveness of combined sustained-release forms of isosorbide dinitrate and diltiazem for stable angina pectoris; 983

Isradipine

Cardiovascular effects of isradipine in essential hypertension; 65

Israel

Frequency of use of thrombolytic therapy in acute myocardial infarction in Israel; 1291

Japanese men

Alcohol intake and nonfatal acute myocardial infarction in Japan; 1011

Jehovah's Witness

Medical, ethical and legal issues regarding thrombolytic therapy in the Jehovah's Witness; 1525

Kallikrein

Urinary kallikrein excretion in congestive heart failure; 685

Kawasaki disease

Cardiac transplantation for giant coronary artery aneurysms complicating Kawasaki disease; 560

Late intravenous gamma globulin treatment in infants and children with Kawasaki disease and coronary artery abnormalities; 796

Regional myocardial perfusion and metabolism assessed by positron emission tomography in children with Kawasaki disease and significance of abnormal Q waves and their disappearance; 1638

Ketamine

Frequency of respiratory compromise after ketamine sedation for cardiac catheterization in patients < 21 years of age; 1116

Lasers

Laser-assisted versus mechanical recanalization of femoral arterial occlusions; 1079

Usefulness of morphologic parameters in predicting the outcome of coronary excimer laser angioplasty; 1310

Late potentials

Importance of myocardial infarct artery patency on the prevalence of ventricular arrhythmia and late potentials after thrombolysis in acute myocardial infarction; 1410

Late potentials and their relation to ventricular function in human immunodeficiency virus infection; 1216

Relation between acute ventricular arrhythmias, ventricular late potentials and mortality in acute myocardial infarction; 1403

Ventricular late potentials in patients with acute myocardial infarction and early thrombolytic treatment; 837

Left atrial area

Determination of left atrial area and volume by cross-sectional echocardiography in healthy infants and children; 1073

Left atrial function

Left atrial afterload mismatch in hypertrophic cardiomyopathy; 1049

Left ventricular aneurysm

Late follow-up after repair of left ventricular aneurysm and (usually) associated coronary bypass grafting; 193

Reduced left ventricular cavity activity ("black hole sign") in thallium-201 SPECT perfusion images of anteroapical transmural myocardial infarction; 1132

Left ventricular contractility

Noninvasive estimation of left ventricular contractile state and afterload in normal newborn infants; 413

Left ventricular dysfunction

Initial blood pressure response to enalapril in hospitalized patients (Studies of Left Ventricular Dysfunction [SOLVD]); 1465

Outcome of infants and children with dilated cardiomyopathy; 365

Safety and efficacy of percutaneous transluminal coronary angioplasty in patients with left ventricular dysfunction; 313

Left ventricular ejection fraction

Left ventricular ejection fraction measured with Doppler color flow mapping techniques; 669

Left ventricular filling

Abnormal left ventricular diastolic filling in eccentric left ventricular hypertrophy of obesity; 95

Factors influencing Doppler indexes of left ventricular filling in healthy persons; 653

Left ventricular diastolic filling alterations in normotensive young adults with a family history of systemic hypertension; 51

Left ventricular filling abnormalities in asymptomatic morbid obesity; 377

Left ventricular filling in the systemic hypertension of obesity; 57

Noninvasive assessment by pulsed Doppler ultrasound of left ventricular filling behavior in long distance runners during marathon race; 1237

Left ventricular function

Aging and left ventricular function in elderly healthy people; 547

Echocardiographic assessment of left ventricular function and wall motion at high altitude in normal subjects; 1692

Effects of immunosuppressive therapy in biopsy-proved myocarditis and borderline myocarditis on left ventricular function; 370

Evolution of myocardial ischemia and left ventricular function in patients with angina pectoris without myocardial infarction and total occlusion of the left anterior descending coronary artery and collaterals from other coronary arteries; 7

Impairment of left ventricular function during coronary angioplastic occlusion evaluated with a nonimaging scintillation probe; 598

Influence of age, body size and heart rate on left ventricular diastolic indexes in young subjects; 1245

Left ventricular shape as a determinant of functional mitral regurgitation in patients with severe heart failure secondary to either coronary artery disease or idiopathic dilated cardiomyopathy; 355

Relation between myocardial beta-adrenergic receptor and left ventricular function in patients with left ventricular volume overload due to chronic mitral regurgitation with or without aortic regurgitation; 81

Relation of left ventricular volume and function over one year after acute myocardial infarction to infarct size determined by technetium-99m sestamibi; 21

Systolic excursion of the mitral annulus as an index of left ventricular systolic function; 829

Use of Valsalva maneuver to unmask left ventricular diastolic function abnormalities by Doppler echocardiography in patients with coronary artery disease or systemic hypertension; 515

Left ventricular hypertrophy

Abnormal left ventricular diastolic filling in eccentric left ventricular hypertrophy of obesity; 95

Influence of the arterial blood pressure and nonhemodynamic factors on left ventricular hypertrophy in moderate essential hypertension; 925

Midventricular obstruction associated with chronic systemic hypertension and severe left ventricular hypertrophy; 761

Usefulness of total 12-lead QRS voltage for determining the presence of left ventricular hypertrophy in systemic hypertension; 261

Left ventricular mass

Bivariate genetic analysis of left ventricular mass and weight in pubertal twins (the Medical College of Virginia Twin Study); 661

Effects of percutaneous mitral valvuloplasty on left ventricular mass and volume; 940

Gender differences in left ventricular anatomy, blood viscosity and volume regulatory hormones in normal adults; 1704

Left ventricular monitoring

Value of transesophageal echocardiography during complex or high-risk coronary interventions in the cardiac catheterization laboratory; 1452

Left ventricular morphology

Electrocardiographic correlates with left ventricular morphology in idiopathic dilated cardiomyopathy; 642

Left ventricular outflow obstruction

Appearance of or persistence of severe mitral regurgitation without left ventricular outflow obstruction after partial ventricular septal myotomy-myectomy in hypertrophic cardiomyopathy; 1726

Left ventricular performance

Effects of exercise on left ventricular diastolic performance in trained athletes; 945

Left ventricular remodeling

Effects of early captopril administration on infarct expansion, left ventricular remodeling and exercise capacity after acute myocardial infarction; 713

Left ventricular thrombus

Value of the electrocardiogram for prediction of left ventricular mural thrombus in anterior wall acute myocardial infarction; 957

Libman-Sacks endocarditis

Libman-Sacks endocarditis mimicking intracardiac tumor; 817

Lipid levels

Platelet function and plasma lipid levels in patients with stable and unstable angina pectoris; 959

Lipid peroxidation

Increased lipid peroxidation in cyclosporin-treated heart transplant recipients; 813

Lipoproteins

Effectiveness of probucol in reducing plasma low-density lipoprotein cholesterol oxidation in hypercholesterolemia; 863

Effects of amiodarone on serum lipoprotein levels; 259

Effects of high-density lipoprotein on acetylcholine-induced coronary vasoreactivity; 1425

Effects of serum lipid levels on restenosis after coronary angioplasty; 1431

Frequency of low serum high-density lipoprotein cholesterol levels in hospitalized patients with "desirable" total cholesterol levels; 187

Immunosuppressive therapy and lipoprotein abnormalities after cardiac transplantation; 389

Lipid profiles after cardiac transplantation; 566

National Cholesterol Education Program's recommendations, and implications of "missing" high-density lipoprotein cholesterol in cardiac rehabilitation programs; 1087

Rationale and design of a secondary prevention trial of lowering normal plasma cholesterol levels after acute myocardial infarction: the cholesterol and recurrent events trial (CARE); 1436

Usefulness of the total cholesterol to high-density lipoprotein cholesterol ratio in predicting angiographic coronary artery disease in women; 1646

Long QT syndrome

Dispersion of ventricular repolarization in the long QT syndrome; 614

Lovastatin

Cholesterol-lowering effects of a 10 mg daily dose of lovastatin in patients with initial total cholesterol levels 200 to 240 mg/dl (5.18 to 6.21 mmol/liter); 1123

Economic evaluation of cholesterol lowering; 1120

Lymphoproliferative disorder

Lymphoproliferative disorder early after cardiac transplantation; 1724

Magnesium

Effects of hydrochlorothiazide, diltiazem and enalapril on mononuclear cell sodium and magnesium levels in systemic hypertension; 1357

Magnesium in acute myocardial infarction (International Study of Infarct Survival 4); 1221

Magnetic resonance imaging

Evaluation of cardiac tumors in tuberosus sclerosis by magnetic resonance imaging; 281

Usefulness of magnetic resonance imaging for diagnosis of acute myocarditis in infants and children, and comparison with endomyocardial biopsy; 1089

Malondialdehyde

Myocardial malondialdehyde and uric acid release after short-lasting coronary occlusions during coronary angioplasty: potential mechanisms for free radical generation; 392

Mapping

Anatomy of the "posterior septal space"; 675

Detection of patent foramen ovale by Doppler color flow mapping in patients undergoing cardiac catheterization; 125

Diagnosis of patent ductus arteriosus in adults by biplane transesophageal color Doppler flow mapping; 691

Dimensions of the human posterior septal space and coronary sinus; 621

Dispersion of ventricular repolarization in the long QT syndrome; 614

Epicardial mapping in patients with "nodoventricular" accessory pathways; 208

Left ventricular ejection fraction measured with Doppler color flow mapping techniques; 669

Medical College of Virginia Twin Study

Bivariate genetic analysis of left ventricular mass and weight in pubertal twins (the Medical College of Virginia Twin Study); 661

Medical demobilization

Medical demobilization in wartime Russia, 1917 to 1918; 701

Medical practice

Comparisons of risk and patterns of practice in patients older and younger than 70 years with acute myocardial infarction in a two-year period (1987-1989); 843

Metoprolol

Metoprolol as antihypertensive drug; 831

Mexiletine

Comparative cost-effectiveness analysis of quinidine, procainamide and mexiletine; 1662

Mitral anulus

Systolic excursion of the mitral anulus as an index of left ventricular systolic function; 829

Mitral regurgitation

Appearance of or persistence of severe mitral regurgitation without left ventricular outflow obstruction after partial ventricular septal myotomy-myectomy in hypertrophic cardiomyopathy; 1726

Evaluation of transient mitral regurgitation in coronary artery disease; 868

Left ventricular shape as a determinant of functional mitral regurgitation in patients with severe heart failure secondary to either coronary artery disease or idiopathic dilated cardiomyopathy; 355

Mitral regurgitation improves when aortic valve area increases significantly; 567

Relation between myocardial beta-adrenergic receptor and left ventricular function in patients with left ventricular volume overload due to chronic mitral regurgitation with or without aortic regurgitation; 81

Transesophageal echocardiographic characterization of pulmonary vein flow not due to atrial contraction or mitral regurgitation; 415

Mitral stenosis

A new noninvasive method for estimation of pulmonary arterial pressure in mitral stenosis; 398

Mitral valve

Assessment of the mitral valve splitability score by transthoracic and transesophageal echocardiography; 1106

Cardiac tamponade complicating mitral balloon valvuloplasty; 802

Comparison of mitral valve area results of balloon mitral valvotomy using the Inoue and double balloon techniques; 687

Doppler echocardiographic estimation of mitral valve area during changing hemodynamic conditions; 1485

Medical versus surgical management of intracardiac rhabdomyomas; 836

Transesophageal echocardiographic features of stenotic bioprosthetic valves in the mitral and tricuspid valve positions; 689

Mitral valve prolapse

Should antibiotic prophylaxis be recommended for all patients with mitral valve prolapse?; 564

Time-motion reconstruction of mitral leaflet motion from two-dimensional echocardiography in mitral valve prolapse; 215

Mitral valve replacement

Clinical and anatomic observations in patients having mitral valve replacement for pure mitral regurgitation and simultaneous tricuspid valve replacement; 1107

Mitral valvotomy

Comparison of mitral valve area results of balloon mitral valvotomy using the Inoue and double balloon techniques; 687

Effectiveness of percutaneous balloon mitral valvotomy during pregnancy; 930

Effects of percutaneous mitral valvuloplasty on left ventricular mass and volume; 940

Mixed connective tissue disease

Acute and long-term effects of nifedipine on pulmonary and systemic hemodynamics in patients with pulmonary hypertension associated with diffuse systemic sclerosis, the CREST syndrome and mixed connective tissue disease; 1687

Modern medicine

"Anything to be done right has got to be done by people that make their living at it"; 837

Moricizine

Moricizine (ethmozine HCl)—a new antiarrhythmic drug: is it unique?; 1521

Morphologic classification

Use of a morphologic classification to predict clinical outcome after dissection from coronary angioplasty; 467

Morphology

Effects of increased heart rate and sympathetic tone on intraventricular electrogram morphology; 1321

Usefulness of morphologic parameters in predicting the outcome of coronary excimer laser angioplasty; 1310

Mortality

Cardiopulmonary support increases morbidity and mortality in high-risk coronary angioplasty; 790

Comparison of the predictive characteristics of heart rate variability index and left ventricular ejection fraction for all-cause mortality, arrhythmic events and sudden death after acute myocardial infarction; 434

Initial blood pressure response to enalapril in hospitalized patients (Studies of Left Ventricular Dysfunction [SOLVD]); 1465

Operative mortality with implantation of the automatic cardioverter-defibrillator; 1340

Relation between acute ventricular arrhythmias, ventricular late potentials and mortality in acute myocardial infarction; 1403

Self-perceived psychological stress and incidence of coronary artery disease in middle-aged men; 1171

Usefulness of ambulatory silent myocardial ischemia added to the prognostic value of exercise test parameters in predicting risk of cardiac death in patients with stable angina pectoris and exercise-induced myocardial ischemia; 1279

Multiple sclerosis

Focal myocardial necrosis associated with multiple sclerosis of the medulla; 1542

Muscle rupture

Transesophageal echocardiographic findings of papillary muscle rupture; 561

Myocardial imaging

Dipyridamole sesta MIBI myocardial imaging; 674

Myocardial infarction

Acute effects of intravenous nicardipine on hemodynamics and cardiac function in patients with a healed myocardial infarction and no evidence of congestive heart failure; 301

Acute myocardial infarction after ergonovine administration for uterine bleeding; 823

Acute myocardial infarction due to thrombolytic reperfusion of chronically occluded saphenous vein coronary bypass grafts; 274

Age-related changes in aortic elasticity determined by gated radionuclide angiography in patients with systemic hypertension or healed myocardial infarcts and in normal subjects; 950

Age-related normal values of signal-averaged electrocardiographic variables after acute myocardial infarction; 440

Alcohol intake and nonfatal acute myocardial infarction in Japan; 1011

Angiographic progression to total coronary occlusion in hyperlipidemic patients after acute myocardial infarction; 564

Angiographically assessed coronary arterial patency and reocclusion in patients with acute myocardial infarction, treated with anistreplase: results of the Anistreplase Reocclusion Multicenter Study (ARMS); 296

Anticardiolipin antibody titers in patients with myocardial infarction; 830

Are we biased in our approach to treating elderly patients with heart disease?; 954

Asymptomatic myocardial ischemia during angioplasty, percutaneous transluminal coronary angioplasty and importance of prior Q-wave infarction and diabetes mellitus; 735

Beat-to-beat electrocardiographic morphology variation in healed myocardial infarction; 725

Beneficial effect of long-term beta blockade after acute myocardial infarction in patients without anterograde flow in the infarct artery; 150

Cause of acute myocardial infarction after successful coronary angioplasty; 967

Clot-selective coronary thrombolysis with low-dose synergistic combinations of single-chain urokinase-type plasminogen activator and recombinant tissue-type plasminogen activator; 1564

Cocaine and myocardial infarction; 833

Comparison of intravenous urokinase plus heparin versus heparin alone in acute myocardial infarction; 585

Comparison of the predictive characteristics of heart rate variability index and left ventricular ejection fraction for all-cause mortality, arrhythmic events and sudden death after acute myocardial infarction; 434

Comparisons of risk and patterns of practice in patients older and younger than 70 years with acute myocardial infarction in a two-year period (1987-1989); 843

Coronary recanalization rate after intravenous bolus of alteplase in acute myocardial infarction; 161

Diurnal variations of neurocardiac rhythms in acute myocardial infarction; 155

Early detection of acute myocardial infarction by measurement of mass concentration of creatine kinase-MB; 1545

Early prediction of acute myocardial infarction from clinical history, examination and electrocardiogram in the emergency room; 171

Effect of a two-year public education campaign on reducing response time of patients with symptoms of acute myocardial infarction; 249

Effectiveness of double bolus alteplase in the treatment of acute myocardial infarction; 1570

Effects of diltiazem on long-term outcome after acute myocardial infarction in patients with and without a history of systemic hypertension; 429

Effects of early captopril administration on infarct expansion, left ventricular remodeling and exercise capacity after acute myocardial infarction; 713

Effects of early thrombolytic therapy (anistreplase versus streptokinase) on enzymatic and electrocardiographic infarct size in acute myocardial infarction; 848

Effects of nifedipine on total ischemic activity in angina and the importance of in-hospital psychological stress in myocardial infarction; 829

Electrocardiographic correlates of reperfusion status after thrombolysis: is the "incomplete" or "interrupted" infarction a non-Q-wave infarction?; 520

Focal myocardial necrosis associated with multiple sclerosis of the medulla; 1542

Frequency of use of thrombolytic therapy in acute myocardial infarction in Israel; 1291

Importance of myocardial infarct artery patency on the prevalence of ventricular arrhythmia and late potentials after thrombolysis in acute myocardial infarction; 1410

Increased risk of death and cardiac arrest from encainide and flecainide in patients after non-Q-wave acute myocardial infarction in the Cardiac Arrhythmia Suppression Trial; 1551

Incremental prognostic accuracy of clinical, radionuclide and hemodynamic data in acute myocardial infarction; 707

Lack of pain during myocardial infarction in diabetics—is autonomic dysfunction responsible?; 793

Left main coronary artery arising from the pulmonary trunk in a 56-year-old patient presenting with acute myocardial infarction; 1257

Magnesium in acute myocardial infarction (International Study of Infarct Survival 4); 1221

Medical, ethical and legal issues regarding thrombolytic therapy in the Jehovah's Witness; 1525

Non-Q- and Q-wave infarction after thrombolytic therapy with intravenous streptokinase for chest pain and anterior ST-segment elevation; 445

Older age and elevated blood pressure are risk factors for intracerebral hemorrhage after thrombolysis; 166

Outcome of patients who were admitted to a new short-stay unit to "rule-out" myocardial infarction; 145

Parental history of acute myocardial infarction and coronary artery disease in men; 838

Prevalence of non-Q-wave acute myocardial infarction with total angiographic occlusion of the left circumflex coronary artery within eight weeks of infarction; 788

Principles and practice of coronary thrombolysis and conjunctive treatment; 382

Protein C deficiency and acute myocardial infarction in the third decade; 137

Rationale and design of a secondary prevention trial of lowering normal plasma cholesterol levels after acute myocardial infarction: the cholesterol and recurrent events trial (CARE); 1436

Reduced left ventricular cavity activity ("black hole sign") in thallium-201 SPECT perfusion images of anteroapical transmural myocardial infarction; 1132

Reducing delay in the emergency room in administration of thrombolytic therapy for myocardial infarction associated with ST elevation; 251

Relation between acute ventricular arrhythmias, ventricular late potentials and mortality in acute myocardial infarction; 1403

Relation of left ventricular volume and function over one year after acute myocardial infarction to infarct size determined by technetium-99m sestamibi; 21

Relation of technetium-99m pyrophosphate accumulation to time interval after onset of acute myocardial infarction as assessed by a tomographic acquisition technique; 1575

Right bundle branch block induced by right ventricular involvement in inferior wall left ventricular acute myocardial infarction; 839

Specificity and sensitivity of QRS criteria for diagnosis of single and multiple myocardial infarcts; 1300

Thrombolytic therapy in patients requiring cardiopulmonary resuscitation; 1015

Time course and interrelation of reperfusion-induced ST changes and ventricular arrhythmias in acute myocardial infarction; 1138

Two-dimensional echocardiographic characteristics of pericardial hematoma secondary to left ventricular free wall rupture complicating acute myocardial infarction; 961

Underutilization of thrombolytic therapy in eligible women with acute myocardial infarction; 529

Usefulness of early versus late programmed ventricular stimulation in acute myocardial infarction; 13

Usefulness of electrocardiographic findings and creatine kinase levels on admission in predicting the accuracy of the interval between onset of chest pain of acute myocardial infarction and initiation of thrombolytic therapy; 1287

Usefulness of QRST time-integral values of 12-lead electrocardiograms in diagnosing healed myocardial infarction complicated by left bundle branch block; 1417

Value and limitations of two-dimensional echocardiography in predicting myocardial infarct size; 1143

Value of the electrocardiogram for prediction of left ventricular mural thrombus in anterior wall acute myocardial infarction; 957

Ventricular late potentials in patients with acute myocardial infarction and early thrombolytic treatment; 837

Waking up exhausted as risk indicator of myocardial infarction; 395

Myocardial ischemia

Causes and correlates of death after unsupported coronary angioplasty: implications for use of angioplasty and advanced support techniques in high-risk settings; 1447

Clinical and angiographic observations on resuscitated victims of exercise-related sudden ischemic death; 47

Effects of beta₂-adrenoceptor stimulation on exercise-induced myocardial ischemia; 111

Effects of parasympathetic blockade on ischemic threshold in patients with exercise-induced myocardial ischemia; 539

Efficacy of slow-release nifedipine on myocardial ischemic episodes in variant angina pectoris; 580

Enhanced effectiveness of combined sustained-release forms of isosorbide dinitrate and diltiazem for stable angina pectoris; 983

Evaluation of dipyridamole-Doppler echocardiography for detection of myocardial ischemia and coronary artery disease; 478

Evolution of myocardial ischemia and left ventricular function in patients with angina pectoris without myocardial infarction and total occlusion of the left anterior descending coronary artery and collaterals from other coronary arteries; 7

Impairment of left ventricular function during coronary angioplastic occlusion evaluated with a nonimaging scintillation probe; 598

Increased plasma level of endothelin-1-like immunoreactivity during coronary spasm in patients with coronary spastic angina; 991

Prognostic significance of silent myocardial ischemia in variant angina pectoris; 1581

Reproducibility and relation to the degree of myocardial ischemia of postexercise electrocardiographic changes in stable angina pectoris; 1397

Usefulness of ambulatory silent myocardial ischemia added to the prognostic value of exercise test parameters in predicting risk of

cardiac death in patients with stable angina pectoris and exercise-induced myocardial ischemia; 1279

Usefulness of severity of myocardial ischemia on exercise testing in predicting the severity of myocardial ischemia during daily activities; 176

Myocardial perfusion

Dipyridamole sesta MIBI myocardial imaging; 674

Effects of daily high-intensity exercise on myocardial perfusion in angina pectoris; 1593

Regional myocardial perfusion and metabolism assessed by positron emission tomography in children with kawasaki disease and significance of abnormal Q waves and their disappearance; 1638

Usefulness of technetium-99m-MIBI and thallium-201 in tomographic imaging combined with high-dose dipyridamole and handgrip exercise for detecting coronary artery disease; 575

Myocardial stunning

Myocardial malondialdehyde and uric acid release after short-lasting coronary occlusions during coronary angioplasty: potential mechanisms for free radical generation; 392

Stunned left ventricular myocardium after exercise treadmill testing in coronary artery disease; 329

Myocarditis

Effects of immunosuppressive therapy in biopsy-proved myocarditis and borderline myocarditis on left ventricular function; 370

Prognostic features of children with idiopathic dilated cardiomyopathy; 1372

Usefulness of magnetic resonance imaging for diagnosis of acute myocarditis in infants and children, and comparison with endomyocardial biopsy; 1089

Myotomy-myectomy

Appearance of or persistence of severe mitral regurgitation without left ventricular outflow obstruction after partial ventricular septal myotomy-myectomy in hypertrophic cardiomyopathy; 1726

National Cholesterol Education Program

National Cholesterol Education Program's recommendations, and implications of "missing" high-density lipoprotein cholesterol in cardiac rehabilitation programs; 1087

Neonates

Intraoperative balloon valvuloplasty for critical aortic valvular stenosis in neonates; 807

Management of the neonate with transposition of the great arteries and persistent pulmonary hypertension; 1253

Ventricular tachycardia and accelerated ventricular rhythm presenting in the first month of life; 840

Neurohormones

Systemic neurohumoral activation and vasoconstriction during pacing-induced acute myocardial ischemia in patients with stable angina pectoris; 181

Newborn

Rupture of congenital sinus of Valsalva aneurysm in a newborn; 1255

Nifedipine

Acute and long-term effects of nifedipine on pulmonary and systemic hemodynamics in patients with pulmonary hypertension associated with diffuse systemic sclerosis, the CREST syndrome and mixed connective tissue disease; 1687

Effect of nifedipine tablets on ambulatory blood pressure in patients aged < 60 and > 65 years with systemic hypertension; 1351

Effects of nifedipine on total ischemic activity in angina and the importance of in-hospital psychological stress in myocardial infarction; 829

Efficacy of slow-release nifedipine on myocardial ischemic episodes in variant angina pectoris; 580

Felodipine (once daily) versus nifedipine (four times daily) for Prinzmetal's angina pectoris; 1587

Hemodynamic comparison of two nifedipine formulations in patients with essential hypertension; 1346

Short-term efficacy and safety of a single five-milligram dose of oral nifedipine in uncontrolled essential systemic hypertension; 123

Nisoldipine

Usefulness of oral nisoldipine for stable angina pectoris; 1004

Nitroglycerin

Acute and chronic antianginal efficacy of continuous twenty-four-hour application of transdermal nitroglycerin; 1263

Hemodynamic resistance to intravenous nitroglycerin in severe congestive heart failure and restored response after diuresis; 1400

Long-term efficacy of continuous and intermittent use of transdermal nitroglycerin in stable angina pectoris; 857

The mystery of nitrate resistance; 1393

Normal subjects

Age-related changes in aortic elasticity determined by gated radionuclide angiography in patients with systemic hypertension or healed myocardial infarcts and in normal subjects; 950

Age-related variation in contractility estimate in patients ≤ 20 years of age; 1383

Determination of left atrial area and volume by cross-sectional echocardiography in healthy infants and children; 1073

Digoxin-induced vasoconstriction of normal and atherosclerotic epicardial coronary arteries; 1274

Echocardiographic assessment of left ventricular function and wall motion at high altitude in normal subjects; 1692

Echocardiographic determination of aortic and pulmonary valve areas in subjects with normal hearts; 773

- Effect of digoxin on ST-segment changes detected by ambulatory electrocardiographic monitoring in healthy subjects; 1503
- Influence of age, body size and heart rate on left ventricular diastolic indexes in young subjects; 1245
- Left ventricular diastolic filling alterations in normotensive young adults with a family history of systemic hypertension; 51
- Reproducibility and relation to mean heart rate of heart rate variability in normal subjects and in patients with congestive heart failure secondary to coronary artery disease; 1668
- Specificity and sensitivity of QRS criteria for diagnosis of single and multiple myocardial infarcts; 1300
- Stability over time of variables measuring heart rate variability in normal subjects; 626
- Nutrition**
Some musings on the egg and me; 1259
- Obesity**
Abnormal left ventricular diastolic filling in eccentric left ventricular hypertrophy of obesity; 95
Left ventricular filling abnormalities in asymptomatic morbid obesity; 377
Left ventricular filling in the systemic hypertension of obesity; 57
- OPC-8212**
Usefulness of OPC-8212, a quinolinone derivative, for chronic congestive heart failure in patients with ischemic heart disease or idiopathic dilated cardiomyopathy; 1203
- Outpatient care**
Feasibility of out-of-hospital treatment of supraventricular tachycardias; 119
- Oxygen saturation**
Incidence and significance of a "step-down" in oxygen saturation from superior vena cava to pulmonary artery; 695
Postprandial changes in oxygen saturation in patients with bidirectional cavopulmonary shunts; 267
- P waves**
Quantitative analysis of signal-averaged P waves in idiopathic paroxysmal atrial fibrillation; 751
Significance of signal-averaged P-wave changes during exercise in patients with coronary artery disease and correlation with angiographic findings; 1619
Upright retrograde P waves during ventricular tachycardia; 138
- Pacing**
Antiischemic and metabolic effects of glutamate during pacing in patients with stable angina pectoris secondary to either coronary artery disease or syndrome X; 291
Dynamics of atrioventricular nodal conduction ratios during conversion of 2:1 into 3:1, 4:1 and 5:1 atrioventricular block; 979
Effects of cardiac denervation on atrioventricular nodal accommodation and hysteresis; 1458
Exercise performance with single chamber rate-responsive pacing in congenital heart defects after operation; 1231
- Limitations of testing methods for evaluation of dual chamber versus single chamber adaptive rate pacing; 1715
- Long-term follow-up after intracoronary ethanol ablation of atrioventricular conduction; 543
- Noncapturing stimuli during the basic drive shortens ventricular refractoriness; 1094
- Permanent pacing as treatment for hypertrophic cardiomyopathy; 108
- Pain**
Comparison of chest pain, electrocardiographic changes and thallium-201 scintigraphy during varying exercise intensities in men with stable angina pectoris; 569
Lack of pain during myocardial infarction in diabetics—is autonomic dysfunction responsible?; 793
- Parasympathetic blockade**
Effects of parasympathetic blockade on ischemic threshold in patients with exercise-induced myocardial ischemia; 539
- Parathyroid hormone**
Influence of the arterial blood pressure and nonhemodynamic factors on left ventricular hypertrophy in moderate essential hypertension; 925
- Partial thromboplastin time**
Validation of a bedside method of activated partial thromboplastin time measurement with clinical range guidelines; 557
- Patent ductus arteriosus**
Diagnosis of patent ductus arteriosus in adults by biplane transesophageal color Doppler flow mapping; 691
- Patent foramen ovale**
Comparison of transesophageal and transthoracic contrast echocardiography for detection of a patent foramen ovale; 1247
Detection of patent foramen ovale by Doppler color flow mapping in patients undergoing cardiac catheterization; 125
- Patient education**
Effect of a community cholesterol screening program on serum total cholesterol level; 247
Effect of a two-year public education campaign on reducing response time of patients with symptoms of acute myocardial infarction; 249
- Pediatric patients**
Long-term assessment of right ventricular diastolic filling in patients with pulmonic valve stenosis successfully treated in childhood; 548
Noninvasive estimation of left ventricular contractile state and afterload in normal newborn infants; 413
Nonsurgical treatment of a neonate with pulmonary atresia and intact ventricular septum by transcatheter puncture and balloon dilation of the atretic valve membrane; 277
Outcome of infants and children with dilated cardiomyopathy; 365
Radiation exposure of pediatric patients and physicians during cardiac catheterization and balloon pulmonary valvuloplasty; 221
- Right-sided valve regurgitation in congenital heart disease determined by Doppler regurgitant velocity measurement; 269
- Use of amiodarone for short-term and adjuvant therapy in young patients; 603
- Pentamidine**
Incidence of QT interval prolongation during pentamidine therapy of pneumocystis carinii pneumonia; 1091
- Pericardiocentesis**
A new pericardiocentesis set; 834
- Pericarditis**
Transesophageal echocardiographic features of the atrial septum in constrictive pericarditis; 271
- Peripheral vascular disease**
Effects of handrail support on claudication and hemodynamic responses to single-stage and progressive treadmill protocols in peripheral vascular occlusive disease; 99
Prediction of major cardiac events after peripheral vascular surgery using dipyridamole echocardiography; 593
Role of angiography in the treatment of peripheral vascular disease with percutaneous atherectomy; 226
- Pentolamine**
Digoxin-induced vasoconstriction of normal and atherosclerotic epicardial coronary arteries; 1274
- Physicians**
"Anything to be done right has got to be done by people that make their living at it"; 837
- Plaque**
Ability of high-intensity ultrasound to ablate human atherosclerotic plaques and minimize debris size; 242
Comparison of serial quantitative evaluation of calcified coronary artery plaque by ultrafast computed tomography in persons with and without obstructive coronary artery disease; 1
- Plasma renin**
Gender differences in left ventricular anatomy, blood viscosity and volume regulatory hormones in normal adults; 1704
- Plasminogen activator inhibitor**
Effect of propranolol (long-acting) on the circadian fluctuation of tissue-plasminogen activator and plasminogen activator inhibitor-1; 1295
- Platelet function**
Platelet function and plasma lipid levels in patients with stable and unstable angina pectoris; 959
- Pneumocystis carinii pneumonia**
Incidence of QT interval prolongation during pentamidine therapy of pneumocystis carinii pneumonia; 1091
- Polyuria**
Different mechanisms of polyuria and natriuresis associated with paroxysmal supraventricular tachycardia; 343

Positive end-expiratory pressure ventilation

Mitral and pulmonary venous flow under influence of positive end-expiratory pressure ventilation analyzed by transesophageal pulsed Doppler echocardiography; 697

Positron emission tomography

Regional myocardial perfusion and metabolism assessed by positron emission tomography in children with kawasaki disease and significance of abnormal Q waves and their disappearance; 1638

Practice of medicine

Divine intervention; 1222

Pravastatin

Rationale and design of a secondary prevention trial of lowering normal plasma cholesterol levels after acute myocardial infarction: the cholesterol and recurrent events trial (CARE); 1436

Prednisolone

Effects of prednisolone therapy on arterial angiographic features in Takayasu's disease; 410

Preexcitation syndrome

Role of concealed and supernormal conduction during atrial fibrillation in the preexcitation syndrome; 1329

Pregnancy

Acute myocardial infarction after ergonovine administration for uterine bleeding; 823
Effectiveness of percutaneous balloon mitral valvotomy during pregnancy; 930

Probucol

Effectiveness of probucol in reducing plasma low-density lipoprotein cholesterol oxidation in hypercholesterolemia; 863

Procainamide

An antiarrhythmic drug experience in 941 patients resuscitated from an initial cardiac arrest between 1970 and 1985; 1025
Comparative cost-effectiveness analysis of quinidine, procainamide and mexiletine; 1662

Prognosis

Comparison of the predictive characteristics of heart rate variability index and left ventricular ejection fraction for all-cause mortality, arrhythmic events and sudden death after acute myocardial infarction; 434
Determinants of one-year outcome from balloon aortic valvuloplasty; 75
Echocardiographic diagnosis of cardiac tamponade: a Bayesian analysis; 1242
Incremental prognostic accuracy of clinical, radionuclide and hemodynamic data in acute myocardial infarction; 707
Prior restenosis predicts restenosis after coronary angioplasty of a new significant narrowing; 1158
Prognostic features of children with idiopathic dilated cardiomyopathy; 1372
Prognostic significance of silent myocardial ischemia in variant angina pectoris; 1581
Right bundle branch block induced by right ventricular involvement in inferior wall left ventricular acute myocardial infarction; 839

Significance of silent myocardial ischemia during exercise testing in patients with diabetes mellitus: a report from the Coronary Artery Surgery Study (CASS) Registry; 729

Usefulness of ambulatory silent myocardial ischemia added to the prognostic value of exercise test parameters in predicting risk of cardiac death in patients with stable angina pectoris and exercise-induced myocardial ischemia; 1279

Usefulness of early versus late programmed ventricular stimulation in acute myocardial infarction; 13

Usefulness of electrocardiographic findings and creatine kinase levels on admission in predicting the accuracy of the interval between onset of chest pain of acute myocardial infarction and initiation of thrombolytic therapy; 1287

Value and limitations of two-dimensional echocardiography in predicting myocardial infarction size; 1143

What's in a name?; 833

Programmed ventricular stimulation

Usefulness of early versus late programmed ventricular stimulation in acute myocardial infarction; 13

Propafenone

Efficacy and safety of intravenous and oral propafenone in pediatric cardiac dysrhythmias; 741

Electrophysiologic effects of intravenous propafenone at rest, during isoproterenol infusion and during exercise in the Wolff-Parkinson-White syndrome; 681

Propranolol

Coronary adrenergic hyperreactivity in patients with syndrome X and abnormal electrocardiograms at rest; 1698

Effect of propranolol (long-acting) on the circadian fluctuation of tissue-plasminogen activator and plasminogen activator inhibitor-1; 1295

Prostheses

Mechanical failure of a St. Jude medical prosthesis; 841

Strut fracture and embolization of a Björk-Shiley valve from the tricuspid valve position; 1253

Protein C

Protein C deficiency and acute myocardial infarction in the third decade; 137

Protein-losing enteropathy

Usefulness of corticosteroid therapy for protein-losing enteropathy after the Fontan procedure; 819

Psychosocial function

Effects of a multidimensional cardiopulmonary rehabilitation program on psychosocial function; 31

Pulmonary arterial pressure

A new noninvasive method for estimation of pulmonary arterial pressure in mitral stenosis; 398

Pulmonary artery

Doppler assessment of pulmonary artery flow patterns and ventricular function after the Fontan operation; 1211

Incidence and significance of a "step-down" in oxygen saturation from superior vena cava to pulmonary artery; 695

Pulmonary atresia

Nonsurgical treatment of a neonate with pulmonary atresia and intact ventricular septum by transcatheter puncture and balloon dilation of the atretic valve membrane; 277

Pulmonary edema

Comparison of angiographic findings and demographic variables in patients with coronary artery disease presenting with acute pulmonary edema versus those presenting with chest pain; 1614

Pulmonary embolism

Clinical characteristics of patients with acute pulmonary embolism; 1723

Pulmonary hypertension

Acute and long-term effects of nifedipine on pulmonary and systemic hemodynamics in patients with pulmonary hypertension associated with diffuse systemic sclerosis, the CREST syndrome and mixed connective tissue disease; 1687

Management of the neonate with transposition of the great arteries and persistent pulmonary hypertension; 1253

Primary pulmonary hypertension for 30 years; 284

Pulmonary stenosis

Long-term assessment of right ventricular diastolic filling in patients with pulmonic valve stenosis successfully treated in childhood; 548

Pulmonary valve

Echocardiographic determination of aortic and pulmonary valve areas in subjects with normal hearts; 773

Pulmonary valve-moderator band distance and association with development of double-chambered right ventricle; 1681

Pulmonary vascular resistance

Late results (30 to 35 years) after operative closure of isolated ventricular septal defect from 1954 to 1960; 1491

Pulmonary vein flow

Transesophageal echocardiographic characterization of pulmonary vein flow not due to atrial contraction or mitral regurgitation; 415

Pulmonic valve disease

Effectiveness of percutaneous balloon valvuloplasty in adults with pulmonic valve stenosis; 1111

Q waves

Regional myocardial perfusion and metabolism assessed by positron emission tomography in children with kawasaki disease and significance of abnormal Q waves and their disappearance; 1638

QT Interval

- Effects of exercise on heart rate, QT, QTc and QT/QTc in the Romano-Ward inherited long QT syndrome; 498
- Incidence of QT interval prolongation during pentamidine therapy of pneumocystis carinii pneumonia; 1091
- Sympathetic and vagal influences on rate-dependent changes of QT interval in healthy subjects; 1188

Quinidine

- An antiarrhythmic drug experience in 941 patients resuscitated from an initial cardiac arrest between 1970 and 1985; 1025
- Comparative cost-effectiveness analysis of quinidine, procainamide and mexiletine; 1662

R Wave

- Effects of percutaneous transluminal coronary angioplasty on exercise-induced changes in R-wave amplitude; 114

Radiation exposure

- Radiation exposure of pediatric patients and physicians during cardiac catheterization and balloon pulmonary valvuloplasty; 221

Radionuclide imaging

- Age-related changes in aortic elasticity determined by gated radionuclide angiography in patients with systemic hypertension or healed myocardial infarcts and in normal subjects; 950
- Comparison of exercise radionuclide angiography with thallium SPECT imaging for detection of significant narrowing of the left circumflex coronary artery; 320
- Radionuclide exercise response in young asymptomatic chronic alcoholics; 566

Radionuclide testing

- Incremental prognostic accuracy of clinical, radionuclide and hemodynamic data in acute myocardial infarction; 707

Readers' Comments

- "Anything to be done right has got to be done by people that make their living at it"; 837
- A new pericardiocentesis set; 834
- Anatomic and electrical correlations of the heart; 839
- Angiographic progression to total coronary occlusion in hyperlipidemic patients after acute myocardial infarction; 564
- Antibody HAM56 is not macrophage-specific in vein autografts; 842
- Anticardiolipin antibody titers in patients with myocardial infarction; 830
- Atrial natriuretic peptide and cyclic guanosine monophosphate response to cardioversion of atrial flutter or fibrillation; 837
- Bidirectional ST shift in ischemic right ventricle; 832
- Cause of ventricular arrhythmia; 566
- Cocaine and myocardial infarction; 833
- Diagnosing and differentiating a doubly committed ventricular septal defect from obstruction in the outflow tract of the right ventricle; 831
- Economic evaluation of cholesterol lowering; 1120

- Effects of nifedipine on total ischemic activity in angina and the importance of in-hospital psychological stress in myocardial infarction; 829

- Lipid profiles after cardiac transplantation; 566

- Mechanical failure of a St. Jude medical prosthesis; 841

- Medical versus surgical management of intracardiac rhabdomyomas; 836

- Metoprolol as antihypertensive drug; 831

- Mitral regurgitation improves when aortic valve area increases significantly; 567

- Natural history of cardiac rhabdomyoma; 831

- Parental history of acute myocardial infarction and coronary artery disease in men; 838

- Quantitative analysis of Wenckebach periodicity; 835

- Radionuclide exercise response in young asymptomatic chronic alcoholics; 566

- Right bundle branch block induced by right ventricular involvement in inferior wall left ventricular acute myocardial infarction; 839

- Should antibiotic prophylaxis be recommended for all patients with mitral valve prolapse?; 564

- Some musings on the egg and me; 1259

- Systolic excursion of the mitral annulus as an index of left ventricular systolic function; 829

- Use of isometric exercise testing can replace isotonic testing to detect and evaluate hypertensive populations; 565

- Ventricular late potentials in patients with acute myocardial infarction and early thrombolytic treatment; 837

- Ventricular tachycardia and accelerated ventricular rhythm presenting in the first month of life; 840

- What's in a name?; 833

Rebreathing techniques

- Exercise hemodynamics and oxygen delivery measurements using rebreathing techniques in heart transplant patients; 129

Recanalization

- Laser-assisted versus mechanical recanalization of femoral arterial occlusions; 1079

Regional wall motion

- Echocardiographic assessment of left ventricular function and wall motion at high altitude in normal subjects; 1692

Renal dysfunction

- Incidence of renal dysfunction in adults with cyanotic congenital heart disease; 403

Renal failure

- Improvement in exercise capacity after correction of anemia in patients with end-stage renal failure; 1060

Renal toxicity

- Comparison of cardiovascular and renal toxicity after cardiac catheterization using a nonionic versus ionic radiographic contrast agent; 1117

Reperfusion

- Electrocardiographic correlates of reperfusion status after thrombolysis: is the "incomplete" or "interrupted" infarction a non-Q-wave infarction?; 520

- Time course and interrelation of reperfusion-induced ST changes and ventricular arrhythmias in acute myocardial infarction; 1138

Respiratory depression

- Frequency of respiratory compromise after ketamine sedation for cardiac catheterization in patients <21 years of age; 1116

Rhabdomyoma

- Medical versus surgical management of intracardiac rhabdomyomas; 836
- Natural history of cardiac rhabdomyoma; 831

Ridogrel

- Ridogrel in the setting of percutaneous transluminal coronary angioplasty; 463

Right ventricle

- Bidirectional ST shift in ischemic right ventricle; 832

- Diagnosing and differentiating a doubly committed ventricular septal defect from obstruction in the outflow tract of the right ventricle; 831

- Pulmonary valve-moderator band distance and association with development of double-chambered right ventricle; 1681

- Reverse use-dependent effects of sotalol demonstrated by recording monophasic action potentials of the right ventricle; 1183

- Right bundle branch block induced by right ventricular involvement in inferior wall left ventricular acute myocardial infarction; 839

Right ventricular filling

- Echo-Doppler study of right ventricular filling in asymptomatic patients with Senning operation for transposition of the great arteries; 693
- Long-term assessment of right ventricular diastolic filling in patients with pulmonic valve stenosis successfully treated in childhood; 648

Right ventricular infarction

- Impaired response of atrial natriuretic factor to blood volume expansion in acute right ventricular infarction; 719

Risk factors

- Actuarial risk of sudden death while awaiting cardiac transplantation in patients with atherosclerotic heart disease; 545
- Age-related normal values of signal-averaged electrocardiographic variables after acute myocardial infarction; 440
- Are we biased in our approach to treating elderly patients with heart disease?; 954
- Cardiopulmonary support increases morbidity and mortality in high-risk coronary angioplasty; 790
- Causes and correlates of death after unsupported coronary angioplasty: implications for use of angioplasty and advanced support techniques in high-risk settings; 1447
- Circadian variation and influence of risk factors on heart rate variability in healthy subjects; 777

- Comparisons of risk and patterns of practice in patients older and younger than 70 years with acute myocardial infarction in a two-year period (1987-1989); 843
- Dobutamine stress echocardiography for assessment of cardiac risk before noncardiac surgery; 976
- Frequency of low serum high-density lipoprotein cholesterol levels in hospitalized patients with "desirable" total cholesterol levels; 187
- Increased risk of death and cardiac arrest from encainide and flecainide in patients after non-Q-wave acute myocardial infarction in the Cardiac Arrhythmia Suppression Trial; 1551
- Prediction of major cardiac events after peripheral vascular surgery using dipyridamole echocardiography; 593
- Risk of thrombosis during coronary angioplasty with low osmolality contrast media; 1020
- Self-perceived psychological stress and incidence of coronary artery disease in middle-aged men; 1171
- Waking up exhausted as risk indicator of myocardial infarction; 395
- Romano-Ward inherited long QT syndrome**
Effects of exercise on heart rate, QT, QTc and QT/QT2 in the Romano-Ward inherited long QT syndrome; 498
- Runners**
Noninvasive assessment by pulsed Doppler ultrasound of left ventricular filling behavior in long distance runners during marathon race; 1237
- Russia**
Medical demobilization in wartime Russia, 1917 to 1918; 701
- Screening program**
Effect of a community cholesterol screening program on serum total cholesterol level; 247
- Seismocardiography**
Seismocardiographic changes associated with obstruction of coronary blood flow during balloon angioplasty; 201
- Senning operation**
Echo-Doppler study of right ventricular filling in asymptomatic patients with Senning operation for transposition of the great arteries; 693
- Septal space**
Anatomy of the "posterior septal space"; 675
Dimensions of the human posterior septal space and coronary sinus; 621
- Sick sinus syndrome**
Neurally mediated syncope detected by carotid sinus massage and head-up tilt test in sick sinus syndrome; 1032
- Signal averaging**
Cardiac myocytes and dendritic cells harbor human immunodeficiency virus in infected patients with and without cardiac dysfunction: detection by multiplex, nested, polymerase chain reaction in individually microdissected cells from right ventricular endomyocardial biopsy tissue; 1511
- Lack of reproducibility of frequency versus time domain signal-averaged electrocardiographic analyses and effects of lead polarity in coronary artery disease; 913
- Late potentials and their relation to ventricular function in human immunodeficiency virus infection; 1216
- Periodicity of global ventricular activation of sinus beats in patients with coronary artery disease and sustained ventricular tachycardia; 901
- Quantitative analysis of signal-averaged P waves in idiopathic paroxysmal atrial fibrillation; 751
- Significance of signal-averaged P-wave changes during exercise in patients with coronary artery disease and correlation with angiographic findings; 1619
- Simvastatin**
Long-term safety and efficacy profile of simvastatin; 1127
- Sinus of Valsalva**
Prospective identification by two-dimensional echocardiography of anomalous origin of the left main coronary artery from the right sinus of Valsalva; 140
Rupture of congenital sinus of Valsalva aneurysm in a newborn; 1255
- Sinus rhythm**
Effects of increased heart rate and sympathetic tone on intraventricular electrogram morphology; 1321
Evidence suggesting time-dependent recovery of excitability in the in vivo human sinus node; 798
Prediction of uneventful cardioversion and maintenance of sinus rhythm from direct-current electrical cardioversion of chronic atrial fibrillation and flutter; 41
Serial antiarrhythmic drug treatment to maintain sinus rhythm after electrical cardioversion for chronic atrial fibrillation or atrial flutter; 335
- Sleep problems**
Waking up exhausted as risk indicator of myocardial infarction; 395
- Smoking**
Usefulness of physical exercise for maintaining smoking cessation in women; 406
- Sodium**
Effects of hydrochlorothiazide, diltiazem and enalapril on mononuclear cell sodium and magnesium levels in systemic hypertension; 1357
- Sotalol**
Effectiveness of sotalol in preventing supraventricular tachyarrhythmias shortly after coronary artery bypass grafting; 1163
Efficacy and safety of intravenous sotalol for termination of paroxysmal supraventricular tachycardia; 35
Efficacy and safety of sotalol in digitalized patients with chronic atrial fibrillation; 1227
Reverse use-dependent effects of sotalol demonstrated by recording monophasic action potentials of the right ventricle; 1183
- Spasm**
Effects of luminal eccentricity on spontaneous coronary vasoconstriction after successful percutaneous transluminal coronary angioplasty; 530
Spasm and arterial injury; 525
- Spectral analysis**
A new noninvasive method for estimation of pulmonary arterial pressure in mitral stenosis; 398
Diurnal variations of neurocardiac rhythms in acute myocardial infarction; 155
Stability over time of variables measuring heart rate variability in normal subjects; 626
- Spleen**
Echocardiographic documentation of splenic anatomy in complex congenital heart disease; 1536
- ST segment**
Effect of digoxin on ST-segment changes detected by ambulatory electrocardiographic monitoring in healthy subjects; 1503
Non-Q- and Q-wave infarction after thrombolytic therapy with intravenous streptokinase for chest pain and anterior ST-segment elevation; 446
Prevalence and significance of ST-segment alternans during coronary angioplasty; 1534
Time course and interrelation of reperfusion-induced ST changes and ventricular arrhythmias in acute myocardial infarction; 1138
- Stenosis**
Clinical and anatomic observations in patients having mitral valve replacement for mitral stenosis and simultaneous tricuspid valve replacement; 1367
Comparative quantitative angiographic analysis of directional coronary atherectomy and balloon coronary angioplasty; 1556
Doppler echocardiographic estimation of mitral valve area during changing hemodynamic conditions; 1485
Effectiveness of balloon percutaneous valvuloplasty for stenotic bioprosthetic valves in different positions; 1719
Effectiveness of percutaneous balloon valvuloplasty in adults with pulmonic valve stenosis; 1111
Effects of low-dose aspirin on restenosis after coronary angioplasty; 874
Effects of serum lipid levels on restenosis after coronary angioplasty; 1431
Intraoperative balloon valvuloplasty for critical aortic valvular stenosis in neonates; 807
Laser-assisted versus mechanical recanalization of femoral arterial occlusions; 1079
Prior restenosis predicts restenosis after coronary angioplasty of a new significant narrowing; 1158
Spontaneous echo contrast effect as an indicator of flow-limiting coronary stenosis; 276
Transesophageal echocardiographic features of stenotic bioprosthetic valves in the mitral and tricuspid valve positions; 689

Stenting

In-hospital costs associated with new percutaneous coronary devices; 879

Still's murmur

Still's-like innocent murmur can be produced by increasing aortic velocity to a threshold value; 810

Streptokinase

Effects of early thrombolytic therapy (anistreplase versus streptokinase) on enzymatic and electrocardiographic infarct size in acute myocardial infarction; 848

Non-Q- and Q-wave infarction after thrombolytic therapy with intravenous streptokinase for chest pain and anterior ST-segment elevation; 446

Stress

Dobutamine stress echocardiography for assessment of cardiac risk before noncardiac surgery; 976

Effects of beta blockade on the relation between heart rate and ventricular diastolic perfusion time during exercise in systemic hypertension; 1101

Effects of nifedipine on total ischemic activity in angina and the importance of in-hospital psychological stress in myocardial infarction; 829

Response to mental and physical stress before and during adrenoceptor blocker and angiotensin-converting enzyme inhibitor treatment in essential hypertension; 1362

Self-perceived psychological stress and incidence of coronary artery disease in middle-aged men; 1171

Stroke

Self-perceived psychological stress and incidence of coronary artery disease in middle-aged men; 1171

Sudden death

See Death, sudden

Superior vena cava flow

Superior vena cava flow and tricuspid anular motion after cardioversion of atrial fibrillation, and role of right atrial relaxation on systolic venous return; 1335

Supraventricular tachyarrhythmias

Effectiveness of sotalol in preventing supraventricular tachyarrhythmias shortly after coronary artery bypass grafting; 1163

Supraventricular tachycardia

Can patients discriminate between atrial fibrillation and regular supraventricular tachycardia?; 964

Different mechanisms of polyuria and natriuresis associated with paroxysmal supraventricular tachycardia; 343

Efficacy and safety of intravenous sotalol for termination of paroxysmal supraventricular tachycardia; 35

Feasibility of out-of-hospital treatment of supraventricular tachycardias; 119

Usefulness of the Δ HA interval to accurately distinguish atrioventricular nodal reentry from orthodromic septal bypass tract tachycardias; 1037

Surgery

Appearance of or persistence of severe mitral regurgitation without left ventricular outflow obstruction after partial ventricular septal myotomy-myectomy in hypertrophic cardiomyopathy; 1726

Clinical and anatomic observations in patients having mitral valve replacement for mitral stenosis and simultaneous tricuspid valve replacement; 1367

Clinical spectrum of venous thrombi in the Fontan patient; 1721

Comparison of allografts and prosthetic valves when used for emergency aortic valve replacement for active infective endocarditis; 637

Coronary artery surgery in octogenarians; 1530

Determinants of outcome in hospitalized infants with congenital heart disease; 1055

Dobutamine stress echocardiography for assessment of cardiac risk before noncardiac surgery; 976

Epicardial mapping in patients with "nodoventricular" accessory pathways; 208

Evolution of the endocardial fibrotic process in endomyocardial fibrosis; 402

Late follow-up after repair of left ventricular aneurysm and (usually) associated coronary bypass grafting; 193

Late results (30 to 35 years) after operative closure of isolated ventricular septal defect from 1954 to 1960; 1491

Medical versus surgical management of intracardiac rhabdomyomas; 836

Operative mortality with implantation of the automatic cardioverter-defibrillator; 1340

Prediction of major cardiac events after peripheral vascular surgery using dipyridamole echocardiography; 593

Successful radiofrequency catheter ablation of accessory pathways that recur after surgery; 825

Unexpected ventricular tachyarrhythmias soon after cardiac surgery; 1099

Usefulness of coronary angiography in patients requiring repeat cardiac valve surgery; 1717

Symmetry

Symmetry, broken symmetry, and restored symmetry of apparent pure ventricular parasystole; 256

Symposium: Mechanisms of Myocardial Ischemia and Injury in Unstable Angina Pectoris

Biology of the impaired endothelium; 6C

Calcium antagonists and left ventricular function; 52C

Goals of thrombolytic therapy; 67C

Growth factors in pathogenesis of coronary arterial restenosis; 24C

Initial treatment of patients with acute ischemic heart disease hospitalized in a community hospital; 61C

Intravenous diltiazem versus nitroglycerin for silent and symptomatic myocardial ischemia in unstable angina pectoris; 42C

Introduction; 1C

Molecular biology and its impact for the future; 3C

Newer concepts in the treatment of unstable angina pectoris; 34C

Pathophysiology of acute coronary syndromes; 16C

Plaque disruption and thrombosis in unstable angina pectoris; 9C

The role of coronary angioplasty in the management of unstable angina pectoris; 58C

The role of thrombolytic therapy in patients with acute myocardial infarction presenting later than six hours after the onset of symptoms; 72C

Treatment of unstable angina pectoris (European experience); 47C

Symposium: The Hypertriglyceridemia: Risk and Management

Introduction; 1A

Acquired (secondary) forms of hypertriglyceridemia; 17A

Genetic (primary) forms of hypertriglyceridemia; 13A

Pathophysiology of triglyceride-rich particles

A. Metabolism of triglyceride-rich particles; 5A

Pathophysiology of triglyceride-rich particles

B. Triglyceride-rich lipoprotein cell interactions; 8A

Postprandial hyperlipidemia; 11A

Symposium: Thrombosis and Thrombolysis in Unstable Angina

Angiography in unstable angina; 78B

Antiplatelet and antithrombotic therapy in unstable angina; 92B

Characterization of atherosclerotic lesions by intravascular ultrasound: possible role in unstable coronary syndromes and in interventional therapeutic procedures; 85B

Coronary atherosclerotic plaques with and without thrombus in ischemic heart syndromes: a morphologic, immunohistochemical, and biochemical study; 36B

Coronary thrombosis: pathogenesis and clinical manifestations; 28B

Fibrinopeptide A excretion in urine: a marker of the cumulative thrombin activity in stable versus unstable angina patients; 58B

Granulocyte function in coronary artery disease; 64B

Integration of anticoagulation thrombolysis, and coronary angioplasty for unstable angina pectoris; 136B

Intimal disruption and coronary thrombosis: its role in the pathogenesis of human coronary disease; 69B

Introduction; 1B

Mechanisms of platelet activation: thromboxane A_2 as an amplifying signal for other agonists; 11B

Pathogenesis of thrombosis in unstable angina; 2B

Percutaneous transluminal coronary angioplasty for unstable angina; 125B

Platelet activation in the pathogenesis of unstable angina: importance in determining the response to plasminogen activators; 51B

The elusive cause of instability in unstable angina; 16B

The heart in fatal unstable angina pectoris; 22B

Thrombolysis in postinfarction angina; 119B

Thrombolysis in refractory unstable angina; 110B

Thrombolysis in unstable angina: results of clinical studies; 99B

Thrombosis and thrombolysis in unstable angina; 105B

Symposium: Ventricular Remodeling and Unloading Following Myocardial Infarction

Activation of neurohumoral systems following acute myocardial infarction; 80D

Cellular basis of ventricular remodeling after myocardial infarction; 7D

Early intervention with angiotensin-converting enzyme inhibitors during thrombolytic therapy in acute myocardial infarction: rationale and design of captopril and thrombolysis study; 111D

Early preventive treatment of left ventricular dysfunction following myocardial infarction: optimal timing and patient selection; 64D

Early treatment of acute myocardial infarction with angiotensin-converting enzyme inhibition: safety considerations; 101D

Effects of captopril on contractility after myocardial infarction: experimental observations; 26D

Fourth international study of infarct survival: protocol for a large simple study of the effects of oral mononitrate, of oral captopril, and of intravenous magnesium; 87D

Influence of severity of heart failure on the efficacy of angiotensin-converting enzyme inhibition; 121D

Intravenous nitroglycerin unloading in acute myocardial infarction; 52D

Myocardial infarct expansion: recognition significance and pathology; 35D

Patency of the infarct-related coronary artery and ventricular geometry; 41D

Progressive ventricular dilation in experimental myocardial infarction and its attenuation by angiotensin-converting enzyme inhibition; 17D

Rationale, design, and baseline characteristics of the survival and ventricular enlargement trial; 70D

Serial changes in left ventricular size after acute myocardial infarction; 116D

Ventricular enlargement and remodeling following acute myocardial infarction: mechanisms and management; 1D

Ventricular enlargement following infarction is a modifiable process; 127D

Symptom recognition

Effect of a two-year public education campaign on reducing response time of patients with symptoms of acute myocardial infarction; 249

Syncope

Combined ambulatory electroencephalographic and electrocardiographic recordings for evaluation of syncope; 1067

Complex ventricular ectopic activity in patients < 20 years of age with or without syncope, and the role of ventricular extrastimulus testing; 745

Neurally mediated syncope detected by carotid sinus massage and head-up tilt test in sick sinus syndrome; 1032

Syndrome X

Antischlemic and metabolic effects of glutamate during pacing in patients with stable angina pectoris secondary to either coronary artery disease or syndrome X; 291

Coronary adrenergic hyperreactivity in patients with syndrome X and abnormal electrocardiograms at rest; 169B

Systemic hypertension

Effect of bisoprolol on blood pressure and arterial hemodynamics in systemic hypertension; 61

Effects of diltiazem on long-term outcome after acute myocardial infarction in patients with and without a history of systemic hypertension; 429

Left ventricular diastolic filling alterations in normotensive young adults with a family history of systemic hypertension; 51

Left ventricular filling in the systemic hypertension of obesity; 57

Midventricular obstruction associated with chronic systemic hypertension and severe left ventricular hypertrophy; 761

Short-term efficacy and safety of a single five-million dose of oral nifedipine in uncontrolled essential systemic hypertension; 123

Use of Valsalva maneuver to unmask left ventricular diastolic function abnormalities by Doppler echocardiography in patients with coronary artery disease or systemic hypertension; 515

Usefulness of serum creatinine as a marker for coronary events in elderly patients with either systemic hypertension or diabetes mellitus; 678

Usefulness of total 12-lead QRS voltage for determining the presence of left ventricular hypertrophy in systemic hypertension; 261

Systemic lupus erythematosus

Prevalence of cardiac abnormalities early in the course of systemic lupus erythematosus; 1540

Systemic sclerosis

Acute and long-term effects of nifedipine on pulmonary and systemic hemodynamics in patients with pulmonary hypertension associated with diffuse systemic sclerosis, the CREST syndrome and mixed connective tissue disease; 1687

Systolic venous return

Superior vena cava flow and tricuspid anular motion after cardioversion of atrial fibrillation, and role of right atrial relaxation on systolic venous return; 1335

Tachycardia

Clinical and electrophysiologic characteristics of exercise-related idiopathic ventricular tachycardia; 897

Periodicity of global ventricular activation of sinus beats in patients with coronary artery disease and sustained ventricular tachycardia; 901

Prevalence, characteristics and significance of ventricular premature complexes and ventricular tachycardia detected by 24-hour continuous electrocardiographic recording in the Cardiac Arrhythmia Suppression Trial; 887

Takayasu's disease

Effects of prednisolone therapy on arterial angiographic features in Takayasu's disease; 410

Tamponade

Cardiac tamponade complicating mitral balloon valvuloplasty; 802

Technetium-99m

Dipyridamole sesta MIBI myocardial imaging; 674

Relation of left ventricular volume and function over one year after acute myocardial infarction to infarct size determined by technetium-99m sestamibi; 21

Relation of technetium-99m pyrophosphate accumulation to time interval after onset of acute myocardial infarction as assessed by a tomographic acquisition technique; 1575

Usefulness of technetium-99m-MIBI and thallium-201 in tomographic imaging combined with high-dose dipyridamole and handgrip exercise for detecting coronary artery disease; 575

Thallium scintigraphy

Noninvasive identification of significant narrowing of the left main coronary artery by dipyridamole thallium scintigraphy; 472

Thallium SPECT

Comparison of exercise radionuclide angiography with thallium SPECT imaging for detection of significant narrowing of the left circumflex coronary artery; 320

Thallium-201

Comparison of chest pain, electrocardiographic changes and thallium-201 scintigraphy during varying exercise intensities in men with stable angina pectoris; 569

Diagnostic accuracy of exercise thallium-201 single-photon emission computed tomography in patients with left bundle branch block; 756

Improved specificity of myocardial thallium-201 single-photon emission computed tomography in patients with left bundle branch block by dipyridamole; 504

Reduced left ventricular cavity activity ("black hole sign") in thallium-201 SPECT perfusion images of anteroapical transmural myocardial infarction; 1132

Role of dipyridamole thallium-201 imaging in left bundle branch block; 1097

Silent versus symptomatic ischemia during a thallium-201 exercise test; 1600

Systemic and left ventricular responses to exercise stress in asymptomatic patients with valvular aortic stenosis; 1469

Usefulness of technetium-99m-MIBI and thallium-201 in tomographic imaging combined with high-dose dipyridamole and handgrip exercise for detecting coronary artery disease; 575

Thromboembolism

Clinical characteristics of patients with acute pulmonary embolism; 1723

Thrombolysis

Acute myocardial infarction due to thrombolytic reperfusion of chronically occluded saphenous vein coronary bypass grafts; 274

Angiographically assessed coronary arterial patency and reocclusion in patients with acute myocardial infarction treated with anistreplase: results of the Anistreplase Reocclusion Multicenter Study (ARMS); 296

Clot-selective coronary thrombolysis with low-dose synergistic combinations of single-chain urokinase-type plasminogen activator and recombinant tissue-type plasminogen activator; 1564

Comparison of intravenous urokinase plus heparin versus heparin alone in acute myocardial infarction; 585

Coronary recanalization rate after intravenous bolus of alteplase in acute myocardial infarction; 161

Effect of a two-year public education campaign on reducing response time of patients with symptoms of acute myocardial infarction; 249

Effect of propranolol (long-acting) on the circadian fluctuation of tissue-plasminogen activator and plasminogen activator inhibitor-1; 1295

Effectiveness of double bolus alteplase in the treatment of acute myocardial infarction; 1570

Effects of early thrombolytic therapy (anistreplase versus streptokinase) on enzymatic and electrocardiographic infarct size in acute myocardial infarction; 848

Electrocardiographic correlates of reperfusion status after thrombolysis: is the "incomplete" or "interrupted" infarction a non-Q-wave infarction?; 520

Experience with low-dose intracoronary recombinant tissue-type plasminogen activator for nonacute total occlusions before percutaneous transluminal coronary angioplasty; 1609

Frequency of use of thrombolytic therapy in acute myocardial infarction in Israel; 1291

Importance of myocardial infarct artery patency on the prevalence of ventricular arrhythmia and late potentials after thrombolysis in acute myocardial infarction; 1410

Medical, ethical and legal issues regarding thrombolytic therapy in the Jehovah's Witness; 1525

Non-Q- and Q-wave infarction after thrombolytic therapy with intravenous streptokinase for chest pain and anterior ST-segment elevation; 446

Older age and elevated blood pressure are risk factors for intracerebral hemorrhage after thrombolysis; 166

Principles and practice of coronary thrombolysis and conjunctive treatment; 382

Reducing delay in the emergency room in administration of thrombolytic therapy for myocardial infarction associated with ST elevation; 251

Thrombolytic therapy in patients requiring cardiopulmonary resuscitation; 1015

Time course and interrelation of reperfusion-induced ST changes and ventricular arrhythmias in acute myocardial infarction; 1138

Underutilization of thrombolytic therapy in eligible women with acute myocardial infarction; 529

Usefulness of electrocardiographic findings and creatine kinase levels on admission in predicting the accuracy of the interval between onset of chest pain of acute myocardial infarction and initiation of thrombolytic therapy; 1287

Ventricular late potentials in patients with acute myocardial infarction and early thrombolytic treatment; 837

Thrombosis

Clinical spectrum of venous thrombi in the Fontan patient; 1721

Protein C deficiency and acute myocardial infarction in the third decade; 137

Risk of thrombosis during coronary angioplasty with low osmolality contrast media; 1020

Time-motion reconstruction

Time-motion reconstruction of mitral leaflet motion from two-dimensional echocardiography in mitral valve prolapse; 215

Tissue-type plasminogen activator

Clot-selective coronary thrombolysis with low-dose synergistic combinations of single-chain urokinase-type plasminogen activator and recombinant tissue-type plasminogen activator; 1564

Coronary recanalization rate after intravenous bolus of alteplase in acute myocardial infarction; 161

Effectiveness of double bolus alteplase in the treatment of acute myocardial infarction; 1570

Effect of propranolol (long-acting) on the circadian fluctuation of tissue-plasminogen activator and plasminogen activator inhibitor-1; 1295

Experience with low-dose intracoronary recombinant tissue-type plasminogen activator for nonacute total occlusions before percutaneous transluminal coronary angioplasty; 1609

Tomography

Comparison of serial quantitative evaluation of calcified coronary artery plaque by ultrafast computed tomography in persons with and without obstructive coronary artery disease; 1

Relation of technetium-99m pyrophosphate accumulation to time interval after onset of acute myocardial infarction as assessed by a tomographic acquisition technique; 1575

Transdermal therapy

Acute and chronic antianginal efficacy of continuous twenty-four-hour application of transdermal nitroglycerin; 1263

Transposition of the great arteries

Echo-Doppler study of right ventricular filling in asymptomatic patients with Senning operation for transposition of the great arteries; 693

Management of the neonate with transposition of the great arteries and persistent pulmonary hypertension; 1253

Transtelephonic defibrillator

A cellular transtelephonic defibrillator for management of cardiac arrest outside the hospital; 909

Treadmill protocols

Effects of handrail support on claudication and hemodynamic responses to single-stage and progressive treadmill protocols in peripheral vascular occlusive disease; 99

Treatment bias

Are we biased in our approach to treating elderly patients with heart disease?; 954

Tricuspid valve

Clinical and anatomic observations in patients having mitral valve replacement for *mitral stenosis* and simultaneous tricuspid valve replacement; 1367

Strut fracture and embolization of a Björk-Shiley valve from the tricuspid valve position; 1253

Transepithelial echocardiographic features of stenotic bioprosthetic valves in the mitral and tricuspid valve positions; 689

Tricuspid valve replacement

Clinical and anatomic observations in patients having mitral valve replacement for *pure mitral regurgitation* and simultaneous tricuspid valve replacement; 1107

Tuberous sclerosis

Evaluation of cardiac tumors in tuberous sclerosis by magnetic resonance imaging; 281

Tumor, cardiac

Libman-Sacks endocarditis mimicking intracardiac tumor; 817

Medical versus surgical management of intracardiac rhabdomyomas; 836

Twins

Bivariate genetic analysis of left ventricular mass and weight in pubertal twins (the Medical College of Virginia Twin Study); 661

Ultrasound

Ability of high-intensity ultrasound to ablate human atherosclerotic plaques and minimize debris size; 242

Assessment of medial thinning in atherosclerosis by intravascular ultrasound; 1625

Intracoronary ultrasound evaluation of interventional technologies; 1305

Spontaneous echo contrast effect as an indicator of flow-limiting coronary stenosis; 276

Uric acid

Myocardial malondialdehyde and uric acid release after short-lasting coronary occlusions during coronary angioplasty: potential mechanisms for free radical generation; 392

Urokinase

Comparison of intravenous urokinase plus heparin versus heparin alone in acute myocardial infarction; 585

Effects of urokinase and heparin on minimal cross-sectional area of the culprit narrowing in unstable angina pectoris; 451

Urokinase-type plasminogen activator

Clot-selective coronary thrombolysis with low-dose synergistic combinations of single-chain urokinase-type plasminogen activator and recombinant tissue-type plasminogen activator; 1564

Vagal reflexes

Effect of reflex vagal activation on frequency of ventricular premature complexes; 349

Valsalva maneuver

Use of Valsalva maneuver to unmask left ventricular diastolic function abnormalities by Doppler echocardiography in patients with coronary artery disease or systemic hypertension; 515

Valve prostheses

Comparison of allografts and prosthetic valves when used for emergency aortic valve replacement for active infective endocarditis; 637

Transesophageal echocardiographic features of stenotic bioprosthetic valves in the mitral and tricuspid valve positions; 689

Valvotomy

Effectiveness of percutaneous balloon mitral valvotomy during pregnancy; 930

Valvular heart disease

Clinical and anatomic observations in patients having mitral valve replacement for *mitral stenosis* and simultaneous tricuspid valve replacement; 1367

Determinants of one-year outcome from balloon aortic valvuloplasty; 75

Mechanical failure of a St. Jude medical prosthesis; 841

Relation between myocardial beta-adrenergic receptor and left ventricular function in patients with left ventricular volume overload due to chronic mitral regurgitation with or without aortic regurgitation; 81

Usefulness of coronary angiography in patients requiring repeat cardiac valve surgery; 1717

Valvular regurgitation

Comparison of transthoracic and transesophageal echocardiography for assessment of left-sided valvular regurgitation; 1677

Right-sided valve regurgitation in congenital heart disease determined by Doppler regurgitant velocity measurement; 269

Valvuloplasty

Assessment of the mitral valve splitability score by transthoracic and transesophageal echocardiography; 1106

Cardiac tamponade complicating mitral balloon valvuloplasty; 802

Determinants of one-year outcome from balloon aortic valvuloplasty; 75

Doppler echocardiographic findings in adults with severe symptomatic valvular aortic stenosis; 1477

Effectiveness of balloon percutaneous valvuloplasty for stenotic bioprosthetic valves in different positions; 1719

Effectiveness of percutaneous balloon valvuloplasty in adults with pulmonic valve stenosis; 1111

Effects of percutaneous mitral valvuloplasty on left ventricular mass and volume; 940

Intraoperative balloon valvuloplasty for critical aortic valvular stenosis in neonates; 807

Vasoconstriction

Digoxin-induced vasoconstriction of normal and atherosclerotic epicardial coronary arteries; 1274

Effects of luminal eccentricity on spontaneous coronary vasoconstriction after successful percutaneous transluminal coronary angioplasty; 530

Spasm and arterial injury; 525

Vasodilator therapy

Effects of long-term vasodilator therapy on electrocardiographic abnormalities in chronic aortic regurgitation; 935

Vasomotion

Coronary adrenergic hyperreactivity in patients with syndrome X and abnormal electrocardiograms at rest; 1698

Vena cava

Incidence and significance of a "step-down" in oxygen saturation from superior vena cava to pulmonary artery; 695

Ventricular arrhythmias

Complex ventricular ectopic activity in patients < 20 years of age with or without syncope, and the role of ventricular extrastimulus testing; 745

Importance of myocardial infarct artery patency on the prevalence of ventricular arrhythmia and late potentials after thrombolysis in acute myocardial infarction; 1410

Relation between acute ventricular arrhythmias, ventricular late potentials and mortality in acute myocardial infarction; 1403

Ventricular filling

Influence of Doppler sample volume location on ventricular filling velocities; 550

Ventricular function

Doppler assessment of pulmonary artery flow patterns and ventricular function after the Fontan operation; 1211

Late potentials and their relation to ventricular function in human immunodeficiency virus infection; 1216

Ventricular parasystole

Symmetry, broken symmetry, and restored symmetry of apparent pure ventricular parasystole; 256

Ventricular premature complexes

Distribution patterns of ventricular premature complexes in long-term electrocardiographic recordings and their usefulness in disclosing modulated parasystole; 1045

Effect of reflex vagal activation on frequency of ventricular premature complexes; 349

Prevalence, characteristics and significance of ventricular premature complexes and ventricular tachycardia detected by 24-hour continuous electrocardiographic recording in the Cardiac Arrhythmia Suppression Trial; 887

What's in a name?; 833

Ventricular repolarization

Dispersion of ventricular repolarization in the long QT syndrome; 614

Ventricular rhythm

Ventricular tachycardia and accelerated ventricular rhythm presenting in the first month of life; 840

Ventricular septal defect

Diagnosing and differentiating a doubly committed ventricular septal defect from obstruction in the outflow tract of the right ventricle; 831

Effect of digoxin on contractility and symptoms in infants with a large ventricular septal defect; 1377

Late results (30 to 35 years) after operative closure of isolated ventricular septal defect from 1954 to 1960; 1491

Pulmonary valve-moderator band distance and association with development of double-chambered right ventricle; 1681

Ventricular tachyarrhythmias

Unexpected ventricular tachyarrhythmias soon after cardiac surgery; 1099

Usefulness of placement of intraoperative epicardial wires during automatic implantable cardioverter-defibrillator insertion to preclude the need for transvenous catheters at the PredischARGE Electrophysiology Study; 679

Ventricular tachycardia

Effects of enflurane on inducibility of ventricular tachycardia; 609

Effects of increased heart rate and sympathetic tone on intraventricular electrogram morphology; 1321

Electrophysiologic profile of ibopamine in patients with congestive heart failure and ventricular tachycardia and relation to its effects on hemodynamics and plasma catecholamines; 1194

Upright retrograde P waves during ventricular tachycardia; 138

Ventricular tachycardia and accelerated ventricular rhythm presenting in the first month of life; 840

Videodensitometry

Edge detection versus videodensitometry for quantitative angiographic assessment of directional coronary atherectomy; 534

Waterston shunt

Balloon dilatation of a stenotic Waterston shunt with long-term follow-up; 821

Wenckebach periodicity

Quantitative analysis of Wenckebach periodicity; 835

Wolff-Parkinson-White syndrome

Can patients discriminate between atrial fibrillation and regular supraventricular tachycardia?; 964

Electrophysiologic effects of intravenous propafenone at rest, during isoproterenol infusion and during exercise in the Wolff-Parkinson-White syndrome; 681

Radiofrequency catheter ablation of accessory pathways: a learning experience; 1651

Reduction in medical care cost associated with radiofrequency catheter ablation of accessory pathways; 1656

Usefulness of the Δ HA interval to accurately distinguish atrioventricular nodal reentry from orthodromic septal bypass tract tachycardias; 1037

Women

Usefulness of the total cholesterol to high-density lipoprotein cholesterol ratio in predicting angiographic coronary artery disease in women; 1646

Xamoterol in Severe Heart Failure Study

Difference in mortality between patients treated with captopril or enalapril in the xamoterol in Severe Heart Failure Study; 71

**Volume 68/Copyright © 1991
Cahners Publishing Company, A Division of
Reed Publishing USA
275 Washington Street, Newton, Massachusetts 02158-1630**

All rights reserved. No part of this publication may be produced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or by any information storage retrieval system, without written permission of the copyright owner.

Printed in the United States of America

